

SUBJECT INDEX

NDOT STRUCTURES MANUAL

September 2008

| <u>Subject</u> | <u>Section</u> |
|---|---------------------------------|
| - A - | |
| AASHTO Guide for Commonly Recognized (CoRe) <i>Structural Elements</i> | 28.1.3.4 |
| AASHTO Manual for Condition Evaluation and Load <i>and Resistance Factor Rating (LRFR) of Highway Bridges</i> | 28.1.3.1 |
| AASHTO Manual for Condition Evaluation of Bridges..... | 28.1.3.1 |
| Abutments..... | 11.6.2, 18.1 |
| Applicability/Limitations | 11.6.2.6 |
| Design and Detailing Criteria | 18.1.4 |
| Dozer Abutments | 11.6.2.5, 18.1.7 |
| Integral Abutments | 11.6.2.3, 18.1.5 |
| Seat Abutments..... | 11.6.2.4, 18.1.6 |
| Seismic Analysis | 18.1.3 |
| Aesthetics | 11.4.9, 15.2.1.4.1 |
| AISC Certification..... | 15.1.5 |
| AISC LRFD Manual of Steel Construction..... | 10.4.2 |
| AITC Timber Construction Manual..... | 10.4.14 |
| Alkali-Silica Reactivity | 22.4.2.9, 22.4.3.3, 22.4.4.3 |
| Alternatives Analysis..... | 11.8 |
| American Concrete Institute (ACI) —Analysis and <i>Design of Reinforced Concrete Bridge Structures</i> | 10.4.14 |
| American Concrete Institute (ACI) 318 Building Code <i>Requirements for Structural Concrete and Commentary</i> | 10.4.14 |
| Anchor Bolts..... | 20.1.7 |
| Anchored Walls..... | 23.1.4.2.2 |
| ANSI/AASHTO/AWS Bridge Welding Code D1.5M/D1.5 | 10.4.5 |
| Approach Slabs..... | 11.4.7, 16.3, 18.1.4, 22.5.3.10 |
| Arch Culverts | 23.3.2 |
| AREMA Manual for Railway Engineering | 10.4.13, 21.1, 21.2.2 |
| Asphalt Overlay..... | 22.5.3.4 |
| Asphaltic Plug Joint..... | 19.2.5 |
| - B - | |
| Backwater | 11.2.2.4 |
| Beam Saddles..... | 22.7.2.7 |
| Bearing Stiffeners | 15.6.3.2 |
| Bearings..... | Chapter 20 |
| Anchor Bolts..... | 20.1.7 |
| Bearing Plate Details..... | 20.1.8 |
| Camber | 20.1.2 |
| Leveling Pad at Integral Abutments | 20.1.9 |
| Movements..... | 20.1.1, 20.1.4 |
| Rehabilitation/Replacement | 22.6.2.3, 22.7.2.4, 22.9.4.5 |
| Seismic Requirements | 20.1.6 |
| Thermal Movements | 20.1.3 |
| Types | 20.2 |
| Widening Seats | 22.9.4.3 |

| <u>Subject</u> | <u>Section</u> |
|--|--|
| Bicycle Accommodation..... | 11.9.4.5 |
| Bicycle Rails..... | 16.5.2 |
| Bolted Connections..... | 15.7.1 |
| Bolted Splices (Fatigue Damage) | 22.7.2.1 |
| Bolts | 15.2.2 |
| BRASS-CULVERT..... | 8.2.15 |
| BRASS-GIRDER (LRFD) TM /(LFD) TM | 8.2.6 |
| Bridge Deck Contour Sheets | 25.3.2 |
| BRIDGE DESIGNER II | 8.2.10 |
| Bridge Location | 11.2 |
| Bridge Management..... | Chapter 29 |
| Bridge Posting..... | 28.3.2 |
| Bridge Rail Upgrade/Retrofit..... | 22.5.3.9 |
| Bridge Rails..... | 13.1.1.2, 14.4.7, 16.2.9, 16.5.1, 23.2.5 |
| Bridge Rehabilitation..... | Chapter 22 |
| Bridge Rehabilitation Report | 22.2 |
| Concrete Superstructures | 22.6 |
| Condition Surveys and Tests | 22.4 |
| Deck Rehabilitation | 22.5 |
| Seismic Retrofit | 22.9 |
| Steel Superstructures..... | 22.7 |
| Substructures | 22.8 |
| Bridge Roadway Widths..... | 11.9.4.3 |
| Bridge Widening..... | 22.10.5 |
| Closure Pours | 22.10.4 |
| Existing Structures | 22.10.2 |
| Girder Type Selection | 22.10.3 |
| Substructures/Foundations | 22.10.7 |
| Buried Structures | 23.3 |
| Buy America..... | 15.1.6 |

- C -

| | |
|---|------------------|
| Camber | |
| Bearing Rotation | 20.1.2 |
| Precast, Prestressed Concrete Girders | 14.5.5 |
| Structural Steel Girders | 15.5.1, 15.5.3.2 |
| Cantilever End Spans | 11.3.6 |
| Cantilever Walls, CIP Concrete | 23.1.4.1.2 |
| Cantilever Walls, Nongravity | 23.1.4.2.4 |
| CAPWAP | 17.3.4.3 |
| Change Orders | 25.3.1 |
| Charpy V-Notch Fracture Toughness | 15.2.1.5 |
| Chloride Analysis | 22.4.2.4 |
| CIP Concrete Slabs | 11.5.6.1, 14.4 |
| Abutment Type | 14.4.13 |
| Cap Design | 14.4.6 |
| Concrete Barrier Dead Load | 14.4.7 |
| Construction Joints..... | 14.4.3 |
| Dead-Load Deflection/Settlement | 14.4.2 |

| <u>Subject</u> | <u>Section</u> |
|---|----------------------|
| Flexural Reinforcement | 14.4.11 |
| Haunches | 14.4.1.1 |
| Live Load..... | 14.4.8 |
| Longitudinal Edge Beam | 14.4.4 |
| Minimum Reinforcement | 14.4.1.2 |
| Minimum Thickness | 14.4.10 |
| Shear Resistance..... | 14.4.9 |
| Shrinkage/Temperature Reinforcement | 14.4.5 |
| Skew | 14.4.12 |
| CIP Conventionally Reinforced Concrete Box Girders | 11.5.7.1 |
| CIP Post-Tensioned Concrete Box Girders | 11.5.2, 14.5.3 |
| Anchorage..... | 14.5.3.4 |
| Concrete Strength at Release..... | 14.5.2.2 |
| Concrete Stress Limits | 14.5.2.1 |
| Deck Slab Lost Deck Form | 12.2.2.3 |
| Designer/Contractor Responsibilities | 14.5.3.10 |
| Diaphragms..... | 14.5.3.9 |
| Ducts | 14.5.3.1 |
| Expansion Joint Design Example..... | 19.3 |
| Falsework..... | 14.5.3.8 |
| Flexural Resistance..... | 14.5.3.6 |
| Grouting | 14.5.3.2 |
| Hinges | 14.5.3.5 |
| Live-Load Distribution Factor Design Example | 13.1.3 |
| Loss of Prestress | 14.5.2.3 |
| Shear Resistance | 14.5.3.7 |
| Steel-Reinforced Elastomeric Bearing Design Example | 20.3.8 |
| Tendon Profile | 14.5.3.3 |
| CIP, Post-Tensioned Concrete Slab..... | 11.5.6.2 |
| Closed Drainage System | 16.4.3 |
| Closure Pour | 16.2.6 |
| Coding Bridge Inspection Data | 28.2.1.2 |
| Column Jacketing | 22.9.4.1 |
| COM624P | 8.2.14, 17.1.4.3 |
| Complex Bridge Inspections | 28.2.6.9, 28.2.8.5 |
| Composite Action..... | 11.4.5.1, 22.7.2.3 |
| Composite Steel Girders..... | 12.2.2.2, Chapter 15 |
| Connections/Splices..... | 15.7 |
| Dimension/Detail Requirements..... | 15.5 |
| Economical Plate Girder Proportioning | 15.1.3 |
| Expansion Joint Design Example..... | 19.3 |
| Falsework..... | 15.1.4 |
| Fatigue | 15.4 |
| Horizontally Curved Members..... | 15.3 |
| I-Sections in Flexure | 15.6 |
| Materials..... | 15.2 |
| Composite Steel Tub Girders..... | 11.5.4, 15.5.7 |
| Compressive Strength (Structural Concrete) | 14.2.1 |
| Computer Software | Chapter 8 |
| CONBOXTM | 8.2.8 |

| <u>Subject</u> | <u>Section</u> |
|--|--|
| Concrete Cover..... | 14.3.1.2 |
| Concrete Superstructure Rehabilitation | |
| Condition Surveys and Tests | 22.4.3 |
| Techniques..... | 22.6 |
| CONSPAN™..... | 8.2.7 |
| Construction Field/Shop Inspections | 25.2 |
| Construction (General Considerations) (Preliminary Design) | 11.4.10 |
| Access and Time Restrictions..... | 11.4.10.2 |
| Construction Costs..... | 11.4.10.4 |
| Staged Construction..... | 11.4.10.3 |
| Construction Joints | 14.4.3, 16.2.5.2, 16.2.6, 18.1.10, 18.2.5 |
| Continuous vs Simple Spans | 11.4.3 |
| Coring | 22.4.2.8 |
| Corrosion Protection | 14.3.1.6 |
| Cover Plates | 22.7.2.3 |
| Crack Repair (Concrete) | 22.6.2.2 |
| Crack Sealant | 22.5.3.6 |
| Cracking in Metals | 26.3.1, 28.2.6.7.2 |
| Creep/Shrinkage | 14.4.5, 14.5.1.1, 14.5.1.2, 14.5.3.5, 20.1.4 |
| Critical Maintenance Inspections | 28.2.6.8 |
| Cross Frames (Steel Superstructures) | 15.5.4, 22.9.4.7 |
| Cross Slopes..... | 11.9.4.2 |
| <i>CRSI Handbook</i> | 10.4.14 |
| <i>CRSI Manual of Standard Practice</i> | 10.4.14 |
| Culverts | |
| Compared to Bridge | 11.2.2.7 |
| Design | 23.3 |
| Inspection..... | 28.2.6.13 |

- D -

| | |
|--|--|
| Damage Inspections | 28.2.6.10 |
| Dangerous Duty Pay | 28.2.15.1 |
| Dead Load | 12.2.2, 12.2.3, 13.1.2.2.3, 14.4.7, 18.1.4 |
| Dead-Load Deflection | 15.5.3, 22.10.5 |
| Deck Drainage | 16.4, 21.1.5 |
| Deck Finishing Equipment | 11.2.1.7, 16.2.6 |
| Deck Overhang | 15.1.1.3, 15.6.4, 16.2.9 |
| Deck Overlay | 22.5.2.1 |
| Deck Pouring Sequence | 16.2.5 |
| Deck Rehabilitation | |
| Condition Surveys and Tests | 22.4.2, 26.3.3 |
| Techniques..... | 22.5 |
| Deck Thickness..... | 16.2.1 |
| Delamination Sounding..... | 22.4.2.3 |
| Design Exceptions | 10.2.3 |
| Development of Reinforcement | 14.3.1.7 |
| Diaphragm-with-Footing Abutment | 11.6.2.3, 18.1.5.2 |
| Diaphragm-with-Pile Abutment | 11.6.2.3, 18.1.5.3 |
| Diaphragms (Prestressed Concrete Structures) | 14.5.3.9, 14.5.4.7, 22.9.4.7 |

| <u>Subject</u> | <u>Section</u> |
|-------------------------------------|------------------------------------|
| Diaphragms (Steel Structures)..... | 15.5.4, 22.9.4.7 |
| Disc Bearings..... | 20.2.4.4 |
| District Offices..... | 11.2.6, 28.2.3, 28.2.6.8 |
| Downdrag..... | 12.2.4, 17.3.3.1 |
| Dozer Abutments | 11.6.2.5, 18.1.3.2, 18.1.7 |
| Drilled Holes (Fatigue Damage)..... | 22.7.2.1 |
| Drilled Shafts..... | 11.7.2.3, 14.3.1.5.2, 17.4, 18.2.3 |
| Dye-Penetrant Testing | 15.7.2.6, 26.3.1 |

- E -

| | |
|--|----------------------|
| Earth Retaining Systems | 23.1 |
| Earthquakes..... | See SEISMIC |
| Eddy Current Testing | 15.7.2.6, 26.3.1 |
| Elastomeric Bearings | 20.2.2, 20.2.3, 20.3 |
| Empirical Deck Design..... | 16.1.3 |
| Environmental Considerations | 11.2.2.5, 11.2.5 |
| Epoxy-Resin Injection | 22.5.3.5 |
| Estimated Remaining Life | 28.2.6.14 |
| Expansion Joints..... | Chapter 19 |
| Asphaltic Plug Joint..... | 19.2.5 |
| Modular Expansion Joint..... | 19.2.3 |
| Preformed Joint Filler | 19.2.4 |
| Pourable Seals..... | 19.2.6 |
| Retrofit/Rehabilitation..... | 22.5.2.2, 22.5.3.8 |
| Strip Seal Joint | 19.2.2 |
| Thermal Movement | 19.1.2, 19.1.3 |
| Exterior Girders (Steel Structures)..... | 15.1.1.3 |
| Extreme-Event Load Combinations | 12.1.3.3 |

- F -

| | |
|---|---|
| Falsework..... | 11.4.10.5, 11.9.6.3, 14.5.3.8, 15.1.4, 21.1.2 |
| Fatigue Loads | 12.3.2.8 |
| Fatigue (Steel Structures) | 15.4 |
| Damage Countermeasures | 22.7.2.1, 26.3.2 |
| Distortion-Induced Fatigue | 15.4.2 |
| Fatigue Resistance | 15.4.1.4 |
| Fatigue Stress Range | 15.4.1.3 |
| Load-Induced Fatigue | 15.4.1, 22.4.3.5 |
| Fatigue (Structural Concrete)..... | 14.1.4 |
| Fatigue-and-Fracture Load Combination | 12.1.3.4 |
| Federal-Aid System | 11.9.2.2 |
| Highway Bridge Program (HBP) | 11.9.2.2.4, 22.1.3 |
| National Highway System (NHS) | 11.9.2.2.2 |
| Surface Transportation Program (STP)..... | 11.9.2.2.3 |
| Fencing | 16.5.3, 21.1.4 |
| <i>FHWA Bridge Inspector's Reference Manual</i> | 28.1.3.2 |

| <u>Subject</u> | <u>Section</u> |
|--|--------------------|
| FHWA Recording and Coding Guide for Structural Inventory and Appraisal of the Nation's Bridges | 28.1.3.3 |
| Fiber-Reinforced Polymer (FRP) Strengthening | 22.6.2.5 |
| Field Splices..... | 15.1.3.4, 15.7.3.2 |
| Flange Plates | 15.1.3.3 |
| Flexural Reinforcement (Seismic Response)..... | 22.9.4.2 |
| Flexural Resistance | 14.5.3.6, 14.5.4.5 |
| Flexural Steel Reinforcement (Limits)..... | 14.1.2.2 |
| Footing Strengthening (Seismic)..... | 22.9.4.8 |
| Foundation Design..... | 17.1 |
| Geotechnical Interaction | 17.1.4 |
| Hydraulic Interaction | 17.1.5 |
| Foundations (General) | 11.7 |
| Drilled Shafts..... | 11.7.2.3, 17.4 |
| Piles, Driven | 11.7.2.2, 17.3 |
| Seismic Analysis | 11.7.1.2 |
| Spread Footings..... | 11.7.2.1, 17.2 |
| Fracture Critical Member Inspection | 28.2.6.7, 28.2.8.8 |
| Fracture-Critical Members (Bridge Rehabilitation) | 22.4.3.4 |
| Friction Forces | 12.3.3 |
| Front Sheet (Structure) | 11.1.1 |
| Functional Classification System | 11.9.2.1 |
| Future Overlay | 12.2.2.1 |

- G -

| | |
|---|----------------------|
| Geotechnical Considerations | 11.2.3, 17.1.4 |
| Geotechnical Reports | 17.1.4.3 |
| Girder Spacing | 11.5.1.3, 15.1.1.2 |
| Girders (Number of) | 11.4.5.2, 15.1.1.2 |
| Grade 36 Steel..... | 15.2.1.1 |
| Grade 50 Steel..... | 15.2.1.2 |
| Grade HPS 70W Steel | 15.2.1.3.1 |
| Grade HPS 100W Steel | 15.2.1.3.2 |
| Grinding (Fatigue Damage) | 22.7.2.1 |
| Ground Anchorages..... | 22.8.2.4, 23.1.4.2.2 |
| Ground Penetrating Radar..... | 22.4.2.6 |
| GT Strudl..... | 8.2.2 |
| <i>Guide Design Specifications for Bridge Temporary Works</i> | 10.4.9 |
| <i>Guide Specifications for Design of Pedestrian Bridges</i> | 10.4.7, 23.6 |
| <i>Guide Specifications for Distribution of Loads for Highway Bridges</i> | 10.4.8 |
| <i>Guide Specifications for Horizontally Curved Highway Bridges</i> | 10.4.4 |
| <i>Guide Specifications for Seismic Isolation Design</i> | 10.4.3, 22.9.4.6 |
| <i>Guide Specifications for Structural Design of Sound Barriers</i> | 10.4.10, 23.4 |

- H -

| | |
|--|----------|
| Half-Cell Method | 22.4.2.7 |
| Haunched Girders (Structural Steel)..... | 15.1.3.2 |

| <u>Subject</u> | <u>Section</u> |
|--|--------------------|
| Haunches (Concrete Decks) | 15.5.1, 16.2.2 |
| Hazardous Waste | 11.2.5.5 |
| Heat Straightening (Steel Superstructures) | 22.7.2.6 |
| High-Load, Multi-Rotational Bearings | 20.2.4 |
| Highway Bridge Program | 11.9.2.2.4, 22.1.3 |
| Highway Bridges Over Railroads | 21.1 |
| Design Policies | 21.1.1 |
| Geometrics | 21.1.3 |
| Structure Types | 21.1.2 |
| Hinges | 11.4.11, 14.5.3.5 |
| Historic Bridges | 11.2.5.4 |
| HL-93 Notional Load | 12.3.2.2 |
| Horizontal Alignment | 11.2.1.2, 11.9.5.1 |
| Horizontally Curved Bridges | 13.2.2.2 |
| Horizontally Curved Members (Steel Structures) | 15.3 |
| HS-20/HS-25 Live Load | 10.4.2.2 |
| Hydraulics | 11.2.2 |
| Definitions | 11.2.2.3 |
| Design Criteria | 11.2.2.4 |
| Hydraulics Report | 11.2.2.1 |

- I -

| | |
|---|------------------------------------|
| In-Depth Inspections | 28.2.6.4, 28.2.8.4 |
| Inelastic Redistribution of Gravitational Force Effects | 13.4 |
| Infill Shear Wall | 22.9.4.2 |
| Integral Abutments | 11.6.2.3, 18.1.3.2, 18.1.5, 20.1.9 |
| Integral Bent Caps | 12.3.2.9, 14.1.2.3, 14.4.6 |
| Inventory Inspections | 28.2.6.2 |
| Inventory Rating | 28.3.1 |
| I-Sections (Steel Structures) | 15.6 |
| Bearing Stiffeners | 15.6.3.2 |
| Moment Regions | 15.6.1 |
| Shear Connectors | 15.6.2 |
| Stiffeners | 15.6.3 |
| Transverse Intermediate Stiffeners | 15.6.3.1 |

- J / K -

| | |
|---|-----------------|
| Jacking | 11.4.8, 15.5.5 |
| Jointless Bridges | 11.4.4, 11.4.11 |
| Joint Rehabilitation/Replacement | 22.5.3.8 |
| Jurisdictional Responsibilities (Public Highway System) | 11.9.2.3 |

- L -

| | |
|--|----------|
| Lateral Bracing (Steel Structures) | 15.5.6 |
| Lateral Clearances (Railroads) | 21.1.3.2 |
| Lateral Loading (for Foundations) | 17.5 |

| <u>Subject</u> | <u>Section</u> |
|---|--------------------------|
| Limit States | 12.1.2 |
| Live Load | 12.1.1.2, 12.3.2, 14.4.8 |
| Live-Load Deflection Criteria..... | 11.4.2 |
| Live-Load Distribution | 13.1, 14.4.8 |
| Live-Load Surcharge..... | 12.3.6 |
| Load Definitions | 12.1.1 |
| Load Factors and Combinations | 12.1.3 |
| Application of Multiple-Valued Load Factors | 12.1.3.5 |
| Extreme-Event Load Combinations | 12.1.3.3 |
| Fatigue-and-Fracture Load Combination | 12.1.3.4 |
| Service Load Combinations | 12.1.3.2 |
| Strength Load Combinations..... | 12.1.3.1 |
| Load Modifier | 12.1.2.2 |
| Load Rating..... | 22.10.2.1, 28.3 |
| Local Government..... | 11.2.7 |
| Longitudinal Construction Joints | 16.2.6, 22.10.4 |
| Longitudinal Deck Joints | 16.2.7, 22.10.4 |
| Longitudinally Stiffened Webs..... | 15.1.3.8 |
| LPILE Plus | 8.2.13, 17.1.4.3 |
| <i>LRFD Bridge Design Specifications</i> | 10.4.1 |
| Luminaire Attachments | 16.5.6 |

- M -

| | |
|---|-----------------------------------|
| Magnetic-Particle Testing | 15.7.2.6, 26.3.1 |
| Maintenance Considerations | 11.4.11, 16.4.4.4, 19.1.1, 20.1.5 |
| <i>Manual on Subsurface Investigations</i> | 10.4.6 |
| MDX™ | 8.2.9 |
| Metric vs US Customary Reinforcing Steel Bars | 14.3.1.1 |
| Micropile Underpinning | 22.8.2.3 |
| Modified Compression Field Theory | 14.1.2.5.1 |
| Modular Expansion Joint..... | 19.2.3 |
| MSE Walls | 18.1.1, 23.1.4.1.1, 23.2 |
| Multi-Column Piers..... | 11.6.3.4, 18.2.6 |
| Multiple Presence Factors | 12.3.2.3 |

- N -

| | |
|---|--|
| National Bridge Inspection Standards..... | 22.1.3, 28.1.2, 28.2.1.1, Appendix 28A |
| <i>National Steel Bridge Alliance (NSBA) Highway Structures Design Handbook</i> | 10.4.14 |
| Navigable Waters..... | 11.2.5.3.4 |
| NBI Rating..... | 28.2.1.2 |
| <i>NCHRP 343 Manuals for Design of Bridge Foundations</i> | 10.4.14 |
| NDOT Documents..... | 10.5 |
| <i>NDOT Bridge Inspection Manual</i> | 28.2.5 |
| <i>NDOT Construction Manual</i> | 10.5.6 |
| <i>NDOT Drainage Manual</i> | 10.5.4 |
| <i>NDOT Geotechnical Design Manual</i> | 10.5.2 |

| <u>Subject</u> | <u>Section</u> |
|--|--------------------------------|
| <i>NDOT PONTIS Coding Guide</i> | 28.2.5 |
| <i>NDOT Project Design Development Manual</i> | 10.5.1 |
| <i>NDOT Standard Plans for Roads and Bridge Construction</i> | 10.5.3 |
| <i>NDOT Standard Specifications for Road and Bridge Construction</i> | 10.5.5 |
| <i>Nevada Administrative Code</i> | 21.1.1, 21.1.3.2.3, 21.1.3.3.3 |
| <i>Nevada Bridge Management System</i> | 22.1.4, Chapter 29 |
| <i>Nevada Bridge Inspection Program</i> | Chapter 28 |
| Bridge Inventory | 28.2.12 |
| Consultants | 28.2.4 |
| Federal Bridge Inspection Program (NBIS)..... | 28.1 |
| Field Procedures | 28.2.10 |
| Quality Assurance | 28.2.13, 28.2.14 |
| Reporting Procedures | 28.2.11 |
| Responsibilities/Qualifications..... | 28.2.2 |
| Scour Critical Bridges..... | 28.2.7 |
| Types of Inspections | 28.2.6 |
| Non-Destructive Testing | Chapter 26 |

- O -

| | |
|---------------------------------------|---------------------|
| <i>Open Drainage System</i> | 16.4.3 |
| <i>Operating Rating</i> | 28.3.1, 28.3.2.1 |
| <i>OSHA Requirements</i> | 26.3.2.2, 28.2.10.3 |
| <i>Over-Dimensional Permits</i> | 28.3.3 |

- P -

| | |
|--|--------------------|
| <i>P Loads</i> | 12.3.2.7, 28.3.3 |
| <i>Pachometer Reading</i> | 22.4.2.5 |
| <i>Painting (Steel Superstructures)</i> | 22.7.2.5, 26.2.1.3 |
| <i>Patching, Deck</i> | 22.5.3.1 |
| <i>PCA Notes on ACI 318-02 Building Code Requirements for Structural Concrete with Design Applications</i> | 10.4.14 |
| <i>Pedestrian/Bicycle Bridges</i> | 23.6 |
| <i>Pedestrian Rails</i> | 16.5.3 |
| <i>Peening (Fatigue Damage)</i> | 22.7.2.1 |
| <i>Permanent Loads</i> | 12.1.1.1, 12.2 |
| <i>Deck Slab Dead Load</i> | 12.2.2 |
| <i>Distribution of Dead Load to Girders</i> | 12.2.3 |
| <i>Downdrag on Deep Foundations</i> | 12.2.4 |
| <i>Permits (Preliminary Design)</i> | 11.2.5.3 |
| <i>Pier Protection (Railroads)</i> | 21.1.3.4 |
| <i>Piers</i> | 18.2 |
| <i>Columns</i> | 11.6.3.3, 18.2.3 |
| <i>Construction Joints</i> | 18.2.5 |
| <i>Distribution of Live Load</i> | 12.3.2.9 |
| <i>Dynamic Load Allowance</i> | 18.2.9 |
| <i>General</i> | 11.6.3 |

| <u>Subject</u> | <u>Section</u> |
|---|-----------------------------------|
| Hydraulic Considerations | 11.2.2.9 |
| Lateral Confinement Reinforcement | 14.3.1.5.1 |
| Moment Magnification | 18.2.10 |
| Pier Caps | 11.6.3.2, 18.2.2 |
| Pier Walls | 11.6.3.3, 18.2.3, 18.2.8 |
| Reinforcement | 18.2.4 |
| Pile Bents | 11.6.3.3 |
| Pile Caps | See SPREAD FOOTINGS AND PILE CAPS |
| Piles (Abutments) | 18.1.8 |
| Piles, Driven | 11.7.2.2, 17.3 |
| Battered Piles | 17.3.2.3 |
| Downdrag Loads | 17.3.3.1 |
| Group Effect | 17.3.3.4 |
| Laterally Loaded Piles | 17.3.3.3 |
| MSE Walls | 23.2.3 |
| Orientation | 17.3.2.5 |
| Pile Connection Details | 17.3.2.6 |
| Pile Length | 17.3.2.1 |
| Pile Loads | 17.3.4 |
| Prestressed Concrete Piles | 17.3.1.3 |
| Reinforced Pile Tips | 17.3.2.2 |
| Spacing | 17.3.2.4 |
| Steel H-Piles | 17.3.1.2 |
| Steel Pipe Piles | 17.3.1.1 |
| Uplift Forces | 17.3.3.2 |
| Plain Elastomeric Bearing Pads | 20.2.3, 20.3, 20.3.7 |
| Polymer Concrete Overlay | 22.5.3.2 |
| Polytetrafluoroethyl (PTFE) Sliding Surfaces | 20.2.4.5 |
| PONTIS | 28.2.1.2, 29.1, Appendix 29A |
| Pony Trusses, Tubular Steel | 23.6.2.3 |
| Post-Tensioning, External Pier Cap | 22.8.2.2 |
| Post-Tensioning Inspections | 26.2.2 |
| <i>Post-Tensioning Institute (PTI) Post-Tensioning Manual</i> | 10.4.14 |
| Post-Tensioning Tendons | 22.6.2.4 |
| Pot Bearings | 20.2.4.2 |
| Pourable Seals | 19.2.6 |
| Precast, Post-Tensioned Concrete U-Girders | 11.5.6.3 |
| Precast, Prestressed Concrete Girders | 14.5 |
| Concrete Strength at Release | 14.5.2.2 |
| Concrete Stress Limits | 14.5.2.1 |
| Debonded Strands | 14.5.4.4 |
| Designer/Contractor | 14.5.4.9 |
| Diaphragms | 14.5.4.7 |
| Fabrication Inspection | 26.2.3 |
| Flexural Resistance | 14.5.4.5 |
| Interface Shear | 14.5.4.6 |
| Loss of Prestress | 14.5.2.3 |
| Prestressed Concrete I-Girder Sections | 14.5.4.1 |
| Skew | 14.5.2.5 |
| Sole Plates | 14.5.4.8 |

| <u>Subject</u> | <u>Section</u> |
|--|------------------|
| Stage Loading | 14.5.4.3 |
| Steel-Reinforced Elastomeric Bearings | 20.3.8 |
| Strand Transfer Length and Development Length | 14.5.2.4 |
| Prefabricated Modular Walls..... | 23.1.4.1.3 |
| Preformed Joint Filler..... | 19.2.4 |
| <i>Prestressed/Precast Concrete Institute (PCI) Bridge Design Manual</i> | 10.4.14 |
| <i>Prestressed/Precast Concrete Institute (PCI) Design Handbook</i> | 10.4.14 |
| Prestressing Bars..... | 14.2.5 |
| Prestressing Strands..... | 14.2.4, 14.3.3 |
| Prestressing Tendons | 14.3.3, 14.5.3.3 |
| Profile Grade Point/Line | 11.9.4.1, 16.3.2 |
| <i>PTI — Post-Tensioned Box Girder Bridges</i> | 10.4.14 |
| Public Involvement..... | 11.2.8 |
| p-y Curves..... | 17.1.4.3.2, 17.5 |

- Q -

| | |
|---|--------|
| Qualifications, Bridge Inspection Personnel | 28.2.2 |
| Qualifications, NDT Personnel..... | 26.1.2 |
| Qualifying Words..... | 10.3 |

- R -

| | |
|---|---------------------------|
| Radiographic Testing | 15.7.2.6 |
| Railroad Bridges | 21.2 |
| Range of Applicability (Distribution Factors) | 13.1.2.2.2 |
| Rating (Load) Methodology..... | 28.3.1.4 |
| Refined Analysis | 13.2 |
| Rehabilitation, Bridge..... | see BRIDGE REHABILITATION |
| Reinforced Concrete Boxes | 23.3.1 |
| Reinforcement | |
| Abutments | 18.1 |
| Bar Sizes..... | 14.3.1.1 |
| Bundled Bars..... | 14.3.1.9 |
| CIP Concrete Slabs..... | 14.4.1.2, 14.4.5, 14.4.11 |
| Columns | 18.2.4 |
| Concrete Cover | 14.3.1.2 |
| Corrosion Protection | 14.3.1.6, 16.1.1 |
| Crack Control | 14.1.2.4 |
| Decks | 16.2.1, 16.2.2.4 |
| Development of Reinforcement..... | 14.3.1.7 |
| Distribution | 14.1.2.3 |
| Drilled Shafts..... | 17.4.4 |
| Fabrication Lengths..... | 14.3.1.4 |
| Lateral Confinement..... | 14.3.1.5 |
| Limits for Flexural Steel..... | 14.1.2.2 |
| Materials..... | 14.2.2 |
| Spacing of Bars | 14.3.1.3, 16.2.1 |
| Splices..... | 14.3.1.8 |

| <u>Subject</u> | <u>Section</u> |
|--|------------------------------|
| Spread Footings | 17.2.8 |
| Welded Wire..... | 14.2.3, 14.3.2 |
| Resin Overlay | 22.5.3.3 |
| RESPONSE 2000..... | 8.2.4 |
| Retain Pro | 8.2.16 |
| Requests for Information (Construction)..... | 25.3.4.1 |
| Right-of-Way and Utilities | 11.2.4, 11.3.5 |
| Roadway Definitions | 11.9.3 |
| Roadway Cross Section..... | 11.9.4, 11.9.6.1 |
| Rolled Beams vs Welded Plate Girders..... | 15.1.2 |
| Routine Inspections | 28.2.6.3, 28.2.8.2, 28.2.8.3 |

- S -

| | |
|---|---|
| Sacrificial Deck Wearing Surface..... | 16.2.1 |
| SAP 2000..... | 8.2.1 |
| Scheduling Bridge Inspections..... | 28.2.8 |
| Scope of Work Definitions..... | 10.2.4 |
| Scour | 11.2.2.4, 11.2.2.10, 22.8.2.1 |
| Scour Critical Bridges | 28.2.7 |
| Seat Abutment | 11.6.2.4, 14.4.13, 18.1.3.3, 18.1.6 |
| Section Losses (Steel Superstructure Rehabilitation)..... | 22.7.2.2 |
| Sectional Design Model | 14.1.2 |
| Segmental Concrete Box Girders | 11.5.7.3 |
| Seismic Isolation Bearings..... | 20.2.5, 22.9.4.6 |
| Seismic Requirements and Analysis..... | 11.4.6, 11.7.1.2, 12.3.5, 13.3, 18.1.3, 20.1.6, 22.9.1, 23.6.2.1 |
| Seismic Retrofit..... | 22.9 |
| Seismic Risk Ratings | 22.9.3 |
| Service Load Combinations | 12.1.3.2 |
| Settlement..... | 11.4.8, 12.2.5, 17.2.7 |
| Shear Connectors | 15.6.2, 16.2.1 |
| Shear (Structural Concrete) | 14.1.2.5, 14.4.9, 14.5.3.7 |
| Sheet Pile Walls..... | 23.1.4.2.4 |
| Shop Drawings..... | 14.5.3.10, 14.5.4.9.2, 23.2.7, 25.1, Appendix 25A |
| Shop Splices | 15.1.3.5, 15.7.3.1 |
| Shop Steel Fabrication..... | 26.2.1 |
| Sidewalks..... | 11.9.4.4, 16.5.1.4 |
| Sign Attachments..... | 16.5.5 |
| Sign, Signal and Lighting Structures..... | 23.5 |
| Silane Seal..... | 22.5.3.7 |
| Skew | 11.2.1.3, 11.9.5.3, 13.1.2.2.3, 13.2.2.3, 14.4.12, 14.5.2.5, 15.5.4.1, 16.2.1, 16.2.4, 16.3.2, 19.1.1 |
| Soil Nail Walls..... | 23.1.4.2.3 |
| Soil Stabilization..... | 22.8.2.5 |
| Soldier Pile Walls | 23.1.4.2.1 |
| Sound Barriers | 23.4 |
| Span Arrangements (Structural Steel) | 15.1.1.4 |

| <u>Subject</u> | <u>Section</u> |
|--|------------------------------------|
| Span Length..... | 11.3, 11.5.1.2 |
| Special Inspections..... | 28.2.6.5, 28.2.8.6 |
| Spherical Bearings..... | 20.2.4.3 |
| Splices (Reinforcing Bars) | 14.3.1.8, 16.2.1 |
| Splices (Structural Steel) | 15.7.3 |
| Field Splices..... | 15.1.3.4, 15.7.3.2 |
| Shop Splices | 15.1.3.5, 15.7.3.1 |
| Spread Footings and Pile Caps | 11.7.2.1, 17.2 |
| Bearing Resistance and Eccentricity..... | 17.2.5 |
| Depth..... | 17.2.4 |
| Dynamic Load Allowance | 17.2.2 |
| Joints..... | 17.2.9.1 |
| MSE Walls..... | 23.2.2 |
| Reinforcement..... | 17.2.8 |
| Settlement | 17.2.7 |
| Sliding Resistance..... | 17.2.6 |
| Stepped Footings | 17.2.9.2 |
| Thickness | 17.2.3 |
| <i>Standard Specifications for Highway Bridges</i> | 10.4.2, 23.6.2 |
| <i>Standard Specifications for Structural Supports for Highway Signs, Luminaires and Traffic Signals</i> | 10.4.11, 23.5 |
| Stay-in-Place Forms | 16.2.3 |
| Steel Girders | see COMPOSITE STEEL GIRDERS |
| Steel-Reinforced Elastomeric Bearings | 20.2.2, 20.3, 20.3.6, 20.3.8, 20.4 |
| Steel Rolled Beams | 15.1.2 |
| Steel Superstructure Rehabilitation | |
| Condition Surveys and Tests | 22.4.3 |
| Techniques..... | 22.7 |
| Steel Thickness (Minimum)..... | 15.5.2 |
| Steel Welded Plate Girders..... | 15.1.2 |
| Stiffeners..... | 15.6.3 |
| StrainWedge | 8.2.12, 17.1.4.3 |
| Strength Load Combinations | 12.1.3.1 |
| Strengthening (Steel Superstructures)..... | 22.7.2.3 |
| Strip Method (Deck Design)..... | 16.1.2 |
| Strip Seal Joint..... | 19.2.2 |
| Structural Concrete Design..... | 14.1 |
| Structural Inventory and Appraisal..... | 22.1.3, 28.2.6.2, 28.2.12 |
| Structure Length Calculations (Examples)..... | 11.10 |
| Structure Number Assignment..... | 28.2.12.4 |
| Strut-and-Tie Model | 14.1.3 |
| Substructure Rehabilitation | |
| Condition Surveys and Tests | 22.4.4 |
| Strengthening Techniques | 22.8 |
| Substructure Types (General)..... | 11.6 |
| Abutments | 11.6.2 |
| Piers | 11.6.3 |
| Sufficiency Rating | 22.1.3, 28.2.12.3 |
| Superelevation | 11.2.1.6, 11.9.5.1 |
| Superstructure Depth..... | 11.3.5, 11.5.1.4 |

| <u>Subject</u> | <u>Section</u> |
|--|----------------|
| Superstructure Types (General) | 11.5 |
| CIP, Conventionally Reinforced Concrete Box Girders..... | 11.5.7.1 |
| CIP, Conventionally Reinforced Concrete Slab | 11.5.6.1 |
| CIP, Post-Tensioned Concrete Box Girder | 11.5.2 |
| CIP, Post-Tensioned Concrete Slab | 11.5.6.2 |
| Composite Steel I-Girders..... | 11.5.3 |
| Composite Steel Tub Girders | 11.5.4 |
| Precast, Post-Tensioned Concrete U-Girders..... | 11.5.6.3 |
| Precast, Prestressed Concrete I-Girders | 11.5.5 |
| Segmental Concrete Box Girders | 11.5.7.3 |
| Timber Bridges..... | 11.5.7.2 |

- T -

| | |
|--------------------------------------|--------------------|
| Thermal Loads/Movement | 12.3.4, 19.1.2 |
| Timber Bridges..... | 11.5.7.2 |
| Torsion (Structural Concrete)..... | 14.1.5 |
| Traffic Signal Attachments | 16.5.6 |
| Transient Loads | 12.1.1.2, 12.3 |
| Earthquake Effects..... | 12.3.5 |
| Friction Forces | 12.3.3 |
| Live-Load Surcharge | 12.3.6 |
| Thermal Loads | 12.3.4 |
| Vehicular Live Load..... | 12.3.2 |
| Transverse Construction Joints | 16.2.5.2 |
| Transverse Edge Beam | 16.2.8 |
| Transverse Stiffeners..... | 15.1.3.7, 15.6.3.1 |

- U -

| | |
|-------------------------------------|--|
| Ultrasonic Impact Treatment..... | 22.7.2.1 |
| Ultrasonic Testing | 15.7.2.6, 26.3.1 |
| Underpasses..... | 11.9.6 |
| Underwater Inspections | 28.2.6.6, 28.2.8.7 |
| <i>Uniform Building Code</i> | 10.4.14 |
| Union Pacific Railroad (UPRR) | 21.1.1, 21.1.3.2.2, 21.1.3.3.2, 21.1.3.4, 21.1.3.5, 21.1.3.6, 21.1.3.7, 21.1.3.8, 21.1.3.9 |

| | |
|--|-------------------|
| <i>United States Navy — Design Manual for Soil Mechanics, Foundations and Earth Structures</i> | 10.4.14 |
| Unpainted Weathering Steel | 11.4.11, 15.2.1.4 |
| Utility Attachments | 16.5.4, 21.1.7 |

- V -

| | |
|----------------------------------|--------------------|
| Value Engineering Proposals..... | 25.3.3 |
| Vehicular Collision Force | 12.3.2.11 |
| Vertical Alignment | 11.2.1.4, 11.9.5.2 |

| <u>Subject</u> | <u>Section</u> |
|---|--|
| Vertical Clearances..... | 11.9.6.2, 21.1.3.3 |
| Visual Inspection (Bridge Rehabilitation) | 22.4.2.2 , 22.4.3.1 , 22.4.4.1 |

- W -

| | |
|--------------------------------|--------------------------|
| Waterproof Membrane | 22.5.3.4 |
| Web Plates..... | 15.1.3.6 |
| Welded Connections..... | 15.7.2, 26.2.1.3 |
| Welded Wire Reinforcement..... | 14.2.3, 14.3.2 |
| Widening of Bridges..... | See BRIDGE WIDENING |
| Width (Bridge) | 11.2.1.5, 11.9.4.3 |
| Wingwalls..... | 11.6.2.6, 16.3.2, 18.1.9 |
| WinBDS | 8.2.5 |
| WinRECOL | 8.2.11 |
| WinSEISAB..... | 8.2.3 |

- X / Y / Z -