


Regulatory



RNV1-1_30x36;

1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;

NLT1 Arrows; NLT1 Arrows; [ONLY] D;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

DUAL LEFT
SCALE: 1" = 1'-0"

SIGN
NUMBER
RNV1-1



RNV1-2_30x36;

1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;

NLT1 Arrows; NLT1 Arrows; [ONLY] D;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

DUAL RIGHT
SCALE: 1" = 1'-0"

SIGN
NUMBER
RNVI-2



RNV1-3_30x36;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 NLT2 Arrows; NLT2 Arrows; [ON LEFT] D;
 [ARROW ONLY] D 75% spacing;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

DUAL LEFT/U-TURN
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV1-3



RNV2-1_36x30;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 C h=18.5, s=2.5; "ONLY" D specified length;
 C h=18.5, s=2.5; "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

T T
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV2-1



RNV2-2_36x30;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 C h=18.5, s=2.5; [ONLY] D 40% spacing;
 R3-8 right double headed arrow ir=14.5, s=2.5, l=22;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

T TR
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV2-2



RNV2-3_36x30;

1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;

R3-8 left double headed arrow $ir=14.5$, $s=2.5$, $l=22$;

C $h=18.5$, $s=2.5$; [ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

TL T
SCALE: 1" = 1'-0"

SIGN
NUMBER
RNV2-3



RNV2-4_36x30;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 C h=18.5, s=2.5; "ONLY" D specified length;
 R3-8 left turn arrow ir=5.75, s=2.5;
 "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

T R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV2-4



RNV2-5_36x30;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$;
 "ONLY" D specified length; C h=18.5, s=2.5;
 "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L T
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV2-5



RNV2-6_36x30;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left double headed arrow $ir=14.5, s=2.5, l=22$;
 R3-8 right double headed arrow $ir=14.5, s=2.5, l=22$;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TL TR
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV2-6



RNV2-7_36x30;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 right double headed arrow $ir=14.5$, $s=2.5$, $l=22$;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$;
 [ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TL R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV2-7



RNV2-8_36x30;

1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;

R3-8 left turn arrow $ir=5.75$, $s=2.5$;

[ONLY] D specified length;

R3-8 right double headed arrow $ir=14.5$, $s=2.5$, $l=22$;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

L TR
SCALE: 1" = 1'-0"

SIGN
NUMBER
RNV2-8



RNV2-9_36x30;

1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;

R3-8 left turn arrow $ir=5.75$, $s=2.5$;

"ONLY" D specified length;

R3-8 right turn arrow $ir=5.75$, $s=2.5$;

"ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

L R
SCALE: 1" = 1'-0"

SIGN
NUMBER
RNV2-9



RNV2-10_36x30;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$;
 "ONLY" D specified length;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$;
 "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L L
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV2-10



RNV2-11_36x30;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$;
 "ONLY" D specified length;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$;
 "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

R R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV2-11



RNV2-12_36x30;

1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;

R3-8 right double headed arrow $ir=14.5$, $s=2.5$, $l=22$;

R3-8 right turn arrow $ir=5.75$, $s=2.5$;

[ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

TR R
SCALE: 1" = 1'-0"

SIGN
NUMBER
RNV2-12



RNV2-13_42x30;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$; [ONLY] D specified length;
 Type C arrow;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L C
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV2-13



RNV2-14_42x30;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 Type C arrow; R3-8 left turn arrow ir=5.75, s=2.5;
 [ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

C R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV2-14



RNV3-1_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 C h=18.5, s=2.5; "ONLY" D specified length; C h=18.5, s=2.5;
 "ONLY" D specified length; C h=18.5, s=2.5; "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

T T T
 SCALE: 1" = 1'-0"

SIGN NUMBER
 RNV3-1



RNV3-2_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 C h=18.5, s=2.5; [ONLY] D 40% spacing; C h=18.5, s=2.5;
 [ONLY] D 40% spacing; R3-8 right double headed arrow ir=14.5, s=2.5, l=22;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)




NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

T T TR
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-2



RNV3-3_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left double headed arrow ir=14.5, s=2.5, l=22; C h=18.5, s=2.5;
 [ONLY] D specified length; C h=18.5, s=2.5; [ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TL T T
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV3-3



RNV3-4_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 C h=18.5, s=2.5; "ONLY" D specified length; C h=18.5, s=2.5;
 "ONLY" D specified length; R3-8 right turn arrow ir=5.75, s=2.5;
 "ONLY" D specified length;



NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

T T R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV3-4



RNV3-5_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow $i_r=5.75$, $s=2.5$; "ONLY" D specified length; C h=18.5, s=2.5;
 "ONLY" D specified length; C h=18.5, s=2.5; "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L T T
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-5



RNV3-6_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 C h=18.5, s=2.5; [ONLY] D specified length;
 R3-8 right double headed arrow ir=14.5, s=2.5, l=22;
 R3-8 right turn arrow ir=5.75, s=2.5; [ONLY] D specified length;



NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

T TR R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV3-6



RNV3-7_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$; [ONLY] D specified length;
 R3-8 left double headed arrow $ir=14.5$, $s=2.5$, $l=22$; C $h=18.5$, $s=2.5$;
 [ONLY] D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L TL T
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-7



RNV3-8_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 C h=18.5, s=2.5; "ONLY" D specified length; R3-8 right turn arrow ir=5.75, s=2.5;
 "ONLY" D specified length; R3-8 right turn arrow ir=5.75, s=2.5;
 "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

T R R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV3-8



RNV3-9_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow ir=5.75, s=2.5; "ONLY" D specified length;
 R3-8 left turn arrow ir=5.75, s=2.5; "ONLY" D specified length; C h=18.5, s=2.5;
 "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L L T
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-9



RNV3-10_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left double headed arrow $ir=14.5$, $s=2.5$, $l=22$; C $h=18.5$, $s=2.5$;
 [ONLY] D specified length; R3-8 right double headed arrow $ir=14.5$, $s=2.5$, $l=22$;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)




NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TL T TR
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-10



RNV3-11_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left double headed arrow $ir=14.5$, $s=2.5$, $l=22$; $C\ h=18.5$, $s=2.5$;
 [ONLY] D specified length; R3-8 right turn arrow $ir=5.75$, $s=2.5$;
 [ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)




NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TL T R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-11



RNV3-12_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
R3-8 left turn arrow $ir=5.75$, $s=2.5$; [ONLY] D specified length; $C h=18.5$, $s=2.5$;
[ONLY] D specified length; R3-8 right double headed arrow $ir=14.5$, $s=2.5$, $l=22$;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

L T TR
SCALE: 1" = 1'-0"

SIGN
NUMBER
RNV3-12



RNV3-13_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left double headed arrow ir=14.5, s=2.5, l=22;
 R3-8 right double headed arrow ir=14.5, s=2.5, l=22;
 R3-8 right turn arrow ir=5.75, s=2.5; [ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TL TR R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-13



RNV3-14_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow ir=5.75, s=2.5; [ONLY] D specified length;
 R3-8 right double headed arrow ir=14.5, s=2.5, l=22;
 R3-8 right double headed arrow ir=14.5, s=2.5, l=22;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L TL TR
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV3-14



RNV3-15_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left double headed arrow ir=14.5, s=2.5, l=22;
 R3-8 right turn arrow ir=5.75, s=2.5; [ONLY] D specified length;
 R3-8 right turn arrow ir=5.75, s=2.5; [ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)




NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TL R R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-15



RNV3-16_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow ir=5.75, s=2.5; [ONLY] D specified length;
 R3-8 left turn arrow ir=5.75, s=2.5; [ONLY] D specified length;
 R3-8 right double headed arrow ir=14.5, s=2.5, l=22;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)




NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L L TR
 SCALE: 1" = 1'-0"

SIGN NUMBER
 RNV3-16



RNV3-17_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow ir=5.75, s=2.5; [ONLY] D specified length;
 R3-8 right double headed arrow ir=14.5, s=2.5, l=22;
 R3-8 left turn arrow ir=5.75, s=2.5; [ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L TR R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV3-17



RNV3-18_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow ir=5.75, s=2.5; "ONLY" D specified length;
 R3-8 left turn arrow ir=5.75, s=2.5; "ONLY" D specified length;
 R3-8 right turn arrow ir=5.75, s=2.5; "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L L R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-18



RNV3-19_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow ir=5.75, s=2.5; "ONLY" D specified length;
 R3-8 left turn arrow ir=5.75, s=2.5; "ONLY" D specified length;
 R3-8 left turn arrow ir=5.75, s=2.5; "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L R R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-19



RNV3-20_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow ir=5.75, s=2.5; "ONLY" D specified length;
 R3-8 left turn arrow ir=5.75, s=2.5; "ONLY" D specified length;
 R3-8 left turn arrow ir=5.75, s=2.5; "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L L L
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-20



RNV3-21_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 right turn arrow ir=5.75, s=2.5; "ONLY" D specified length;
 R3-8 right turn arrow ir=5.75, s=2.5; "ONLY" D specified length;
 R3-8 right turn arrow ir=5.75, s=2.5; "ONLY" D specified length;


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

R R R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-21



RNV3-22_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 right double headed arrow $ir=14.5$, $s=2.5$, $l=22$;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$; [ONLY] D specified length;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$; [ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)




NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TR R R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV3-22



RNV3-23_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow ir=5.75, s=2.5; [ONLY] D specified length;
 R3-8 left turn arrow ir=5.75, s=2.5; [ONLY] D specified length;
 R3-8 left double headed arrow ir=14.5, s=2.5, l=22;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)




NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L L TL
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV3-23



RNV3-24_54x30; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$; [ONLY] D specified length; Type C arrow;
 R3-8 left turn arrow $ir=5.75$, $s=2.5$; [ONLY] D specified length;

* EDGE TO EDGE DIMENSION (NOT AN OBJECT DIMENSION)


NOTE: SEE SECTION 6 FOR ARROW DETAILS



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

L C R
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV3-24




RNV4-1_66x54;
 3.0" Radius, 1.3" Border, 0.8" Indent, Black on White;
 "RIGHT LANE" D 75% spacing; "MUST" D;
 "EXIT" D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

RIGHT LANE MUST EXIT
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
RNV4-1



RNV4-2_84x54;

3.0" Radius, 1.3" Border, 0.8" Indent, Black on White;


"RIGHT 2 LANES" D 75% spacing; "MUST" D; "EXIT" D;



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

RIGHT TWO LANES MUST EXIT
SCALE: 1/2" = 1'-0"

SIGN
NUMBER
RNV4-2



RNV5-1_60x42; 2.3" Radius, 0.9" Border, 0.6" Indent, Black on White;
 "NO" D; "LANE CHANGE" D 75% spacing; "IN TUNNEL" D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

NO LANE CHANGE IN TUNNEL
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV5-1



RNV6-1, Black on White;
 [SLOW] D; [VEHICLES] D; [MUST USE] D; [TURNOUTS] D;

	A	B	C	D	E	F	G	H	I	J	K	L
54 X 48	54	48	16.625	20.75	8.5	37	6.625	20.25	6	14.5	6.625	40.75
72 X 66	72	66	22.125	27.75	11.375	49.25	8.75	27.125	8	19.375	8.875	54.25


	M	N	RADIUS	BORDER	INDENT
54 X 48	6	4	3	1.25	0.750
72 X 66	8	6	6	1.5	1.25



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

SLOW VEHICLES MUST USE
 TURNOUTS
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV6-1



RNV6-2, Black on White;
 [SLOW VEHICLES] D; [WITH 5 OR MORE] D;
 [FOLLOWING VEHICLES] D; [MUST USE TURNOUTS] D;

	A	B	C	D	E	F	G	H	I	J	K	L	M
96 X 48	96	48	16.125	20.75	6	37	13.125	17.25	4	9.75	20.75	4.75	43.5
132 X 66	132	66	23.5	27.75	8	49.25	19.5	23	5.375	12.875	27.75	8.375	58

	N	O	P	Q	R	S	T	U	RADIUS	BORDER	INDENT
96 X 48	37	4.25	20.25	14.625	40.625	5.25	6	4.5	3	1.25	0.75
132 X 66	49.25	7.625	27.125	19.375	54.25	8	8	6	6	1.5	1.25




STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

SLOW VEHICLES WITH 5 OR MORE
 FOLLOWING VEHICLES MUST
 USE TURNOUTS

SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
RNV6-2



RNV6-3, Black on White;
 [TURNOUT] D; [1000 FT] D;

	A	B	C	D	E	F	G	H	I	J	K
42 X 30	42	30	3.25	35.5	5.125	17.75	6	8	6	6	6
54 X 36	54	36	3.25	47.5	5.75	23.75	8	10.75	7	8	6

	RADIUS	BORDER	INDENT
42 X 30	1.875	0.75	0.5
54 X 36	2.25	0.875	0.625




STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TURNOUT 1000 FT

SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV6-3



RNV6-4, Black on White;
 [TURNOUT] D; Standard Arrow 0°;

	A	B	C	D	E	F	G	H	I
48 X 30	48	30	6.25	35.5	17.25	13.5	7	6	4
54 X 36	54	36	4.375	45.25 *	18	18	7	8	6

* 80% spacing

	RADIUS	BORDER	INDENT	ARROW SIZE
48 X 30	1.875	0.750	0.5	13.5 X 6
54 X 36	2.25	0.875	0.625	18 X 8



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TURNOUT W ARROW

SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV6-4




RNV7-1_72x48;
 3.0" Radius, 1.3" Border, 0.8" Indent, Black on White;
 "CHAINS OR" D; "SNOW TIRES" D; "REQUIRED" D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

CHAINS OR SNOW TIRES REQUIRED
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
 RNV7-1



RNV7-2_72x54;
 3.0" Radius, 1.3" Border, 0.8" Indent, Black on White;
 "CHAINS OR" D; "SNOW TIRES" D; "REQUIRED" D;
 "XX MI AHEAD" D;




STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

CHAINS OR SNOW TIRES
 REQUIRED XX MILES AHEAD

SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
 RNV7-2





1.8" Inner border Black, 6.0" Radius, 1.5" Outer border, White on Yellow;
 [WHEN FLASHING] Black D 50% spacing;
 RNV7-3_84x72;
 6.0" Radius, 1.8" Border, 1.5" Indent, Black on White;
 [CHAINS OR] D; [SNOW TIRES] D; [REQUIRED] D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

WHEN FLASHING CHAINS OR
 SNOW TIRES REQUIRED
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
 RNV7-3




RNV7-4R_60x48; 3.0" Radius, 1.3" Border, 0.8" Indent, Black on White;
 "CHAIN" C; "INSTALLATION" C; "AREA ONLY" C; Standard Arrow Custom 18.0" X 6.0" 0°;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

CHAIN INSTALLATION AREA ONLY
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV7-4
 R, (L)




RNV8-1_108x36; 2.3" Radius, 0.9" Border, 0.6" Indent, Black on White;
 "BEGIN DAYTIME" D; "HEADLIGHT SECTION" D 75% spacing;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

BEGIN DAYTIME HEADLIGHT SECTION
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
 RNV8-1



RNV8-2_108x36; 2.3" Radius, 0.9" Border, 0.6" Indent, Black on White;
 "END DAYTIME" D; "HEADLIGHT SECTION" D 75% spacing;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

END DAYTIME HEADLIGHT SECTION
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
RNV8-2




RNV8-3_108x36; 2.3" Radius, 0.9" Border, 0.6" Indent, Black on White;
 "TURN ON HEADLIGHTS" D 50% spacing; "NEXT XX MILES" D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

TURN ON HEADLIGHTS
 NEXT XX MILES
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
RNV8-3



RNV8-4_66x36;
 2.3" Radius, 0.9" Border, 0.6" Indent, Black on White;
 "CHECK" D; "HEADLIGHTS" D 75% spacing;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

CHECK HEADLIGHTS
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
RNV8-4



RNV9-1, Black on White;
 [COMMERCIAL VEHICLES] D; [LICENSE REQUIRED] D;
 [LICENSE & INFO] D; [1 MILE] D;

	A	B	C	D	E	F	G	H	I	J	K	L	M
96 X 54	96	54	4.8	47.1 *	4.5 *	34.8 *	10.3	31.6	6	37.8	15.8	4	16.8
126 X 72	126	72	5.375	62.75 *	6 *	46.5 *	12.625	42.125	8	50.625	20.125	5.25	22.375
216 X 108	216	108	9	106.75	12	79.25	20.375	74.5	12	88.75	33.75	10.375	39.625

* 75% spacing

	N	O	P	Q	R	S	RADIUS	BORDER	INDENT
96 X 54	35.9	1.4	16.8	6	6	6	3	1.3	0.8
126 X 72	46.875	1.875	22.375	8	8	8	6	1.75	1.5
216 X 108	80.25	3.625	39.875	12	12	12	9	2.5	2



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

COMMERCIAL VEHICLES
 LICENSE REQ

SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
 RNV9-1



RNV9-2_42x30;

1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;


"LICENSE" D 75% spacing; "STATION" D 75% spacing;



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

LICENSE STATION
SCALE: 1" = 1'-0"

SIGN
NUMBER
RNV9-2



RNV9-3_54x30; 2" Radius, 1" Border, 1" Indent, Black on White;
 Arrow 6-2LV - 14" 90°; "LICENSE" D; "STATION" D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

LICENSE STATION
 90 DEGREE ARROW
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV9-3




RNV9-4R_42x36;
 2.3" Radius, 0.8" Border, 0.6" Indent, Black on White;
 "LICENSE" D 75% spacing; "STATION" D 75% spacing;
 Standard Arrow Custom 13.5" X 6.0" 0°;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006


LICENSE STATION
 0 OR 180 DEGREE ARROW
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV9-4
 R, (L)



RNV10-1_VARx24; 3.0" Radius, 1.0" Border, White on Black;
 [OPSED] E Mod;

*SIGN PANEL WIDTH IS EQUAL TO MAIN PANEL WIDTH





Piano Hinge



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

OPEN/CLOSED
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
RNV10-1



RNV11-1, Black on White;
 [HAZARDOUS MATERIAL] D; [PERMIT REQUIRED] D;
 [CALL (XXX) XXX-XXXX] D; [OR (XXX) XXX-XXXX] D;

	A	B	C	D	E	F	G	H	I	J	K	L
102 X 48	102	48	5.625	47.375	5.75	37.625	15.375	27.375	6	37.875	EQ	19.375
138 X 66	138	66	7.75	63.875	8	50.625	21.5	36.5	8	50.5	EQ	25.875
210 X 96	210	96	13.125	95.75	12	76	33.75	54.75	12	75.75	EQ	38.75


	M	N	O	P	Q	R	S	T	U	RADIUS	BORDER	INDENT
102 X 48	VAR	VAR	EQ	9.625	VAR	VAR	5.25	6	4.5	3	1.25	0.75
138 X 66	VAR	VAR	EQ	12.875	VAR	VAR	8	8	6	6	1.75	1.5
210 X 96	VAR	VAR	EQ	19.25	VAR	VAR	10.5	12	9	9	2.5	2



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

HAZARDOUS MATERIAL
 PERMIT REQUIRED
 SCALE: 1/4" = 1'-0"

SIGN
 NUMBER
 RNV11-1



RNV12-1, Black on White;
 [BRAND INSPECTION] D; [REQUIRED ON LIVESTOCK] D; [ENTERING NEVADA] D;

	A	B	C	D	E	F	G	H	I	J	K	L	M
114 X 42	114	42	18.375	26.25	6	45	6.375	37.875	9.625	41.75	20.125	36.75	31
150 X 48	150	48	23.5	35	8	60	7.375	50.625	12.875	55.75	25.75	49.125	41.375

	N	O	P	RADIUS	BORDER	INDENT
114 X 42	6	6	6	2.25	0.875	0.625
150 X 48	6	8	6	3	1.25	0.75




STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

BRAND INSPECTION REQUIRED
 ENTERING NEVADA

SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
 RNV12-1



RNV12-2, Black on White;
 [BRAND INSPECTION] D; [REQUIRED ON LIVESTOCK] D; [LEAVING NEVADA] D;

	A	B	C	D	E	F	G	H	I	J	K	L	M
114 X 42	114	42	18.375	26.25	6	45	6.375	37.875	9.625	41.75	22.5	32	31
150 X 48	150	48	23.5	35	8	60	7.375	50.625	12.875	55.75	29	42.625	41.375

	N	O	P	RADIUS	BORDER	INDENT
114 X 42	6	6	6	2.25	0.875	0.625
150 X 48	6	8	6	3	1.25	0.75




STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

BRAND INSPECTION REQUIRED
 LEAVING NEVADA

SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
RNV12-2




RNV13-1_144x78;
 6.0" Radius, 1.8" Border, White on Black;
 "RENTAL TRUCKS" E; "AND VEHICLES" E;
 "WITH LIVESTOCK" E; "MUST STOP" E;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

RENTAL TRUCKS AND VEHICLES
 WITH LIVESTOCK MUST STOP
 SCALE: 1/4" = 1'-0"

SIGN
 NUMBER
 RNV13-1



RNV14-1_VARx24; 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 [NO PICKUPS] E Mod;


*SIGN PANEL WIDTH IS EQUAL TO MAIN PANEL WIDTH



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

NO PICKUPS
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
RNV14-1




RNV15-1_84x48;
 3.0" Radius, 1.3" Border, 0.8" Indent, Black on White;
 "QUARANTINE AREA" D; "ALL FARM EQUIPMENT" D;
 "MUST BE CLEANED" D; "BEFORE ENTERING" D;
 "NV DEPT OF AGRICULTURE (XXX) XXX-XXXX" D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

QUARANTINE AREA
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
 RNV15-1



RNV16-1, Black on White;
 [NO] D; [ENGINE] D; [BRAKES] D;

	A	B	C	D	E	F	G	H
36 X 42	36	42	13.125	9.75	4.5	27	3.5	29 *
48 X 54	48	54	17.5	13	7	34 **	4.5	39 **

* 70% spacing
 ** 75% spacing

	I	J	K	RADIUS	BORDER	INDENT
36 X 42	7.5	6	4.5	1.875	0.75	0.5
48 X 54	9	8	6	3	1.25	0.75




STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

NO ENGINE BRAKES

SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV16-1




RNV17-1_24x18;
 1.5" Radius, 0.5" Border, 0.4" Indent, Black on White;
 "AUTHORIZED" C; "VEHICLES" C;
 "ONLY" C;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

AUTHORIZED VEHICLES ONLY
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV17-1



RNV18-1, Black on White;
 [RADAR] D; [CONTROL] D;

	A	B	C	D	E	F	G	H	I
30 X 18	30	18	6.125	17.75	3.25	23.5	3.25	4	3.5
42 X 24	42	24	7.625	26.75	3.375	35.25	4	6	4

	RADIUS	BORDER	INDENT
30 X 18	1.5	0.5	0.375
42 X 24	1.875	0.75	0.5




STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

RADAR CONTROL

SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV18-1



RNV19-1_54x36; 2.3" Radius, 0.9" Border, 0.6" Indent, Black on White;
 "PATROLLED" D 75% spacing; "BY" D; "AIRCRAFT" D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

PATROLLED BY AIRCRAFT
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV19-1



RNV20-1, Black on White;
 [NO] D; [LITTERING] D; [\$2000 MAX. FINE] C;

	A	B	C	D	E	F	G	H	I	J	K	L
48 X 36	48	36	19.125	9.75	5.125	37.75	4.75	13.625 *	3.25 *	9.75 *	3.125 *	8.75 *
72 X 48	72	48	29.5	13	10.875	50.25	4.875	21.25	6	15.25	6	13.75

* 80% spacing

	M	N	O	P	Q	RADIUS	BORDER	INDENT
48 X 36	5.875	4	3.75	6	4.5	2.25	0.875	0.625
72 X 48	7.375	6	5.25	8	6	3	1.25	0.75




STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

NO LITTERING

SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV20-1




RNV21-1_42x36;
 2.3" Radius, 0.6" Border, 0.9" Indent, Black on White;
 "USE OF" C; "FIREARMS" C; "PROHIBITED" C;
 "IN THIS AREA" C;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

USE OF FIREARMS PROHIBITED
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV21-1




RNV22-1_78x42;

2.3" Radius, 0.9" Border, 0.6" Indent, Black on White;

"PRISON AREA" D;

"HITCHHIKING" D;

"PROHIBITED" D;



RNV22-1_138x54;

3.0" Radius, 1.3" Border, 0.8" Indent, Black on White;

"PRISON AREA" E Mod 80% spacing;


"HITCHHIKING" D; "PROHIBITED" D;



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

PRISON AREA
HITCHHIKING PROHIBITED
SCALE: 1/4" = 1'-0"

SIGN
NUMBER
RNV22-1



RNV23-1_24x30;

1.5" Radius, 0.6" Border, 0.4" Indent, Black on White;

"SOLICITING" B; "WITHIN" B;

"RIGHT OF WAY" B 75% spacing;

"PROHIBITED" B;

"NRS 484.418" B;




STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

SOLICITING WITHIN RIGHT
OF WAY PROHIBITED

SCALE: 1" = 1'-0"

SIGN
NUMBER
RNV23-1



RNV24-1_30x36;
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on White;
 "LOCAL" B; "TRAFFIC" B; "ONLY" B;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

LOCAL TRAFFIC ONLY
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV24-1



RNV25-1_12x18;
 1.5" Radius, 0.5" Border, 0.4" Indent, Red on White;
 "NO" B; "TRUCK" B;
 "PARKING" B 30% spacing;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

NO TRUCK PARKING
 SCALE: 2" = 1'-0"

SIGN
 NUMBER
 RNV25-1



RNV26-1_12x18;

1.5" Radius, 0.5" Border, 0.4" Indent, Green on White;

[RESERVED] C 50% spacing;

[PARKING] C;

Rounded Rectangle 0.5" Radius Blue;


[\$100 FINE] D 75% spacing;



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

HANDICAP RESERVE PARKING
\$100 FINE
SCALE: 2" = 1'-0"

SIGN
NUMBER
RNV26-1



RNV27-1_24x36;

1.5" Radius, 0.6" Border, 0.4" Indent, Black on White;

"BIKES" C; "CROSS" C; "HERE" C;

Standard Arrow Custom 13.5" X 6.0" 210°;



STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

BIKES CROSS HERE
SCALE: 1" = 1'-0"

SIGN
NUMBER
RNV27-1





RNV27-2_42x36;
 2.3" Radius, 0.9" Border, 0.6" Indent, Black on White;
 "BICYCLES" D 75% spacing; "MUST" D; "EXIT" D;
 Standard Arrow Custom 11.8" X 8.0" 45°;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

BICYCLES MUST EXIT
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV27-2



RNV28-1_96x66; 6.0" Radius, 1.5" Border, 1.3" Indent, Black on White;
 "PENALTIES FOR" D; "VIOLATIONS" D; "DOUBLE IN" D;
 "WORK ZONES" D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

PENALTIES FOR VIOLATIONS
 DOUBLE IN WORK ZONES
 SCALE: 1/2" = 1'-0"

SIGN
 NUMBER
 RNV28-1




RNV29-1_60x24; 1.5" Radius, 0.6" Border, 0.4" Indent, Black on White;
 "BUSINESS" D; "ACCESS ONLY" D 75% spacing;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

BUSINESS ACCESS ONLY
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV29-1



RNV30-1_60x36; 2.3" Radius, 0.9" Border, 0.6" Indent, Black on White;
 "PILOT CAR" C; "IN USE" C; "DO NOT PASS" C;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

PILOT CAR IN USE DO NOT PASS
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV30-1



RNV30-2_42x36;
 2.250" Radius, 0.875" Border, 0.625" Indent, Black on White;
 "WAIT FOR" C; "PILOT" C; "CAR" C;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

WAIT FOR PILOT CAR
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV30-2



RNV31-1, Black on White;
[CLOSED] E Mod;

	A	B	C	D	E	F	RADIUS	BORDER	INDENT
60 X 18	60	18	6.875	46.25	5	8	1.5	0.625	0.375
120 X 36	120	36	16.5	87	10.5	15	2.25	0.875	0.625




STATE OF NEVADA
DEPARTMENT OF TRANSPORTATION
STANDARD SIGN SUPPLEMENT
2006

CLOSED

SCALE: 1" = 1'-0"

SIGN
NUMBER
RNV31-1



RNV31-2_48x36;
 2.250" Radius, 0.875" Border, 0.625" Indent, Black on White;
 "RAMP" D; "CLOSED" D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

RAMP CLOSED
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
RNV31-2




RNV31-3_48x36;
 2.250" Radius, 0.875" Border, 0.625" Indent, Black on White;
 "LANE" D; "CLOSED" D;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

LANE CLOSED
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV31-3



RNV31-4_30x30;
 1.875" Radius, 0.750" Border, 0.500" Indent, Black on White;
 "PATH" C; "CLOSED" C;



STATE OF NEVADA
 DEPARTMENT OF TRANSPORTATION
 STANDARD SIGN SUPPLEMENT
 2006

PATH CLOSED
 SCALE: 1" = 1'-0"

SIGN
 NUMBER
 RNV31-4