


# Warning



WNV1-1\_126x30;  
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on Yellow;  
 [EXIT] E; [ONLY] E;


\*SIGN PANEL WIDTH IS EQUAL TO MAIN PANEL WIDTH



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

EXIT ONLY  
 SCALE: 1/4" = 1'-0"

SIGN  
 NUMBER  
**WNV1-1**



WNV1-2\_144x30;  
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on Yellow;  
 [EXIT] E; Arrow 12-1L - 20.3" 45°; [ONLY] E;


\*SIGN PANEL WIDTH IS EQUAL TO MAIN PANEL WIDTH



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

EXIT ONLY  
 SINGLE 45 DEGREE ARROW  
 SCALE: 1/4" = 1'-0"

SIGN  
 NUMBER  
**WNV1-2**



WNV1-3\_168x30;  
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on Yellow;  
 Arrow 12-1L - 20.3" 45°; [EXIT] E; [ONLY] E;  
 Arrow 12-1L - 20.3" 45°;

\*SIGN PANEL WIDTH IS EQUAL TO MAIN PANEL WIDTH



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

EXIT ONLY  
 DOUBLE 45 DEGREE ARROW  
 SCALE: 1/4" = 1'-0"

SIGN  
 NUMBER  
**WNV1-3**




WNV2-1\_96x60;  
 6.000" Radius, 1.500" Border, 1.250" Indent, Black on Yellow;  
 "PREPARE TO" D; "STOP WHEN" D 60% spacing; "FLASHING" D;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

PREPARE TO STOP WHEN FLASHING  
 SCALE: 1/2" = 1'-0"

SIGN  
 NUMBER  
**WNV2-1**




WNV3-1\_36x30;  
 1.500" Radius, 0.750" Border, 0.500" Indent, Black on Yellow;  
 "MAJOR" D 75% spacing; "DEER" D 75% spacing;  
 "CROSSING" D 75% spacing;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

MAJOR DEER CROSSING  
 SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV3-1**



WNV4-1, Black on Yellow;  
 [WATER] D; [OVER] D; [ROADWAY] D;

	A	B	C	D	E	F	G	H	I	J	K	L	M
36 X 36	49	49	16.125	16.875	16	17.625	13.75	11.75	25.5	16.125	5	3.25	11.375
48 X 48	65.375	65.375	20.375	24.625	20.375	22.75	19.875	13.75	37.875	22.625	6	4	16.75


	RADIUS	BORDER	INDENT
36 X 36	2.25	0.875	0.625
48 X 48	3	1.25	.75



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

WATER OVER ROADWAY  
 SCALE: 1" = 1'-0"

SIGN NUMBER  
**WNV4-1**



WNV5-1, Black on Yellow;  
 [STRONG CROSSWIND]; [POSSIBLE]; [NEXT XX MILES] ;

	A	B	C	D	E	F	G	H	I	J	K	L	M
108 X 48	108	48	5.5	37.375 *	5.25 *	54.375 *	29.125	49.75	EQ	2.875	8	VAR	29.375
180 X 72	180	72	8.5	64 **	6 **	93 **	46.125	87.75	EQ	45	12	VAR	52

\* 65% spacing  
 \*\* 50% spacing

	N	O	P	RADIUS	BORDER	INDENT
108 X 48	6	8 D	6	3	1.25	.75
180 X 72	10	12 E Mod	8	6	1.75	1.5




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

STRONG CROSSWIND POSSIBLE  
 NEXT XX MILES

SCALE: 1/2" = 1'-0"

SIGN  
 NUMBER  
**WNV5-1**





WNV6-1, Black on Yellow;  
 [HIGH] D; [WIND] D; [AREA] D;

	A	B	C	D	E	F	G	H	I	J	K
36 X 36	49	49	15.875	17.25	15.875	15.375	18.25	15.375	14	21	14
48 X 48	65.375	65.375	21.25	23	21.125	20.625	24.25	20.5	18.75	28	18.625


	L	M	N	O	RADIUS	BORDER	INDENT
36 X 36	12.5	6	3	12.5	2.25	0.875	0.625
48 X 48	18.625	8	4	14.75	3	1.25	0.750



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

HIGH WIND AREA  
 SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV6-1**



WNV7-1, Black on Yellow;  
 [BRAKE] D; [CHECK] D; [AREA] D; [AHEAD] D;

	A	B	C	D	E	F	G	H	I	J	K	L
54 X 66	54	66	9.875	34.25	10.5	33	13	28	9.625	34.75	8	6
90 X 102	90	102	14.875	60.25	16.125	57.75	20.125	49.75	14.125	61.75	12	10


	RADIUS	BORDER	INDENT
54 X 66	3	1.25	0.875
90 X 102	9	2.5	2



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

**BRAKE CHECK AREA AHEAD**  
 SCALE: 1" = 1'-0"

SIGN NUMBER  
**WNV7-1**



WNV7-2; Black on Yellow;  
 [BRAKE] D; [CHECK] D; [AREA] D;  
 Arrow 45°;

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
72 X 48	72	48	8.625	34.25	6	14.5	32.875	30.5	28	35.375	6	8	16.75	14.5
102 X 72	102	72	7.375	60.25	4	23	57.875	36.75	49.625	45	9	12	24.5	23

	RADIUS	BORDER	INDENT	ARROW TYPE	ARROW SIZE
72 X 48	3	1.250	0.875	8-2LV	18.25
102 X 72	6	1.75	1.5	12-2LV	29.25




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

**BRAKE CHECK AREA**

SCALE: 1/2" = 1'-0"

SIGN  
 NUMBER  
**WNV7-2**



WNV8-1, Black on Yellow;  
[FALLING] C; [ROCK] C;

	A	B	C	D	E	F	G	H	I	J	K	L
36 X 36	49	49	12	25.625 *	11.375	17.25	15.25 **	16.5	16.25	6	4.5	16.25
48 X 48	65.375	65.375	15.125	35.125	15.125	21.75	21.875	21.75	21.625	8	6	21.75

\* 88% spacing  
\*\* 64% spacing

	RADIUS	BORDER	INDENT
36 X 36	2.25	0.875	0.625
48 X 48	3	1.25	.75




STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

FALLING ROCK

SCALE: 1" = 1'-0"

SIGN  
NUMBER  
**WNV8-1**



WNV9-1, Black on Yellow;  
 [PAVED] C; [SHOULDER] C; [NARROWS] C;

	A	B	C	D	E	F	G	H	I	J	K	L	M
36 X 36	49	49	16	17	16	10.25	28.5	11.5	26	16.125	5	3.375	11.125
48 X 48	65.375	65.375	20.875	23.75	20.75	12.75	39.875	14.5	36.375	22.75	7	3.375	14.875

	RADIUS	BORDER	INDENT
36 X 36	2.25	0.875	0.625
48 X 48	3	1.25	.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

PAVED SHOULDER NARROWS

SCALE: 1" = 1'-0"

SIGN NUMBER  
**WNV9-1**



WNV10-1, Black on Yellow;  
 [CROSS] C; [TRAFFIC] C; [AHEAD] C;

	A	B	C	D	E	F	G	H	I	J	K	L	M
36 X 36	49	49	14.25	20.625	14.125	11.25	26.5	14	21	12.5	6	3	12.5
48 X 48	65.375	65.375	18.875	27.625	18.875	15	35.375	18.625	28.125	16.625	8	4	16.75


	RADIUS	BORDER	INDENT
36 X 36	2.25	0.875	0.625
48 X 48	3	1.25	0.75



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

CROSS TRAFFIC AHEAD  
 SCALE: 1" = 1'-0"

SIGN NUMBER  
 WNV10-1



WNV11-1, Black on Yellow;  
[FLASH] D; [FLOOD] D; [AREA] D;

	A	B	C	D	E	F	G	H	I	J
36 X 36	49	49	12.625	23.75*	12.25	24.5	12.25	14.375	20.375**	14.25
48 X 48	65.375	65.375	16.375	32.625	16.375	32.75	16.25	18.75	28	18.625

\* 85% spacing  
\*\* 80% spacing

	K	L	M	N	RADIUS	BORDER	INDENT
36 X 36	11.75	6	3	13.25	2.25	0.875	0.625
48 X 48	16.125	8	3	19.25	3	1.25	0.75




STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

FLASH FLOOD AREA

SCALE: 1" = 1'-0"

SIGN  
NUMBER  
WNV11-1



WNV12-1, Black on Yellow;  
 [BRIDGE] C; [MAY BE] C; [ICY] C;

	A	B	C	D	E	F	G	H	I	J
36 X 36	49	49	13	23	11.375	12.75	6	7.5	19.625	9.75
48 X 48	65.375	65.375	17.375	30.625	15.125	17	8	10.125	26.125	13.125

	K	L	M	N	RADIUS	BORDER	INDENT
36 X 36	11	6	3	14	2.25	0.875	0.625
48 X 48	15.625	8	3	19.75	3	1.25	0.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

BRIDGE MAY BE ICY

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
 WNV12-1





WNV12-2, Black on Yellow;  
 [FOG] C; [MAY BE] C; [ICY] C;

	A	B	C	D	E	F	G	H	I	J
36 X 36	49	49	18.625	11.75	11.375	12.75	6	7.5	19.625	9.75
48 X 48	65.375	65.375	24.875	15.625	15.125	17	8	10.125	26.125	13.125

	K	L	M	N	RADIUS	BORDER	INDENT
36 X 36	12.5	6	3	12.5	2.25	0.875	0.625
48 X 48	16.625	8	4	16.75	3	1.25	0.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

FOG MAY BE ICY

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV12-2**



WNV12-3, Black on Yellow;  
 [ROAD] C; [MAY BE] C; [ICY] C;

	A	B	C	D	E	F	G	H	I	J
36 X 36	49	49	16.125	16.75	11.375	12.75	6	7.5	19.625	9.75
48 X 48	65.375	65.375	21.5	22.375	15.125	17	8	10.125	26.125	13.125

	K	L	M	N	RADIUS	BORDER	INDENT
36 X 36	12.5	6	3	12.5	2.25	0.875	0.625
48 X 48	16.625	8	4	16.75	3	1.25	0.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

ROAD MAY BE ICY

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV12-3**





WNV13-1\_24x18;  
 1.500" Radius, 0.500" Border, 0.375" Indent, Black on Yellow;  
 "OPEN" C; "RANGE" C;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

OPEN RANGE  
 SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV13-1**



WNV14-1, Black on Yellow;  
 [CATTLE] C; [GUARD] C; [AHEAD] C;

	A	B	C	D	E	F	G	H	I	J	K	L	M
36 X 36	49	49	13.375	22.375	13.25	13.75	21.5	14	21	12.5	6	3	12.5
48 X 48	65.375	65.375	17.75	29.875	17.75	18.375	28.625	18.625	28.125	16.625	8	4	16.75


	RADIUS	BORDER	INDENT
36 X 36	2.25	0.875	0.625
48 X 48	3	1.25	0.75



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

CATTLE GUARD AHEAD  
 SCALE: 1" = 1'-0"

SIGN NUMBER  
 WNV14-1



	A	B	C	D	E	F	G	H	RADIUS	BORDER	INDENT
36 X 36	49	49	16.25	16.625	16.125	10	28.875	10.125	2.25	0.875	0.625
48 X 48	65.375	65.375	21.625	22.125	21.625	13.25	38.75	13.375	3	1.250	0.75




STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

ANTELOPE CROSSING

SCALE: 1" = 1'-0"

SIGN  
NUMBER  
WNV15-1



WNV15-2, Black on Yellow;

	A	B	C	D	E	F	G	H	RADIUS	BORDER	INDENT
36 X 36	49	49	14.5	25.75	8.75	13.625	21.75	13.625	2.25	0.875	0.625
48 X 48	65.375	65.375	19.25	34.5	11.625	18.125	29	18.25	3	1.250	0.75




STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

**BULL CROSSING**

SCALE: 1" = 1'-0"

SIGN  
NUMBER  
**WNV15-2**



	A	B	C	D	E	F	G	H	RADIUS	BORDER	INDENT
36 X 36	49	49	9.5	30	9.5	18.75	11.375	18.875	2.25	0.875	0.625
48 X 48	65.375	65.375	12.75	40	12.625	25	15.25	25.125	3	1.250	0.75




STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

BEAR CROSSING

SCALE: 1" = 1'-0"

SIGN  
NUMBER  
WNV15-3



WNV15-4, Black on Yellow;

	A	B	C	D	E	F	G	H	RADIUS	BORDER	INDENT
36 X 36	49	49	16.25	16.5	16.25	10	28.875	10.125	2.25	0.875	0.625
48 X 48	65.375	65.375	21.625	22.125	21.625	13.25	38.75	13.375	3	1.250	0.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

ELK CROSSING

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV15-4**





WNV15-5, Black on Yellow;

	A	B	C	D	E	F	G	H	RADIUS	BORDER	INDENT
36 X 36	49	49	11.75	25.5	11.75	14.625	19.75	14.625	2.25	0.875	0.625
48 X 48	65.375	65.375	15.625	34.125	15.625	19.5	26.375	19.5	3	1.250	0.75




STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

**BURRO CROSSING**

SCALE: 1" = 1'-0"

SIGN  
NUMBER  
**WNV15-5**



WNV15-6, Black on Yellow;

	A	B	C	D	E	F	G	H	RADIUS	BORDER	INDENT
36 X 36	49	49	13.25	22.5	13.25	12.625	23.75	12.625	2.25	0.875	0.625
48 X 48	65.375	65.375	16.5	30.375	18.5	17.125	31.125	17.125	3	1.250	0.75




STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

**BIGHORN SHEEP CROSSING**

SCALE: 1" = 1'-0"

SIGN  
NUMBER  
**WNV15-6**



WNV15-7, Black on Yellow;


	A	B	C	D	E	F	G	H	RADIUS	BORDER	INDENT
36 X 36	49	49	13	23	13	14.75	19.5	14.75	2.25	0.875	0.625
48 X 48	65.375	65.375	17	31.375	17	19.375	26.625	19.375	3	1.250	0.75



STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

SHEEP CROSSING  
SCALE: 1" = 1'-0"

SIGN  
NUMBER  
WNV15-7



WNV15-8, Black on Yellow;

	A	B	C	D	E	F	G	H	RADIUS	BORDER	INDENT
36 X 36	49	49	12	25	12	17.125	14.75	17.125	2.25	0.875	0.625
48 X 48	65.375	65.375	16	33.5	15.875	22.75	19.875	22.75	3	1.250	0.75





STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

**TORTOISE CROSSING**

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV15-8**

# Construction




WNV16-1\_108x60; 6.000" Radius, 1.500" Border, 1.250" Indent, Black on Orange;  
 "ROAD WORK" C; "NEXT XX MILES" C; "BEGINNING XXXX" C;  
 "30 MINUTE DELAYS" C;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

ROAD WORK NEXT  
 X MILES BEGINNING  
 SCALE: 1/2" = 1'-0"

SIGN  
 NUMBER  
**WNV16-1**




WNV16-2\_48x24;  
 1.5" Radius, 0.6" Border, 0.4" Indent, Black on Orange;  
 "BEGIN" C; "WORK ZONE" C;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

BEGIN WORK ZONE  
 SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
 WNV16-2



WNV16-3\_48x24;  
 1.5" Radius, 0.6" Border, 0.4" Indent, Black on Orange;  
 "END" C; "WORK ZONE" C;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

END WORK ZONE  
 SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV16-3**





WNV16-4\_48x36;

2.3" Radius, 0.9" Border, 0.6" Indent, Black on Orange;


"30 MINUTE" C; "DELAY" C; "POSSIBLE" C;



STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

30 MINUTE DELAY POSSIBLE  
SCALE: 1" = 1'-0"

SIGN  
NUMBER  
WNV16-4





WNV16-5\_78x48;  
 3.000" Radius, 1.250" Border, 0.750" Indent, Black on Orange;  
 "POSSIBLE" C; "30 MINUTE DELAYS" C; "ON XX XX" C;  
 "XX MILES AHEAD" C;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

POSSIBLE 30 MINUTE  
 DELAY XX MILES AHEAD  
 SCALE: 1/2" = 1'-0"

SIGN  
 NUMBER  
 WNV16-5



WNV17-1, Black on Orange;  
 [DOUBLE] C; [PENALTY] C; [IN WORK] C; [ZONES] C;

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
36 X 36	49	49	16.125	16.75	15.125	18.75	14.75	3.5	4	12.125	14.625	17.625	13.875	17.5
48 X 48	65.375	65.375	20.125	25.125	18.625	28.125	18	5.375	6	18	18	22.25	20.875	22.25

	O	P	Q	R	RADIUS	BORDER	INDENT
36 X 36	12	4	3	12	2.25	0.875	0.625
48 X 48	16.125	6	3	16.25	3	1.25	0.75



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

DOUBLE PENALTY IN WORK ZONES

SCALE: 1" = 1'-0"

SIGN NUMBER  
 WNV17-1



WNV18-1, Black on Orange;  
 [THRU] D; [TRAFFIC] D;  
 Arrow 90°;

	A	B	C	D	E	F	G	H	I	J	K	L
36 X 42	36	42	9.75	16.5	4.75	26.5	13.75	8.5	3.625	13.75	4.5	6
54 X 60	54	60	13.875	26.25	5.625	42.75	21.375	11.25	6.875	18.25	6	8


	RADIUS	BORDER	INDENT	ARROW TYPE	ARROW SIZE
36 X 42	2.25	0.875	0.625	6-2LV	13.75
54 X 60	6	1.5	1.25	8-2LV	18.25



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

THRU TRAFFIC  
 SCALE: 1" = 1'-0"

SIGN NUMBER  
**WNV18-1**




WNV19-2R\_42x42;  
 2.3" Radius, 0.9" Border, 0.6" Indent, Black on Orange;  
 "BUSINESS" C; "ACCESS" C;  
 Standard Arrow Custom 13.5" X 6.0" 0°;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

BUSINESS ACCESS  
 0 OR 180 DEGREE ARROW  
 SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV19-2**  
 R, (L)




WNV20-1\_30x24;  
 1.5" Radius, 0.6" Border, 0.4" Indent, Black on Orange;  
 "DETOUR" D; Arrow Custom - 9.0" 90°;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

DETOUR  
 SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV20-1**



WNV21-1R\_30x48;  
 1.9" Radius, 0.8" Border, 0.5" Indent, Black on Orange;  
 "RIGHT" C; "TURN" C; "LANE" C;  
 Standard Arrow Custom 9.0" X 6.0" 0°;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

RIGHT OR LEFT TURN LANE  
 SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
 WNV21-1  
 R, (L)



WNV22-1, Black on Orange;  
 [GROOVED] C; [PAVEMENT] C; [AHEAD] C;

	A	B	C	D	E	F	G	H	I
36 X 36	49	49	12.125	24.75	12.125	10.5	28	15.75	17.5
48 X 48	65.375	65.375	15.375	34.75	15.25	13.125	39.125	20.375	24.625

	J	K	L	M	RADIUS	BORDER	INDENT
36 X 36	14	5	3	14	2.25	0.875	0.625
48 X 48	15.375	7	4.5	20.4	3	1.25	0.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

GROOVED PAVEMENT AHEAD

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
 WNV22-1





WNV23-1, Black on Orange;  
[BUMP] D; [AHEAD] D;

	A	B	C	D	E	F	G	H	I	J	K
36 X 36	49	49	14	21	11.5	26.125	11.375	18	6	4	15
48 X 48	65.375	65.375	18.75	27.875	15.25	34.875	15.25	23.125	8	6	20.25

	RADIUS	BORDER	INDENT
36 X 36	2.25	0.875	0.625
48 X 48	3	1.25	0.75



STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

**BUMP AHEAD**

SCALE: 1" = 1'-0"

SIGN  
NUMBER  
**WNV23-1**



WNV24-1t, Black on Orange;  
 [DUST] D; [HAZARD] D;

	A	B	C	D	E	F	G	H	I	J	K	L
36 X 36	49	49	14.625	19.75	14.625	8.625	31.75	8.625	19	6	4.5	13.5
48 X 48	65.375	65.375	19.625	26.25	19.5	11.625	42.25	11.5	25.375	8	6	18

	RADIUS	BORDER	INDENT
36 X 36	2.25	0.875	0.625
48 X 48	3	1.25	0.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

DUST HAZARD

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV24-1**




WNV25-1\_42x54;  
 2.250" Radius, 0.875" Border, 0.625" Indent, Black on Orange;  
 "RAMP" D; "EXIT" D; Arrow 8-2LV - 18.250" 45°;



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

**RAMP EXIT**  
 SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV25-1**



WNV26-1, Black on Orange;  
 [RAMP] D; [CLOSED] D; [AHEAD] D;

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
36 X 36	49	49	15.625	17.75	12.25	24.625	12.125	13.625	21.75	13.625	13.5	5	3.5	13.5
48 X 48	65.375	65.375	20.25	24.875	15.5	34.375	15.5	17.5	30.5	17.375	17.625	7	4.5	17.75

	RADIUS	BORDER	INDENT
36 X 36	2.25	0.875	0.625
48 X 48	3	1.25	0.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

RAMP CLOSED AHEAD

SCALE: 1" = 1'-0"

SIGN NUMBER  
 WNV26-1



WNV27-1, Black on Orange;  
 [PAINTING] C; [CENTER LINE] C; [KEEP OFF] C;

	A	B	C	D	E	F	G	H	I	J	K	L
36 X 36	49	49	12.25	24.5	6.875	19.875	4	11.375	11.625	13	3	9.75
48 X 48	65.375	65.375	18	29.375	10.875	24	6	13.625	16	15.625	6	11.75

	M	N	O	P	RADIUS	BORDER	INDENT
36 X 36	14.5	5	2.5	14.5	2.25	0.875	0.625
48 X 48	19.125	6	4.5	19.25	3	1.25	0.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

PAINTING CENTER LINE KEEP OFF

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV27-1**



WNV27-2, Black on Orange;  
 [PAINTING] C; [EDGE LINE] C; [KEEP OFF] C;

	A	B	C	D	E	F	G	H	I	J	K	L	M
36 X 36	49	49	12.25	24.5	10.25	13.125	4	11.5	10.125	11.125	13	4	9.75
48 X 48	65.375	65.375	18	29.375	15.5	15.75	5	13.75	15.375	16.5	15.625	5	11.75

	N	O	P	Q	RADIUS	BORDER	INDENT
36 X 36	15.25	5	2.5	13.75	2.25	0.875	0.625
48 X 48	19.125	6	4.5	19.25	3	1.25	0.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

PAINTING EDGE LINE KEEP OFF

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV27-2**



WNV28-1, Black on Orange;  
 [LANE] C; [SHIFT] C; [AHEAD] C;

	A	B	C	D	E	F	G	H	I	J
36 X 36	49	49	16.75	15.625	16.625	15.625	17.875	15.5	14	21
48 X 48	65.375	65.375	22.25	20.875	22.25	20.75	23.875	20.75	18.625	28.125

	K	L	M	N	RADIUS	BORDER	INDENT
36 X 36	12.5	6	4	10.5	2.25	0.875	0.625
48 X 48	16.625	8	4	16.75	3	1.25	0.75



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

LANE SHIFT AHEAD

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV28-1**



WNV29-1, Black on Orange;  
 [PREPARE] D; [TO] D; [STOP] D;

	A	B	C	D	E	F	G	H	I	J
36 X 36	49	49	10.375	28.375	10.25	20.75	7.5	20.75	16.375	16.25
48 X 48	65.375	65.375	14.625	36.125	14.625	28.25	9	28.125	22.875	19.625

	K	L	M	N	RADIUS	BORDER	INDENT
36 X 36	9.5	6	3	15.5	2.25	0.875	0.625
48 X 48	17.875	6	3.5	22.5	3	1.25	0.75




STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

PREPARE TO STOP

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV29-1**





WNV30-1\_36x36;

36.000" across sides 2.250" Radius, 0.875" Border, 0.625" Indent, Black on Orange;


"BIKE" C; "PATH" C; "CLOSED" C; "XXXX FT" C;



STATE OF NEVADA  
DEPARTMENT OF TRANSPORTATION  
STANDARD SIGN SUPPLEMENT  
2006

BIKE PATH CLOSED XXXX FEET  
SCALE: 1" = 1'-0"

SIGN  
NUMBER  
WNV30-1



WNV31-1, Black on Orange;  
 [BIKE] D; [EVENT] D; [AHEAD] D;

	A	B	C	D	E	F	G	H	I	J
36 X 36	49	49	17.625	13.875	17.5	14.625	19.75	14.125	20.875 *	14
48 X 48	65.375	65.375	23	19.375	23	18.875	27.625	17.5	30.5	17.375

\* 75% spacing

	K	L	M	N	RADIUS	BORDER	INDENT
36 X 36	14	5	3	14	2.25	0.875	0.625
48 X 48	18.625	7	3.5	18.75	3	1.25	0.75



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

BIKE EVENT AHEAD

SCALE: 1" = 1'-0"

SIGN NUMBER  
 WNV31-1



WNV31-2, Black on Orange;  
 [BIKE EVENT] C; [IN] C; [PROGRESS] C;

	A	B	C	D	E	F	G	H	I	J	K	L	M
36 X 36	49	49	11.375	9.25	4	13.125	11.25	22.75	3.625	22.625	13.25	22.625	13.125
48 X 48	65.375	65.375	12.875	14	6	19.625	12.875	30	5.375	30	15.75	34	15.625

	N	O	P	Q	RADIUS	BORDER	INDENT
36 X 36	16.5	4	2	16.5	2.25	0.875	0.625
48 X 48	21.625	6	2	21.75	3	1.25	0.75



STATE OF NEVADA  
 DEPARTMENT OF TRANSPORTATION  
 STANDARD SIGN SUPPLEMENT  
 2006

BIKE EVENT IN PROGRESS

SCALE: 1" = 1'-0"

SIGN  
 NUMBER  
**WNV31-2**