

# Index

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
WNV16-4	48	36	30 MINUTE DELAY POSSIBLE	WNV16-4_48x36.sgn	3-4
GNV29-6	66	24	ADOPT A HIGHWAY LITTER CONTROL	GNV29-6_66x24.sgn	4-65
GNV29-6	84	30	ADOPT A HIGHWAY LITTER CONTROL	GNV29-6_84x30.sgn	4-65
GNV6-2R	36	24	AIRPORT 0 DEGREE ARROW	GNV6-2R_36x24.sgn	4-14
GNV6-2L	36	24	AIRPORT 180 DEGREE ARROW	GNV6-2L_36x24.sgn	4-14
GNV6-1	54	18	AIRPORT 90 DEGREE ARROW	GNV6-1_54x18.sgn	4-14
WNV15-1	36	36	ANTELOPE CROSSING	WNV15-1_36x36.sgn	2-20
WNV15-1	48	48	ANTELOPE CROSSING	WNV15-1_48x48.sgn	2-20
			ANTELOPE GRAPHIC		5-1
			ARROW DETAILS - 90 DEGREE LEFT TURN ARROW		6-8
			ARROW DETAILS - 90 DEGREE LEFT TURN ARROW		6-9
			ARROW DETAILS - HORIZONTAL ARROWS		6-2
			ARROW DETAILS - LEFT/THRU ARROW		6-6
			ARROW DETAILS - LEFT/THRU/RIGHT ARROW		6-7
			ARROW DETAILS - LEFT/UTURN ARROW		6-10
			ARROW DETAILS - LEFT TURN ARROW		6-4
			ARROW DETAILS - STANDARD ARROWS		6-3
			ARROW DETAILS - THRU ARROW		6-5
			ARROW DETAILS - VERTICAL ARROWS		6-1
RNV17-1	24	18	AUTHORIZED VEHICLES ONLY	RNV17-1_24x18.sgn	1-69
WNV15-3	36	36	BEAR CROSSING	WNV15-3_36x36.sgn	2-22
WNV15-3	48	48	BEAR CROSSING	WNV15-3_48x48.sgn	2-22
			BEAR GRAPHIC		5-3
RNV8-1	108	36	BEGIN DAYTIME HEADLIGHT SECTION	RNV8-1_108x36.sgn	1-53
WNV16-2	48	24	BEGIN WORK ZONE	WNV16-2_48x24.sgn	3-2
RNV27-2	42	36	BICYCLES MUST EXIT	RNV27-2_42x36.sgn	1-80
WNV15-6	36	36	BIGHORN SHEEP CROSSING	WNV15-6_36x36.sgn	2-25
WNV15-6	48	48	BIGHORN SHEEP CROSSING	WNV15-6_48x48.sgn	2-25
			BIGHORN SHEEP GRAPHIC		5-6
WNV31-1	36	36	BIKE EVENT AHEAD	WNV31-1_36x36.sgn	3-21

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
WNV31-1	48	48	BIKE EVENT AHEAD	WNV31-1_48x48.sgn	3-21
WNV31-2	36	36	BIKE EVENT IN PROGRESS	WNV31-2_36x36.sgn	3-22
WNV31-2	48	48	BIKE EVENT IN PROGRESS	WNV31-2_48x48.sgn	3-22
WNV30-1	36	36	BIKE PATH CLOSED XXXX FEET	WNV30-1_36x36.sgn	3-20
RNV27-1	24	36	BIKES CROSS HERE	RNV27-1_24x36.sgn	1-79
GNV43-2R	42	36	BOAT LANDING 0 DEGREE ARROW	GNV43-2R_42x36.sgn	4-89
GNV43-2L	42	36	BOAT LANDING 180 DEGREE ARROW	GNV43-2L_42x36.sgn	4-89
GNV43-1	60	30	BOAT LANDING 90 DEGREE ARROW	GNV43-1_60x30.sgn	4-89
WNV7-1	54	66	BRAKE CHECK AREA AHEAD	WNV7-1_54x66.sgn	2-9
WNV7-1	90	102	BRAKE CHECK AREA AHEAD	WNV7-1_90x102.sgn	2-9
WNV7-2	72	48	BRAKE CHECK AREA AHEAD 45 DEGREE ARROW	WNV7-2_72x48.sgn	2-10
WNV7-2	102	72	BRAKE CHECK AREA AHEAD 45 DEGREE ARROW	WNV7-2_102x72.sgn	2-10
RNV12-1	114	42	BRAND INSPECTION REQUIRED ENTERING NEVADA	RNV12-1_114x42.sgn	1-63
RNV12-1	150	48	BRAND INSPECTION REQUIRED ENTERING NEVADA	RNV12-1_150x48.sgn	1-63
RNV12-2	114	42	BRAND INSPECTION REQUIRED LEAVING NEVADA	RNV12-2_114x42.sgn	1-64
RNV12-2	150	48	BRAND INSPECTION REQUIRED LEAVING NEVADA	RNV12-2_150x48.sgn	1-64
WNV12-1	36	36	BRIDGE MAY BE ICY	WNV12-1_36x36.sgn	2-15
WNV12-1	48	48	BRIDGE MAY BE ICY	WNV12-1_48x48.sgn	2-15
WNV15-2	36	36	BULL CROSSING	WNV15-2_36x36.sgn	2-21
WNV15-2	48	48	BULL CROSSING	WNV15-2_48x48.sgn	2-21
			BULL GRAPHIC		5-2
WNV23-1	36	36	BUMP AHEAD	WNV23-1_36x36.sgn	3-12
WNV23-1	48	48	BUMP AHEAD	WNV23-1_48x48.sgn	3-12
WNV15-5	36	36	BURRO CROSSING	WNV15-5_36x36.sgn	2-24
WNV15-5	48	48	BURRO CROSSING	WNV15-5_48x48.sgn	2-24
			BURRO CROSSING		5-5
WNV19-2R	42	42	BUSINESS ACCESS 0 DEGREE ARROW	WNV19-2R_42x42.sgn	3-8
WNV19-2L	42	42	BUSINESS ACCESS 180 DEGREE ARROW	WNV19-2L_42x42.sgn	3-8
RNV29-1	60	24	BUSINESS ACCESS ONLY	RNV29-1_60x24.sgn	1-82
GNV7-2R	48	36	BUSINESS DISTRICT 0 DEGREE ARROW	GNV7-2R_48x36.sgn	4-15

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
GNV7-2L	48	36	BUSINESS DISTRICT 180 DEGREE ARROW	GNV7-2L_48x36.sgn	4-15
GNV7-1	60	24	BUSINESS DISTRICT 90 DEGREE ARROW	GNV7-1_60x24.sgn	4-15
GNV2-1	162	78	BUSINESS LOOP NEXT RIGHT	GNV2-1_162x78.sgn	4-5
RNV2-14	42	30	C R	RNV2-14_42x30.sgn	1-17
GNV20-2	66	24	CARSON CITY RURAL AREA	GNV20-2_66x24.sgn	4-30
GNV20-2	90	36	CARSON CITY RURAL AREA	GNV20-2_90x36.sgn	4-30
GNV20-1	66	24	CARSON CITY STATE CAPITAL	GNV20-1_66x24.sgn	4-29
GNV20-1	90	36	CARSON CITY STATE CAPITAL	GNV20-1_90x36.sgn	4-29
WNV14-1	36	36	CATTLE GUARD AHEAD	WNV14-1_36x36.sgn	2-19
WNV14-1	48	48	CATTLE GUARD AHEAD	WNV14-1_48x48.sgn	2-19
GNV8-2R	54	24	CEMETERY 0 DEGREE ARROW	GNV8-2R_54x24.sgn	4-16
GNV8-2L	54	24	CEMETERY 180 DEGREE ARROW	GNV8-2L_54x24.sgn	4-16
GNV8-1	60	18	CEMETERY 90 DEGREE ARROW	GNV8-1_60x18.sgn	4-16
RNV7-4L	60	48	CHAIN INSTALLATION AREA ONLY	RNV7-4L_60x48.sgn	1-52
RNV7-4R	60	48	CHAIN INSTALLATION AREA ONLY	RNV7-4R_60x48.sgn	1-52
RNV7-1	72	48	CHAINS OR SNOW TIRES REQUIRED	RNV7-1_72x48.sgn	1-49
RNV7-2	72	54	CHAINS OR SNOW TIRES REQUIRED XX MILES AHEAD	RNV7-2_72x54.sgn	1-50
RNV8-4	66	36	CHECK HEADLIGHTS	RNV8-4_66x36.sgn	1-56
GNV3-3	78	72	CHECK STATION 45 DEGREE ARROW	GNV3-3_78x72.sgn	4-8
GNV3-2	108	66	CHECK STATION NEXT RIGHT	GNV3-2_108x66.sgn	4-7
GNV3-1	78	60	CHECK STATION X MILE	GNV3-1_78x60.sgn	4-6
GNV20-3	54	24	CHURCHILL COUNTY LINE	GNV20-3_54x24.sgn	4-31
GNV20-3	66	36	CHURCHILL COUNTY LINE	GNV20-3_66x36.sgn	4-31
GNV20-4	42	24	CLARK COUNTY LINE	GNV20-4_42x24.sgn	4-32
GNV20-4	66	36	CLARK COUNTY LINE	GNV20-4_66x36.sgn	4-32
RNV31-1	60	18	CLOSED	RNV31-1_60x18.sgn	1-85
RNV31-1	120	36	CLOSED	RNV31-1_120x36.sgn	1-85
RNV9-1	96	54	COMMERCIAL VEHICLES LICENSE REQ	RNV9-1_96x54.sgn	1-57
RNV9-1	126	72	COMMERCIAL VEHICLES LICENSE REQ	RNV9-1_126x72.sgn	1-57
RNV9-1	216	108	COMMERCIAL VEHICLES LICENSE REQ	RNV9-1_216x108.sgn	1-57

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
GNV18-2R	54	36	COMMUNITY COLLEGE 0 DEGREE ARROW	GNV18-2R_54x36.sgn	4-26
GNV18-2L	54	36	COMMUNITY COLLEGE 180 DEGREE ARROW	GNV18-2L_54x36.sgn	4-26
GNV18-1	72	30	COMMUNITY COLLEGE 90 DEGREE ARROW	GNV18-1_72x30.sgn	4-26
GNV26-4	42	30	COMSTOCK HIGHWAY	GNV26-4_42x30.sgn	4-56
WNV10-1	36	36	CROSS TRAFFIC AHEAD	WNV10-1_36x36.sgn	2-13
WNV10-1	48	48	CROSS TRAFFIC AHEAD	WNV10-1_48x48.sgn	2-13
GNV39-3	150	54	DEPARTMENT OF MOTOR VEHICLES	GNV39-3_150x54.sgn	4-81
GNV39-5R	72	48	DEPARTMENT OF MOTOR VEHICLES & PUBLIC SAFETY 0 DEGREE ARROW	GNV39-5R_72x48.sgn	4-82
GNV39-5L	72	48	DEPARTMENT OF MOTOR VEHICLES & PUBLIC SAFETY 180 DEGREE ARROW	GNV39-5L_72x48.sgn	4-82
GNV39-4	108	42	DEPARTMENT OF MOTOR VEHICLES & PUBLIC SAFETY 90 DEGREE ARROW	GNV39-4_108x42.sgn	4-82
GNV39-2R	78	36	DEPARTMENT OF MOTOR VEHICLES 0 DEGREE ARROW	GNV39-2R_78x36.sgn	4-80
GNV39-2L	78	36	DEPARTMENT OF MOTOR VEHICLES 180 DEGREE ARROW	GNV39-2L_78x36.sgn	4-80
GNV39-1	102	30	DEPARTMENT OF MOTOR VEHICLES 90 DEGREE ARROW	GNV39-1_102x30.sgn	4-80
WNV20-1	30	24	DETOUR	WNV20-1_30x24.sgn	3-9
GNV39-7R	24	30	DMV 0 DEGREE ARROW	GNV39-7R_24x30.sgn	4-83
GNV39-7L	24	30	DMV 180 DEGREE ARROW	GNV39-7L_24x30.sgn	4-83
GNV39-6	36	18	DMV 90 DEGREE ARROW	GNV39-6_36x18.sgn	4-83
WNV17-1	36	36	DOUBLE PENALTY IN WORKZONES	WNV17-1_36x36.sgn	3-6
WNV17-1	48	48	DOUBLE PENALTY IN WORKZONES	WNV17-1_48x48.sgn	3-6
GNV20-5	48	24	DOUGLAS COUNTY LINE	GNV20-5_48x24.sgn	4-33
GNV20-5	66	36	DOUGLAS COUNTY LINE	GNV20-5_66x36.sgn	4-33
RNV1-1	30	36	DUAL LEFT	RNV1-1_30x36.sgn	1-1
RNV1-3	30	36	DUAL LEFT/U-TURN	RNV1-3_30x36.sgn	1-3
RNV1-2	30	36	DUAL RIGHT	RNV1-2_30x36.sgn	1-2
GNV10-2R	30	36	DUMP SITE 0 DEGREE ARROW	GNV10-2R_30x36.sgn	4-18
GNV10-2L	30	36	DUMP SITE 180 DEGREE ARROW	GNV10-2L_30x36.sgn	4-18
GNV10-1	48	30	DUMP SITE 90 DEGREE ARROW	GNV10-1_48x30.sgn	4-18
WNV24-1	36	36	DUST HAZARD	WNV24-1_36x36.sgn	3-13
WNV24-1	48	48	DUST HAZARD	WNV24-1_48x48.sgn	3-13

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
GNV15-2R	60	36	ELEMENTARY SCHOOL 0 DEGREE ARROW	GNV15-2R_60x36.sgn	4-23
GNV15-2L	60	36	ELEMENTARY SCHOOL 180 DEGREE ARROW	GNV15-2L_60x36.sgn	4-23
GNV15-1	78	30	ELEMENTARY SCHOOL 90 DEGREE ARROW	GNV15-1_78x30.sgn	4-23
GNV19-1	36	18	ELEVATION	GNV19-1_36x18.sgn	4-27
GNV19-1	72	36	ELEVATION	GNV19-1_72x36.sgn	4-27
WNV15-4	36	36	ELK CROSSING	WNV15-4_36x36.sgn	2-23
WNV15-4	48	48	ELK CROSSING	WNV15-4_48x48.sgn	2-23
			ELK GRAPHIC		5-4
GNV20-6	42	24	ELKO COUNTY LINE	GNV20-6_42x24.sgn	4-34
GNV20-6	66	36	ELKO COUNTY LINE	GNV20-6_66x36.sgn	4-34
GNV41-3	42	48	EMERGENCY MEDICAL SERVICE	GNV41-3_42x48.sgn	4-87
GNV41-3	78	66	EMERGENCY MEDICAL SERVICE	GNV41-3_78x66.sgn	4-87
GNV41-1	36	18	EMERGENCY PHONE	GNV41-1_36x18.sgn	4-85
GNV41-2	36	18	EMERGENCY USE ONLY	GNV41-2_36x18.sgn	4-86
RNV8-2	108	36	END DAYTIME HEADLIGHT SECTION	RNV8-2_108x36.sgn	1-54
WNV16-3	48	24	END WORK ZONE	WNV16-3_48x24.sgn	3-3
GNV22-1	66	30	ENTERING TRIBAL LAND	GNV22-1_66x30.sgn	4-47
GNV22-1	84	36	ENTERING TRIBAL LAND	GNV22-1_84x36.sgn	4-47
GNV20-7	60	24	ESMERALDA COUNTY LINE	GNV20-7_60x24.sgn	4-35
GNV20-7	78	36	ESMERALDA COUNTY LINE	GNV20-7_78x36.sgn	4-35
GNV20-8	42	24	EUREKA COUNTY LINE	GNV20-8_42x24.sgn	4-36
GNV20-8	66	36	EUREKA COUNTY LINE	GNV20-8_66x36.sgn	4-36
WNV1-1	VAR	30	EXIT ONLY	WNV1-1_126x30.sgn	2-1
WNV1-3	VAR	30	EXIT ONLY DOUBLE 45 DEGREE ARROW	WNV1-3_168x30.sgn	2-3
WNV1-2	VAR	30	EXIT ONLY SINGLE 45 DEGREE ARROW	WNV1-2_144x30.sgn	2-2
WNV8-1	36	36	FALLING ROCK	WNV8-1_36x36.sgn	2-11
WNV8-1	48	48	FALLING ROCK	WNV8-1_48x48.sgn	2-11
WNV11-1	36	36	FLASH FLOOD AREA	WNV11-1_36x36.sgn	2-14
WNV11-1	48	48	FLASH FLOOD AREA	WNV11-1_48x48.sgn	2-14
WNV12-2	36	36	FOG MAY BE ICY	WNV12-2_36x36.sgn	2-16

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
WNV12-2	48	48	FOG MAY BE ICY	WNV12-2_48x48.sgn	2-16
GNV4-1	42	24	FREEWAY ENTRANCE	GNV4-1_42x24.sgn	4-9
GNV4-3	66	24	FREEWAY ENTRANCE 45 DEGREE ARROW	GNV4-3_66x24.sgn	4-11
GNV4-2	60	24	FREEWAY ENTRANCE 90 DEGREE ARROW	GNV4-2_60x24.sgn	4-10
GNV30-2	114	60	FREEWAY SERVICE PATROL HOURS NORTH	GNV30-2_114x60.sgn	4-67
GNV30-1	114	60	FREEWAY SERVICE PATROL HOURS SOUTH	GNV30-1_114x60.sgn	4-66
GNV45-3	42	30	GOLF COURSE	GNV45-3_42x30.sgn	4-92
GNV45-2R	42	36	GOLF COURSE 0 DEGREE ARROW	GNV45-2R_42x36.sgn	4-91
GNV45-2L	42	36	GOLF COURSE 180 DEGREE ARROW	GNV45-2L_42x36.sgn	4-91
GNV45-1	54	30	GOLF COURSE 90 DEGREE ARROW	GNV45-1_54x30.sgn	4-91
GNV26-2	66	48	GRAND ARMY OF THE REPUBLIC HIGHWAY	GNV26-2_66x48.sgn	4-54
GNV26-3	36	36	GREAT BASIN HIGHWAY	GNV26-3_36x36.sgn	4-55
WNV22-1	36	36	GROOVED PAVEMENT AHEAD	WNV22-1_36x36.sgn	3-11
WNV22-1	48	48	GROOVED PAVEMENT AHEAD	WNV22-1_48x48.sgn	3-11
RNV26-1	12	18	HANDICAP RESERVE PARKING \$100 FINE	RNV26-1_12x18.sgn	1-78
RNV11-1	102	48	HAZARDOUS MATERIAL PERMIT REQUIRED	RNV11-1_102x48.sgn	1-62
RNV11-1	138	66	HAZARDOUS MATERIAL PERMIT REQUIRED	RNV11-1_138x66.sgn	1-62
RNV11-1	210	96	HAZARDOUS MATERIAL PERMIT REQUIRED	RNV11-1_210x96.sgn	1-62
GNV17-2R	42	36	HIGH SCHOOL 0 DEGREE ARROW	GNV17-2R_42x36.sgn	4-25
GNV17-2L	42	36	HIGH SCHOOL 180 DEGREE ARROW	GNV17-2L_42x36.sgn	4-25
GNV17-1	54	30	HIGH SCHOOL 90 DEGREE ARROW	GNV17-1_54x30.sgn	4-25
WNV6-1	36	36	HIGH WIND AREA	WNV6-1_36x36.sgn	2-8
WNV6-1	48	48	HIGH WIND AREA	WNV6-1_48x48.sgn	2-8
GNV46-2R	54	48	HISTORIC MINING VIEWPOINT 0 DEGREE ARROW	GNV46-2R_54x48.sgn	4-93
GNV46-2L	54	48	HISTORIC MINING VIEWPOINT 180 DEGREE ARROW	GNV46-2L_54x48.sgn	4-93
GNV46-1	66	36	HISTORIC MINING VIEWPOINT 90 DEGREE ARROW	GNV46-1_66x36.sgn	4-93
GNV42-1	96	24	HOSPITAL	GNV42-1_96x24.sgn	4-88
GNV20-9	54	24	HUMBOLDT COUNTY LINE	GNV20-9_54x24.sgn	4-37
GNV20-9	72	36	HUMBOLDT COUNTY LINE	GNV20-9_72x36.sgn	4-37

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
GNV12-2R	54	36	INDUSTRIAL AREA 0 DEGREE ARROW	GNV12-2R_54x36.sgn	4-20
GNV12-2L	54	36	INDUSTRIAL AREA 180 DEGREE ARROW	GNV12-2L_54x36.sgn	4-20
GNV12-1	72	30	INDUSTRIAL AREA 90 DEGREE ARROW	GNV12-1_72x30.sgn	4-20
GNV34-2R	66	36	INTERPRETIVE SITE 0 DEGREE ARROW	GNV34-2R_66x36.sgn	4-71
GNV34-2L	66	36	INTERPRETIVE SITE 180 DEGREE ARROW	GNV34-2L_66x36.sgn	4-71
GNV34-1	84	36	INTERPRETIVE SITE 90 DEGREE ARROW	GNV34-1_84x36.sgn	4-71
GNV1-4	60	72	JUNCTION XXX 1/2 MILE	GNV1-4_60x72.sgn	4-4
GNV1-4	60	84	JUNCTION XXX 1/2 MILE	GNV1-4_60x84.sgn	4-4
GNV1-4	60	96	JUNCTION XXX 1/2 MILE	GNV1-4_60x96.sgn	4-4
RNV2-13	42	30	L C	RNV2-13_42x30.sgn	1-16
RNV3-24	54	30	L C R	RNV3-24_54x30.sgn	1-41
RNV2-10	36	30	L L	RNV2-10_36x30.sgn	1-13
RNV3-20	54	30	L L L	RNV3-20_54x30.sgn	1-37
RNV3-18	54	30	L L R	RNV3-18_54x30.sgn	1-35
RNV3-9	54	30	L L T	RNV3-9_54x30.sgn	1-26
RNV3-23	54	30	L L TL	RNV3-23_54x30.sgn	1-40
RNV3-16	54	30	L L TR	RNV3-16_54x30.sgn	1-33
RNV2-9	36	30	L R	RNV2-9_36x30.sgn	1-12
RNV3-19	54	30	L R R	RNV3-19_54x30.sgn	1-36
RNV2-5	36	30	L T	RNV2-5_36x30.sgn	1-8
RNV3-5	54	30	L T T	RNV3-5_54x30.sgn	1-22
RNV3-12	54	30	L T TR	RNV3-12_54x30.sgn	1-29
RNV3-7	54	30	L TL T	RNV3-7_54x30.sgn	1-24
RNV3-14	54	30	L TL TR	RNV3-14_54x30.sgn	1-31
RNV2-8	36	30	L TR	RNV2-8_36x30.sgn	1-11
RNV3-17	54	30	L TR R	RNV3-17_54x30.sgn	1-34
GNV23-1	12	9	L/R/S ARROW	GNV23-1_12x9.sgn	4-49
GNV20-10	42	24	LANDER COUNTY LINE	GNV20-10_42x24.sgn	4-38
GNV20-10	66	36	LANDER COUNTY LINE	GNV20-10_66x36.sgn	4-38
GNV11-2R	36	18	LANDFILL 0 DEGREE ARROW	GNV11-2R_36x18.sgn	4-19
GNV11-2L	36	18	LANDFILL 180 DEGREE ARROW	GNV11-2L_36x18.sgn	4-19



## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
GNV11-1	36	12	LANDFILL 90 DEGREE ARROW	GNV11-1_36x12.sgn	4-19
RNV31-3	48	36	LANE CLOSED	RNV31-3_48x36.sgn	1-87
WNV28-1	36	36	LANE SHIFT AHEAD	WNV28-1_36x36.sgn	3-18
WNV28-1	48	48	LANE SHIFT AHEAD	WNV28-1_48x48.sgn	3-18
GNV22-2	66	30	LEAVING TRIBAL LAND	GNV22-2_66x30.sgn	4-48
GNV22-2	84	36	LEAVING TRIBAL LAND	GNV22-2_84x36.sgn	4-48
WNV21-1L	30	48	LEFT TURN LANE	WNV21-1L_30x48.sgn	3-10
RNV9-2	42	30	LICENSE STATION	RNV9-2_42x30.sgn	1-58
RNV9-4R	42	36	LICENSE STATION 0 DEGREE ARROW	RNV9-4R_42x36.sgn	1-60
RNV9-4L	42	36	LICENSE STATION 180 DEGREE ARROW	RNV9-4L_42x36.sgn	1-60
RNV9-3	54	30	LICENSE STATION 90 DEGREE ARROW	RNV9-3_54x30.sgn	1-59
GNV20-11	42	24	LINCOLN COUNTY LINE	GNV20-11_42x24.sgn	4-39
GNV20-11	66	36	LINCOLN COUNTY LINE	GNV20-11_66x36.sgn	4-39
RNV24-1	30	36	LOCAL TRAFFIC ONLY	RNV24-1_30x36.sgn	1-76
GNV38-1	114	54	LP GAS NEXT RIGHT	GNV38-1_114x54.sgn	4-79
GNV20-12	42	24	LYON COUNTY LINE	GNV20-12_42x24.sgn	4-40
GNV20-12	66	36	LYON COUNTY LINE	GNV20-12_66x36.sgn	4-40
WNV3-1	36	30	MAJOR DEER CROSSING	WNV3-1_36x30.sgn	2-5
GNV16-2R	42	36	MIDDLE SCHOOL 0 DEGREE ARROW	GNV16-2R_42x36.sgn	4-24
GNV16-2L	42	36	MIDDLE SCHOOL 180 DEGREE ARROW	GNV16-2L_42x36.sgn	4-24
GNV16-1	54	30	MIDDLE SCHOOL 90 DEGREE ARROW	GNV16-1_54x30.sgn	4-24
GNV20-13	48	24	MINERAL COUNTY LINE	GNV20-13_48x24.sgn	4-41
GNV20-13	66	36	MINERAL COUNTY LINE	GNV20-13_66x36.sgn	4-41
GNV24-1	54	30	MOUNTAIN TIME ZONE	GNV24-1_54x30.sgn	4-50
GNV24-1	84	36	MOUNTAIN TIME ZONE	GNV24-1_84x36.sgn	4-50
GNV1-1	18	24	NEVADA SHIELD FOR GUIDE SIGN USE		4-1
GNV1-1	24	36	NEVADA SHIELD FOR GUIDE SIGN USE		4-1
GNV1-1	36	48	NEVADA SHIELD FOR GUIDE SIGN USE		4-1
GNV1-2	24	24	NEVADA SHIELD FOR INDEPENDENT USE		4-2
GNV1-2	36	36	NEVADA SHIELD FOR INDEPENDENT USE		4-2
GNV1-3	24	24	NEVADA SHIELD FOR INDEPENDENT USE		4-3

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
GNV1-3	36	36	NEVADA SHIELD FOR INDEPENDENT USE		4-3
GNV32-2R	66	36	NEVADA WELCOME CENTER 0 DEGREE ARROW	GNV32-2R_66x36.sgn	4-69
GNV32-2L	66	36	NEVADA WELCOME CENTER 180 DEGREE ARROW	GNV32-2L_66x36.sgn	4-69
GNV32-1	66	36	NEVADA WELCOME CENTER 90 DEGREE ARROW	GNV32-1_66x36.sgn	4-69
GNV36-1	66	48	NEXT GAS X MILES	GNV36-1_66x48.sgn	4-74
GNV37-5	156	48	NEXT REST AREA XX MILES	GNV37-5_156x48.sgn	4-78
RNV16-1	36	42	NO ENGINE BRAKES	RNV16-1_36x42.sgn	1-68
RNV16-1	48	54	NO ENGINE BRAKES	RNV16-1_48x54.sgn	1-68
RNV5-1	60	42	NO LANE CHANGE IN TUNNEL	RNV5-1_60x42.sgn	1-44
RNV20-1	48	36	NO LITTERING	RNV20-1_48x36.sgn	1-72
RNV20-1	72	48	NO LITTERING	RNV20-1_72x48.sgn	1-72
RNV14-1	VAR	24	NO PICKUPS	RNV14-1_120x24.sgn	1-66
GNV35-1	120	30	NO SERVICES	GNV35-1_120x30.sgn	4-72
GNV35-2	96	60	NO SERVICES NEXT EXIT	GNV35-2_96x60.sgn	4-73
RNV25-1	12	18	NO TRUCK PARKING	RNV25-1_12x18.sgn	1-77
GNV20-14	42	24	NYE COUNTY LINE	GNV20-14_42x24.sgn	4-42
GNV20-14	66	36	NYE COUNTY LINE	GNV20-14_66x36.sgn	4-42
WNV13-1	24	18	OPEN RANGE	WNV13-1_24x18.sgn	2-18
RNV10-1	VAR	24	OPEN/CLOSED	RNV10-1_VARx24.sgn	1-61
GNV24-2	54	30	PACIFIC TIME ZONE	GNV24-2_54x30.sgn	4-51
GNV24-2	84	36	PACIFIC TIME ZONE	GNV24-2_84x36.sgn	4-51
WNV27-1	36	36	PAINTING CENTER LINE KEEP OFF	WNV27-1_36x36.sgn	3-16
WNV27-1	48	48	PAINTING CENTER LINE KEEP OFF	WNV27-1_48x48.sgn	3-16
WNV27-2	36	36	PAINTING EDGE LINE KEEP OFF	WNV27-2_36x36.sgn	3-17
WNV27-2	48	48	PAINTING EDGE LINE KEEP OFF	WNV27-2_48x48.sgn	3-17
GNV5-1	48	36	PASSING LANE AHEAD	GNV5-1_48x36.sgn	4-12
GNV5-1	60	48	PASSING LANE AHEAD	GNV5-1_60x48.sgn	4-12
GNV5-2	48	36	PASSING LANE X MILES	GNV5-2_48x36.sgn	4-13
GNV5-2	60	48	PASSING LANE X MILES	GNV5-2_60x48.sgn	4-13
RNV31-4	30	30	PATH CLOSED	RNV31-4_30x30.sgn	1-88

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
RNV19-1	54	36	PATROLLED BY AIRCRAFT	RNV19-1_54x36.sgn	1-71
WNV9-1	36	36	PAVED SHOULDER NARROWS	WNV9-1_36x36.sgn	2-12
WNV9-1	48	48	PAVED SHOULDER NARROWS	WNV9-1_48x48.sgn	2-12
RNV28-1	96	66	PENALTIES FOR VIOLATIONS DOUBLE IN WORK ZONES	RNV28-1_96x66.sgn	1-81
GNV20-15	54	24	PERSHING COUNTY LINE	GNV20-15_54x24.sgn	4-43
GNV20-15	66	36	PERSHING COUNTY LINE	GNV20-15_66x36.sgn	4-43
RNV30-1	60	36	PILOT CAR IN USE DO NOT PASS	RNV30-1_60x36.sgn	1-83
GNV40-2R	36	30	POLICE 0 DEGREE ARROW	GNV40-2R_36x30.sgn	4-84
GNV40-2L	36	30	POLICE 180 DEGREE ARROW	GNV40-2L_36x30.sgn	4-84
GNV40-1	48	18	POLICE 90 DEGREE ARROW	GNV40-1_48x18.sgn	4-84
WNV16-5	78	48	POSSIBLE 30 MINUTE DELAY XX MILES AHEAD	WNV16-5_78x48.sgn	3-5
GNV44-2R	36	36	POST OFFICE 0 DEGREE ARROW	GNV44-2R_36x36.sgn	4-90
GNV44-2L	36	36	POST OFFICE 180 DEGREE ARROW	GNV44-2L_36x36.sgn	4-90
GNV44-1	54	30	POST OFFICE 90 DEGREE ARROW	GNV44-1_54x30.sgn	4-90
WNV29-1	36	36	PREPARE TO STOP	WNV29-1_36x36.sgn	3-19
WNV29-1	48	48	PREPARE TO STOP	WNV29-1_48x48.sgn	3-19
WNV2-1	96	60	PREPARE TO STOP WHEN FLASHING	WNV2-1_96x60.sgn	2-4
RNV22-1	78	42	PRISON AREA HITCHIKING PROHIBITED	RNV22-1_78x42.sgn	1-74
RNV22-1	138	54	PRISON AREA HITCHIKING PROHIBITED	RNV22-1_138x54.sgn	1-74
GNV25-1	96	36	PURPLE HEART TRAIL	GNV25-1_96x36.sgn	4-52
RNV15-1	84	48	QUARANTINE AREA	RNV15-1_84x48.sgn	1-67
RNV2-11	36	30	R R	RNV2-11_36x30.sgn	1-14
RNV3-21	54	30	R R R	RNV3-21_54x30.sgn	1-38
RNV18-1	30	18	RADAR CONTROL	RNV18-1_30x18.sgn	1-70
RNV18-1	42	24	RADAR CONTROL	RNV18-1_42x24.sgn	1-70
RNV31-2	48	36	RAMP CLOSED	RNV31-2_48x36.sgn	1-86
WNV26-1	36	36	RAMP CLOSED AHEAD	WNV26-1_36x36.sgn	3-15
WNV26-1	48	48	RAMP CLOSED AHEAD	WNV26-1_48x48.sgn	3-15
WNV25-1	42	54	RAMP EXIT	WNV25-1_42x54.sgn	3-14
RNV13-1	144	78	RENTAL TRUCKS AND VEHICLES WITH LIVESTOCK MUST STOP	RNV13-1_144x78.sgn	1-65

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
GNV37-4	108	30	REST AREA	GNV37-4_108x30.sgn	4-77
GNV37-2R	30	36	REST AREA 0 DEGREE ARROW	GNV37-2R_30x36.sgn	4-75
GNV37-2L	30	36	REST AREA 180 DEGREE ARROW	GNV37-2L_30x36.sgn	4-75
GNV37-3	48	30	REST AREA 45 DEGREE ARROW	GNV37-3_48x30.sgn	4-76
GNV37-1	48	30	REST AREA 90 DEGREE ARROW	GNV37-1_48x30.sgn	4-75
RNV4-1	66	54	RIGHT LANE MUST EXIT	RNV4-1_66x54.sgn	1-42
WNV21-1R	30	48	RIGHT TURN LANE	WNV21-1R_30x48.sgn	3-10
RNV4-2	84	54	RIGHT TWO LANES MUST EXIT	RNV4-2_84x54.sgn	1-43
GNV28-1	84	48	ROAD INFO TUNE RADIO TO 530 AM	GNV28-1_84x48.sgn	4-58
GNV28-1	108	60	ROAD INFO TUNE RADIO TO 530 AM	GNV28-1_108x60.sgn	4-58
WNV12-3	36	36	ROAD MAY BE ICY	WNV12-3_36x36.sgn	2-17
WNV12-3	48	48	ROAD MAY BE ICY	WNV12-3_48x48.sgn	2-17
WNV16-1	108	60	ROAD WORK NEXT X MILES BEGINNING	WNV16-1_108x60.sgn	3-1
GNV27-1	24	24	SCENIC BYWAY	GNV27-1_24x24.sgn	4-57
GNV27-1	36	36	SCENIC BYWAY	GNV27-1_36x36.sgn	4-57
GNV13-2R	36	36	SENIOR CENTER 0 DEGREE ARROW	GNV13-2R_36x36.sgn	4-21
GNV13-2L	36	36	SENIOR CENTER 180 DEGREE ARROW	GNV13-2L_36x36.sgn	4-21
GNV13-1	54	30	SENIOR CENTER 90 DEGREE ARROW	GNV13-1_54x30.sgn	4-21
WNV15-7	36	36	SHEEP CROSSING	WNV15-7_36x36.sgn	2-26
WNV15-7	48	48	SHEEP CROSSING	WNV15-7_48x48.sgn	2-26
			SHEEP GRAPHIC		5-7
RNV6-1	54	48	SLOW VEHICLES MUST USE TURNOUTS	RNV6-1_54x48.sgn	1-45
RNV6-1	72	66	SLOW VEHICLES MUST USE TURNOUTS	RNV6-1_72x66.sgn	1-45
RNV6-2	96	48	SLOW VEHICLES WITH 5 OR MORE FOLLOWING VEHICLES MUST USE TURNOUTS	RNV6-2_96x48.sgn	1-46
RNV6-2	132	66	SLOW VEHICLES WITH 5 OR MORE FOLLOWING VEHICLES MUST USE TURNOUTS	RNV6-2_132x66.sgn	1-46
RNV23-1	24	30	SOLICITING WITHIN RIGHT OF WAY PROHIBITED	RNV23-1_24x30.sgn	1-75
GNV29-2	48	12	SPONSOR	GNV29-2_48x12.sgn	4-61
GNV29-2	60	18	SPONSOR	GNV29-2_60x18.sgn	4-61
GNV29-3	48	12	SPONSOR 2	GNV29-3_48x12.sgn	4-62

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
GNV29-3	60	18	SPONSOR 2	GNV29-3_60x18.sgn	4-62
GNV29-1	60	42	SPONSOR A HIGHWAY NEXT 1 MILE	GNV29-1_60x42.sgn	4-60
GNV29-4	48	12	SPONSOR OF	GNV29-4_48x12.sgn	4-63
GNV29-5	48	12	SPONSOR OF 2	GNV29-5_48x12.sgn	4-64
GNV19-2	72	24	SPRING CREEK ELEVATION	GNV19-2_72x24.sgn	4-28
GNV19-2	96	36	SPRING CREEK ELEVATION	GNV19-2_96x36.sgn	4-28
GNV14-2R	36	36	STATE PRISON 0 DEGREE ARROW	GNV14-2R_36x36.sgn	4-22
GNV14-2L	36	36	STATE PRISON 180 DEGREE ARROW	GNV14-2L_36x36.sgn	4-22
GNV14-1	54	30	STATE PRISON 90 DEGREE ARROW	GNV14-1_54x30.sgn	4-22
GNV20-16	42	24	STOREY COUNTY LINE	GNV20-16_42x24.sgn	4-44
GNV20-16	66	36	STOREY COUNTY LINE	GNV20-16_66x36.sgn	4-44
WNV5-1	108	48	STRONG CROSSWIND POSSIBLE NEXT XX MILES	WNV5-1_108x48.sgn	2-7
WNV5-1	180	72	STRONG CROSSWIND POSSIBLE NEXT XX MILES	WNV5-1_180x72.sgn	2-7
RNV2-4	36	30	T R	RNV2-4_36x30.sgn	1-7
RNV3-8	54	30	T R R	RNV3-8_54x30.sgn	1-25
RNV2-1	36	30	T T	RNV2-1_36x30.sgn	1-4
RNV3-4	54	30	T T R	RNV3-4_54x30.sgn	1-21
RNV3-1	54	30	T T T	RNV3-1_54x30.sgn	1-18
RNV3-2	54	30	T T TR	RNV3-2_54x30.sgn	1-19
RNV2-2	36	30	T TR	RNV2-2_36x30.sgn	1-5
RNV3-6	54	30	T TR R	RNV3-6_54x30.sgn	1-23
WNV18-1	36	42	THRU TRAFFIC	WNV18-1_36x42.sgn	3-7
WNV18-1	54	60	THRU TRAFFIC	WNV18-1_54x60.sgn	3-7
RNV3-15	54	30	TL R R	RNV3-15_54x30.sgn	1-32
RNV3-11	54	30	TL T R	RNV3-11_54x30.sgn	1-28
RNV3-3	54	30	TL T T	RNV3-3_54x30.sgn	1-20
RNV3-10	54	30	TL T TR	RNV3-10_54x30.sgn	1-27
RNV3-13	54	30	TL TR R	RNV3-13_54x30.sgn	1-30
RNV2-7	36	30	TL R	RNV2-7_36x30.sgn	1-10
RNV2-3	36	30	TL T	RNV2-3_36x30.sgn	1-6

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
RNV2-6	36	30	TL TR	RNV2-6_36x30.sgn	1-9
WNV15-8	36	36	TORTOISE CROSSING	WNV15-8_36x36.sgn	2-27
WNV15-8	48	48	TORTOISE CROSSING	WNV15-8_48x48.sgn	2-27
			TORTOISE GRAPHIC		5-8
GNV33-2R	60	36	TOURIST INFORMATION CENTER 0 DEGREE ARROW	GNV33-2R_60x36.sgn	4-70
GNV33-2L	60	36	TOURIST INFORMATION CENTER 180 DEGREE ARROW	GNV33-2L_60x36.sgn	4-70
GNV33-1	84	30	TOURIST INFORMATION CENTER 90 DEGREE ARROW	GNV33-1_84x30.sgn	4-70
RNV2-12	36	30	TR R	RNV2-12_36x30.sgn	1-15
RNV3-22	54	30	TR R R	RNV3-22_54x30.sgn	1-39
GNV28-2	96	48	TRAFFIC INFO TUNE RADIO TO 1610 AM	GNV28-2_96x48.sgn	4-59
GNV28-2	120	60	TRAFFIC INFO TUNE RADIO TO 1610 AM	GNV28-2_120x60.sgn	4-59
RNV8-3	108	36	TURN ON HEADLIGHTS NEXT XX MILES	RNV8-3_108x36.sgn	1-55
RNV6-3	42	30	TURNOUT 1000 FT	RNV6-3_42x30.sgn	1-47
RNV6-3	54	36	TURNOUT 1000 FT	RNV6-3_54x36.sgn	1-47
RNV6-4	48	30	TURNOUT W ARROW	RNV6-4_48x30.sgn	1-48
RNV6-4	54	36	TURNOUT W ARROW	RNV6-4_54x36.sgn	1-48
RNV21-1	42	36	USE OF FIREARMS PROHIBITED	RNV21-1_42x36.sgn	1-73
GNV9-2R	42	36	VETERANS CEMETERY 0 DEGREE ARROW	GNV9-2R_42x36.sgn	4-17
GNV9-2L	42	36	VETERANS CEMETERY 180 DEGREE ARROW	GNV9-2L_42x36.sgn	4-17
GNV9-1	66	30	VETERANS CEMETERY 90 DEGREE ARROW	GNV9-1_66x30.sgn	4-17
GNV26-1	54	36	VETERANS MEMORIAL HIGHWAY	GNV26-1_54x36.sgn	4-53
RNV30-2	42	36	WAIT FOR PILOT CAR	RNV30-2_42x36.sgn	1-84
GNV20-17	48	24	WASHOE COUNTY LINE	GNV20-17_48x24.sgn	4-45
GNV20-17	66	36	WASHOE COUNTY LINE	GNV20-17_66x36.sgn	4-45
WNV4-1	36	36	WATER OVER ROADWAY	WNV4-1_36x36.sgn	2-6
WNV4-1	48	48	WATER OVER ROADWAY	WNV4-1_48x48.sgn	2-6
GNV31-1	72	48	WELCOME TO NEVADA	GNV31-1_72x48.sgn	4-68
GNV31-1	144	96	WELCOME TO NEVADA	GNV31-1_144x96.sgn	4-68
RNV7-3	84	72	WHEN FLASHING CHAINS OR SNOW TIRES REQUIRED	RNV7-3_84x72.sgn	1-51

## Nevada Standard Signs Index by Name

Code	Width	Height	Name	File	Page Number
GNV20-18	60	24	WHITE PINE COUNTY LINE	GNV20-18_60x24.sgn	4-46
GNV20-18	84	36	WHITE PINE COUNTY LINE	GNV20-18_84x36.sgn	4-46
GNV47-4	60	36	WILDLIFE VIEWING AREA	GNV47-4_60x36.sgn	4-97
GNV47-3	54	36	WILDLIFE VIEWING AREA 0 DEGREE ARROW	GNV47-3_54x36.sgn	4-96
GNV47-2	54	36	WILDLIFE VIEWING AREA 180 DEGREE ARROW	GNV47-2_54x36.sgn	4-95
GNV47-1	54	36	WILDLIFE VIEWING AREA 90 DEGREE ARROW	GNV47-1_54x36.sgn	4-94