

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|-------------------|-------|--------|------------------|-------------------|-------------|
| Regulatory | | | | | |
| RNV1-1 | 30 | 36 | DUAL LEFT | RNV1-1_30x36.sgn | 1-1 |
| RNV1-2 | 30 | 36 | DUAL RIGHT | RNV1-2_30x36.sgn | 1-2 |
| RNV1-3 | 30 | 36 | DUAL LEFT/U-TURN | RNV1-3_30x36.sgn | 1-3 |
| RNV2-1 | 36 | 30 | T T | RNV2-1_36x30.sgn | 1-4 |
| RNV2-2 | 36 | 30 | T TR | RNV2-2_36x30.sgn | 1-5 |
| RNV2-3 | 36 | 30 | TL T | RNV2-3_36x30.sgn | 1-6 |
| RNV2-4 | 36 | 30 | T R | RNV2-4_36x30.sgn | 1-7 |
| RNV2-5 | 36 | 30 | L T | RNV2-5_36x30.sgn | 1-8 |
| RNV2-6 | 36 | 30 | TL TR | RNV2-6_36x30.sgn | 1-9 |
| RNV2-7 | 36 | 30 | TL R | RNV2-7_36x30.sgn | 1-10 |
| RNV2-8 | 36 | 30 | L TR | RNV2-8_36x30.sgn | 1-11 |
| RNV2-9 | 36 | 30 | L R | RNV2-9_36x30.sgn | 1-12 |
| RNV2-10 | 36 | 30 | L L | RNV2-10_36x30.sgn | 1-13 |
| RNV2-11 | 36 | 30 | R R | RNV2-11_36x30.sgn | 1-14 |
| RNV2-12 | 36 | 30 | TR R | RNV2-12_36x30.sgn | 1-15 |
| RNV2-13 | 42 | 30 | L C | RNV2-13_42x30.sgn | 1-16 |
| RNV2-14 | 42 | 30 | C R | RNV2-14_42x30.sgn | 1-17 |
| RNV3-1 | 54 | 30 | T T T | RNV3-1_54x30.sgn | 1-18 |
| RNV3-2 | 54 | 30 | T T TR | RNV3-2_54x30.sgn | 1-19 |
| RNV3-3 | 54 | 30 | TL T T | RNV3-3_54x30.sgn | 1-20 |
| RNV3-4 | 54 | 30 | T T R | RNV3-4_54x30.sgn | 1-21 |
| RNV3-5 | 54 | 30 | L T T | RNV3-5_54x30.sgn | 1-22 |
| RNV3-6 | 54 | 30 | T TR R | RNV3-6_54x30.sgn | 1-23 |
| RNV3-7 | 54 | 30 | L TL T | RNV3-7_54x30.sgn | 1-24 |
| RNV3-8 | 54 | 30 | T R R | RNV3-8_54x30.sgn | 1-25 |
| RNV3-9 | 54 | 30 | L L T | RNV3-9_54x30.sgn | 1-26 |
| RNV3-10 | 54 | 30 | TL T TR | RNV3-10_54x30.sgn | 1-27 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|---------|-------|--------|---|-------------------|-------------|
| RNV3-11 | 54 | 30 | TL T R | RNV3-11_54x30.sgn | 1-28 |
| RNV3-12 | 54 | 30 | L T TR | RNV3-12_54x30.sgn | 1-29 |
| RNV3-13 | 54 | 30 | TL TR R | RNV3-13_54x30.sgn | 1-30 |
| RNV3-14 | 54 | 30 | L TL TR | RNV3-14_54x30.sgn | 1-31 |
| RNV3-15 | 54 | 30 | TL R R | RNV3-15_54x30.sgn | 1-32 |
| RNV3-16 | 54 | 30 | L L TR | RNV3-16_54x30.sgn | 1-33 |
| RNV3-17 | 54 | 30 | L TR R | RNV3-17_54x30.sgn | 1-34 |
| RNV3-18 | 54 | 30 | L L R | RNV3-18_54x30.sgn | 1-35 |
| RNV3-19 | 54 | 30 | L R R | RNV3-19_54x30.sgn | 1-36 |
| RNV3-20 | 54 | 30 | L L L | RNV3-20_54x30.sgn | 1-37 |
| RNV3-21 | 54 | 30 | R R R | RNV3-21_54x30.sgn | 1-38 |
| RNV3-22 | 54 | 30 | TR R R | RNV3-22_54x30.sgn | 1-39 |
| RNV3-23 | 54 | 30 | L L TL | RNV3-23_54x30.sgn | 1-40 |
| RNV3-24 | 54 | 30 | L C R | RNV3-24_54x30.sgn | 1-41 |
| RNV4-1 | 66 | 54 | RIGHT LANE MUST EXIT | RNV4-1_66x54.sgn | 1-42 |
| RNV4-2 | 84 | 54 | RIGHT TWO LANES MUST EXIT | RNV4-2_84x54.sgn | 1-43 |
| RNV5-1 | 60 | 42 | NO LANE CHANGE IN TUNNEL | RNV5-1_60x42.sgn | 1-44 |
| RNV6-1 | 54 | 48 | SLOW VEHICLES MUST USE TURNOUTS | RNV6-1_54x48.sgn | 1-45 |
| RNV6-1 | 72 | 66 | SLOW VEHICLES MUST USE TURNOUTS | RNV6-1_72x66.sgn | 1-45 |
| RNV6-2 | 96 | 48 | SLOW VEHICLES WITH 5 OR MORE FOLLOWING VEHICLES MUST USE TURNOUTS | RNV6-2_96x48.sgn | 1-46 |
| RNV6-2 | 132 | 66 | SLOW VEHICLES WITH 5 OR MORE FOLLOWING VEHICLES MUST USE TURNOUTS | RNV6-2_132x66.sgn | 1-46 |
| RNV6-3 | 42 | 30 | TURNOUT 1000 FT | RNV6-3_42x30.sgn | 1-47 |
| RNV6-3 | 54 | 36 | TURNOUT 1000 FT | RNV6-3_54x36.sgn | 1-47 |
| RNV6-4 | 48 | 30 | TURNOUT W ARROW | RNV6-4_48x30.sgn | 1-48 |
| RNV6-4 | 54 | 36 | TURNOUT W ARROW | RNV6-4_54x36.sgn | 1-48 |
| RNV7-1 | 72 | 48 | CHAINS OR SNOW TIRES REQUIRED | RNV7-1_72x48.sgn | 1-49 |
| RNV7-2 | 72 | 54 | CHAINS OR SNOW TIRES REQUIRED XX MILES AHEAD | RNV7-2_72x54.sgn | 1-50 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|---------|-------|--------|---|--------------------|-------------|
| RNV7-3 | 84 | 72 | WHEN FLASHING CHAINS OR SNOW TIRES REQUIRED | RNV7-3_84x72.sgn | 1-51 |
| RNV7-4L | 60 | 48 | CHAIN INSTALLATION AREA ONLY | RNV7-4L_60x48.sgn | 1-52 |
| RNV7-4R | 60 | 48 | CHAIN INSTALLATION AREA ONLY | RNV7-4R_60x48.sgn | 1-52 |
| RNV8-1 | 108 | 36 | BEGIN DAYTIME HEADLIGHT SECTION | RNV8-1_108x36.sgn | 1-53 |
| RNV8-2 | 108 | 36 | END DAYTIME HEADLIGHT SECTION | RNV8-2_108x36.sgn | 1-54 |
| RNV8-3 | 108 | 36 | TURN ON HEADLIGHTS NEXT XX MILES | RNV8-3_108x36.sgn | 1-55 |
| RNV8-4 | 66 | 36 | CHECK HEADLIGHTS | RNV8-4_66x36.sgn | 1-56 |
| RNV9-1 | 96 | 54 | COMMERCIAL VEHICLES LICENSE REQ | RNV9-1_96x54.sgn | 1-57 |
| RNV9-1 | 126 | 72 | COMMERCIAL VEHICLES LICENSE REQ | RNV9-1_126x72.sgn | 1-57 |
| RNV9-1 | 216 | 108 | COMMERCIAL VEHICLES LICENSE REQ | RNV9-1_216x108.sgn | 1-57 |
| RNV9-2 | 42 | 30 | LICENSE STATION | RNV9-2_42x30.sgn | 1-58 |
| RNV9-3 | 54 | 30 | LICENSE STATION 90 DEGREE ARROW | RNV9-3_54x30.sgn | 1-59 |
| RNV9-4L | 42 | 36 | LICENSE STATION 180 DEGREE ARROW | RNV9-4L_42x36.sgn | 1-60 |
| RNV9-4R | 42 | 36 | LICENSE STATION 0 DEGREE ARROW | RNV9-4R_42x36.sgn | 1-60 |
| RNV10-1 | VAR | 24 | OPEN/CLOSED | RNV10-1_VARx24.sgn | 1-61 |
| RNV11-1 | 102 | 48 | HAZARDOUS MATERIAL PERMIT REQUIRED | RNV11-1_102x48.sgn | 1-62 |
| RNV11-1 | 138 | 66 | HAZARDOUS MATERIAL PERMIT REQUIRED | RNV11-1_138x66.sgn | 1-62 |
| RNV11-1 | 210 | 96 | HAZARDOUS MATERIAL PERMIT REQUIRED | RNV11-1_210x96.sgn | 1-62 |
| RNV12-1 | 114 | 42 | BRAND INSPECTION REQUIRED ENTERING NEVADA | RNV12-1_114x42.sgn | 1-63 |
| RNV12-1 | 150 | 48 | BRAND INSPECTION REQUIRED ENTERING NEVADA | RNV12-1_150x48.sgn | 1-63 |
| RNV12-2 | 114 | 42 | BRAND INSPECTION REQUIRED LEAVING NEVADA | RNV12-2_114x42.sgn | 1-64 |
| RNV12-2 | 150 | 48 | BRAND INSPECTION REQUIRED LEAVING NEVADA | RNV12-2_150x48.sgn | 1-64 |
| RNV13-1 | 144 | 78 | RENTAL TRUCKS AND VEHICLES WITH LIVESTOCK MUST STOP | RNV13-1_144x78.sgn | 1-65 |
| RNV14-1 | VAR | 24 | NO PICKUPS | RNV14-1_120x24.sgn | 1-66 |
| RNV15-1 | 84 | 48 | QUARANTINE AREA | RNV15-1_84x48.sgn | 1-67 |
| RNV16-1 | 36 | 42 | NO ENGINE BRAKES | RNV16-1_36x42.sgn | 1-68 |
| RNV16-1 | 48 | 54 | NO ENGINE BRAKES | RNV16-1_48x54.sgn | 1-68 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|---------|-------|--------|---|--------------------|-------------|
| RNV17-1 | 24 | 18 | AUTHORIZED VEHICLES ONLY | RNV17-1_24x18.sgn | 1-69 |
| RNV18-1 | 30 | 18 | RADAR CONTROL | RNV18-1_30x18.sgn | 1-70 |
| RNV18-1 | 42 | 24 | RADAR CONTROL | RNV18-1_42x24.sgn | 1-70 |
| RNV19-1 | 54 | 36 | PATROLLED BY AIRCRAFT | RNV19-1_54x36.sgn | 1-71 |
| RNV20-1 | 48 | 36 | NO LITTERING | RNV20-1_48x36.sgn | 1-72 |
| RNV20-1 | 72 | 48 | NO LITTERING | RNV20-1_72x48.sgn | 1-72 |
| RNV21-1 | 42 | 36 | USE OF FIREARMS PROHIBITED | RNV21-1_42x36.sgn | 1-73 |
| RNV22-1 | 78 | 42 | PRISON AREA HITCHHIKING PROHIBITED | RNV22-1_78x42.sgn | 1-74 |
| RNV22-1 | 138 | 54 | PRISON AREA HITCHHIKING PROHIBITED | RNV22-1_138x54.sgn | 1-74 |
| RNV23-1 | 24 | 30 | SOLICITING WITHIN RIGHT OF WAY PROHIBITED | RNV23-1_24x30.sgn | 1-75 |
| RNV24-1 | 30 | 36 | LOCAL TRAFFIC ONLY | RNV24-1_30x36.sgn | 1-76 |
| RNV25-1 | 12 | 18 | NO TRUCK PARKING | RNV25-1_12x18.sgn | 1-77 |
| RNV26-1 | 12 | 18 | HANDICAP RESERVE PARKING \$100 FINE | RNV26-1_12x18.sgn | 1-78 |
| RNV27-1 | 24 | 36 | BIKES CROSS HERE | RNV27-1_24x36.sgn | 1-79 |
| RNV27-2 | 42 | 36 | BICYCLES MUST EXIT | RNV27-2_42x36.sgn | 1-80 |
| RNV28-1 | 96 | 66 | PENALTIES FOR VIOLATIONS DOUBLE IN WORK ZONES | RNV28-1_96x66.sgn | 1-81 |
| RNV29-1 | 60 | 24 | BUSINESS ACCESS ONLY | RNV29-1_60x24.sgn | 1-82 |
| RNV30-1 | 60 | 36 | PILOT CAR IN USE DO NOT PASS | RNV30-1_60x36.sgn | 1-83 |
| RNV30-2 | 42 | 36 | WAIT FOR PILOT CAR | RNV30-2_42x36.sgn | 1-84 |
| RNV31-1 | 60 | 18 | CLOSED | RNV31-1_60x18.sgn | 1-84 |
| RNV31-1 | 120 | 36 | CLOSED | RNV31-1_120x36.sgn | 1-84 |
| RNV31-2 | 48 | 36 | RAMP CLOSED | RNV31-2_48x36.sgn | 1-85 |
| RNV31-3 | 48 | 36 | LANE CLOSED | RNV31-3_48x36.sgn | 1-86 |
| RNV31-4 | 30 | 30 | PATH CLOSED | RNV31-4_30x30.sgn | 1-87 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|----------------|-------|--------|---|-------------------|-------------|
| Warning | | | | | |
| WNV1-1 | VAR | 30 | EXIT ONLY | WNV1-1_126x30.sgn | 2-1 |
| WNV1-2 | VAR | 30 | EXIT ONLY SINGLE 45 DEGREE ARROW | WNV1-2_144x30.sgn | 2-2 |
| WNV1-3 | VAR | 30 | EXIT ONLY DOUBLE 45 DEGREE ARROW | WNV1-3_168x30.sgn | 2-3 |
| WNV2-1 | 96 | 60 | PREPARE TO STOP WHEN FLASHING | WNV2-1_96x60.sgn | 2-4 |
| WNV3-1 | 36 | 30 | MAJOR DEER CROSSING | WNV3-1_36x30.sgn | 2-5 |
| WNV4-1 | 36 | 36 | WATER OVER ROADWAY | WNV4-1_36x36.sgn | 2-6 |
| WNV4-1 | 48 | 48 | WATER OVER ROADWAY | WNV4-1_48x48.sgn | 2-6 |
| WNV5-1 | 108 | 48 | STRONG CROSSWIND POSSIBLE NEXT XX MILES | WNV5-1_108x48.sgn | 2-7 |
| WNV5-1 | 180 | 72 | STRONG CROSSWIND POSSIBLE NEXT XX MILES | WNV5-1_180x72.sgn | 2-7 |
| WNV6-1 | 36 | 36 | HIGH WIND AREA | WNV6-1_36x36.sgn | 2-8 |
| WNV6-1 | 48 | 48 | HIGH WIND AREA | WNV6-1_48x48.sgn | 2-8 |
| WNV7-1 | 54 | 66 | BRAKE CHECK AREA AHEAD | WNV7-1_54x66.sgn | 2-9 |
| WNV7-1 | 90 | 102 | BRAKE CHECK AREA AHEAD | WNV7-1_90x102.sgn | 2-9 |
| WNV7-2 | 72 | 48 | BRAKE CHECK AREA AHEAD 45 DEGREE ARROW | WNV7-2_72x48.sgn | 2-10 |
| WNV7-2 | 102 | 72 | BRAKE CHECK AREA AHEAD 45 DEGREE ARROW | WNV7-2_102x72.sgn | 2-10 |
| WNV8-1 | 36 | 36 | FALLING ROCK | WNV8-1_36x36.sgn | 2-11 |
| WNV8-1 | 48 | 48 | FALLING ROCK | WNV8-1_48x48.sgn | 2-11 |
| WNV9-1 | 36 | 36 | PAVED SHOULDER NARROWS | WNV9-1_36x36.sgn | 2-12 |
| WNV9-1 | 48 | 48 | PAVED SHOULDER NARROWS | WNV9-1_48x48.sgn | 2-12 |
| WNV10-1 | 36 | 36 | CROSS TRAFFIC AHEAD | WNV10-1_36x36.sgn | 2-13 |
| WNV10-1 | 48 | 48 | CROSS TRAFFIC AHEAD | WNV10-1_48x48.sgn | 2-13 |
| WNV11-1 | 36 | 36 | FLASH FLOOD AREA | WNV11-1_36x36.sgn | 2-14 |
| WNV11-1 | 48 | 48 | FLASH FLOOD AREA | WNV11-1_48x48.sgn | 2-14 |
| WNV12-1 | 36 | 36 | BRIDGE MAY BE ICY | WNV12-1_36x36.sgn | 2-15 |
| WNV12-1 | 48 | 48 | BRIDGE MAY BE ICY | WNV12-1_48x48.sgn | 2-15 |
| WNV12-2 | 36 | 36 | FOG MAY BE ICY | WNV12-2_36x36.sgn | 2-16 |
| WNV12-2 | 48 | 48 | FOG MAY BE ICY | WNV12-2_48x48.sgn | 2-16 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|-------------|--------------|---------------|------------------------|-------------------|--------------------|
| WNV12-3 | 36 | 36 | ROAD MAY BE ICY | WNV12-3_36x36.sgn | 2-17 |
| WNV12-3 | 48 | 48 | ROAD MAY BE ICY | WNV12-3_48x48.sgn | 2-17 |
| WNV13-1 | 24 | 18 | OPEN RANGE | WNV13-1_24x18.sgn | 2-18 |
| WNV14-1 | 36 | 36 | CATTLE GUARD AHEAD | WNV14-1_36x36.sgn | 2-19 |
| WNV14-1 | 48 | 48 | CATTLE GUARD AHEAD | WNV14-1_48x48.sgn | 2-19 |
| WNV15-1 | 36 | 36 | ANTELOPE CROSSING | WNV15-1_36x36.sgn | 2-20 |
| WNV15-1 | 48 | 48 | ANTELOPE CROSSING | WNV15-1_48x48.sgn | 2-20 |
| WNV15-2 | 36 | 36 | BULL CROSSING | WNV15-2_36x36.sgn | 2-21 |
| WNV15-2 | 48 | 48 | BULL CROSSING | WNV15-2_48x48.sgn | 2-21 |
| WNV15-3 | 36 | 36 | BEAR CROSSING | WNV15-3_36x36.sgn | 2-22 |
| WNV15-3 | 48 | 48 | BEAR CROSSING | WNV15-3_48x48.sgn | 2-22 |
| WNV15-4 | 36 | 36 | ELK CROSSING | WNV15-4_36x36.sgn | 2-23 |
| WNV15-4 | 48 | 48 | ELK CROSSING | WNV15-4_48x48.sgn | 2-23 |
| WNV15-5 | 36 | 36 | BURRO CROSSING | WNV15-5_36x36.sgn | 2-24 |
| WNV15-5 | 48 | 48 | BURRO CROSSING | WNV15-5_48x48.sgn | 2-24 |
| WNV15-6 | 36 | 36 | BIGHORN SHEEP CROSSING | WNV15-6_36x36.sgn | 2-25 |
| WNV15-6 | 48 | 48 | BIGHORN SHEEP CROSSING | WNV15-6_48x48.sgn | 2-25 |
| WNV15-7 | 36 | 36 | SHEEP CROSSING | WNV15-7_36x36.sgn | 2-26 |
| WNV15-7 | 48 | 48 | SHEEP CROSSING | WNV15-7_48x48.sgn | 2-26 |
| WNV15-8 | 36 | 36 | TORTOISE CROSSING | WNV15-8_36x36.sgn | 2-27 |
| WNV15-8 | 48 | 48 | TORTOISE CROSSING | WNV15-8_48x48.sgn | 2-27 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|---------------------|-------|--------|---|--------------------|-------------|
| Construction | | | | | |
| WNV16-1 | 108 | 60 | ROAD WORK NEXT X MILES BEGINNING | WNV16-1_108x60.sgn | 3-1 |
| WNV16-2 | 48 | 24 | BEGIN WORK ZONE | WNV16-2_48x24.sgn | 3-2 |
| WNV16-3 | 48 | 24 | END WORK ZONE | WNV16-3_48x24.sgn | 3-3 |
| WNV16-4 | 48 | 36 | 30 MINUTE DELAY POSSIBLE | WNV16-4_48x36.sgn | 3-4 |
| WNV16-5 | 78 | 48 | POSSIBLE 30 MINUTE DELAY XX MILES AHEAD | WNV16-5_78x48.sgn | 3-5 |
| WNV17-1 | 36 | 36 | DOUBLE PENALTY IN WORKZONES | WNV17-1_36x36.sgn | 3-6 |
| WNV17-1 | 48 | 48 | DOUBLE PENALTY IN WORKZONES | WNV17-1_48x48.sgn | 3-6 |
| WNV18-1 | 36 | 42 | THRU TRAFFIC | WNV18-1_36x42.sgn | 3-7 |
| WNV18-1 | 54 | 60 | THRU TRAFFIC | WNV18-1_54x60.sgn | 3-7 |
| WNV19-2L | 42 | 42 | BUSINESS ACCESS 180 DEGREE ARROW | WNV19-2L_42x42.sgn | 3-8 |
| WNV19-2R | 42 | 42 | BUSINESS ACCESS 0 DEGREE ARROW | WNV19-2R_42x42.sgn | 3-8 |
| WNV20-1 | 30 | 24 | DETOUR | WNV20-1_30x24.sgn | 3-9 |
| WNV21-1L | 30 | 48 | LEFT TURN LANE | WNV21-1L_30x48.sgn | 3-10 |
| WNV21-1R | 30 | 48 | RIGHT TURN LANE | WNV21-1R_30x48.sgn | 3-10 |
| WNV22-1 | 36 | 36 | GROOVED PAVEMENT AHEAD | WNV22-1_36x36.sgn | 3-11 |
| WNV22-1 | 48 | 48 | GROOVED PAVEMENT AHEAD | WNV22-1_48x48.sgn | 3-11 |
| WNV23-1 | 36 | 36 | BUMP AHEAD | WNV23-1_36x36.sgn | 3-12 |
| WNV23-1 | 48 | 48 | BUMP AHEAD | WNV23-1_48x48.sgn | 3-12 |
| WNV24-1 | 36 | 36 | DUST HAZARD | WNV24-1_36x36.sgn | 3-13 |
| WNV24-1 | 48 | 48 | DUST HAZARD | WNV24-1_48x48.sgn | 3-13 |
| WNV25-1 | 42 | 54 | RAMP EXIT | WNV25-1_42x54.sgn | 3-14 |
| WNV26-1 | 36 | 36 | RAMP CLOSED AHEAD | WNV26-1_36x36.sgn | 3-15 |
| WNV26-1 | 48 | 48 | RAMP CLOSED AHEAD | WNV26-1_48x48.sgn | 3-15 |
| WNV27-1 | 36 | 36 | PAINTING CENTER LINE KEEP OFF | WNV27-1_36x36.sgn | 3-16 |
| WNV27-1 | 48 | 48 | PAINTING CENTER LINE KEEP OFF | WNV27-1_48x48.sgn | 3-16 |
| WNV27-2 | 36 | 36 | PAINTING EDGE LINE KEEP OFF | WNV27-2_36x36.sgn | 3-17 |
| WNV27-2 | 48 | 48 | PAINTING EDGE LINE KEEP OFF | WNV27-2_48x48.sgn | 3-17 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|-------------|--------------|---------------|----------------------------|-------------------|--------------------|
| WNV28-1 | 36 | 36 | LANE SHIFT AHEAD | WNV28-1_36x36.sgn | 3-18 |
| WNV28-1 | 48 | 48 | LANE SHIFT AHEAD | WNV28-1_48x48.sgn | 3-18 |
| WNV29-1 | 36 | 36 | PREPARE TO STOP | WNV29-1_36x36.sgn | 3-19 |
| WNV29-1 | 48 | 48 | PREPARE TO STOP | WNV29-1_48x48.sgn | 3-19 |
| WNV30-1 | 36 | 36 | BIKE PATH CLOSED XXXX FEET | WNV30-1_36x36.sgn | 3-20 |
| WNV31-1 | 36 | 36 | BIKE EVENT AHEAD | WNV31-1_36x36.sgn | 3-21 |
| WNV31-1 | 48 | 48 | BIKE EVENT AHEAD | WNV31-1_48x48.sgn | 3-21 |
| WNV31-2 | 36 | 36 | BIKE EVENT IN PROGRESS | WNV31-2_36x36.sgn | 3-22 |
| WNV31-2 | 48 | 48 | BIKE EVENT IN PROGRESS | WNV31-2_48x48.sgn | 3-22 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|--------------|-------|--------|------------------------------------|-------------------|-------------|
| Guide | | | | | |
| GNV1-1 | 18 | 24 | NEVADA SHIELD FOR GUIDE SIGN USE | | 4-1 |
| GNV1-1 | 24 | 36 | NEVADA SHIELD FOR GUIDE SIGN USE | | 4-1 |
| GNV1-1 | 36 | 48 | NEVADA SHIELD FOR GUIDE SIGN USE | | 4-1 |
| GNV1-2 | 24 | 24 | NEVADA SHIELD FOR INDEPENDENT USE | | 4-2 |
| GNV1-2 | 36 | 36 | NEVADA SHIELD FOR INDEPENDENT USE | | 4-2 |
| GNV1-3 | 24 | 24 | NEVADA SHIELD FOR INDEPENDENT USE | | 4-3 |
| GNV1-3 | 36 | 36 | NEVADA SHIELD FOR INDEPENDENT USE | | 4-3 |
| GNV1-4 | 60 | 72 | JUNCTION XXX 1/2 MILE | GNV1-4_60x72.sgn | 4-4 |
| GNV1-4 | 60 | 84 | JUNCTION XXX 1/2 MILE | GNV1-4_60x84.sgn | 4-4 |
| GNV1-4 | 60 | 96 | JUNCTION XXX 1/2 MILE | GNV1-4_60x96.sgn | 4-4 |
| GNV2-1 | 162 | 78 | BUSINESS LOOP NEXT RIGHT | GNV2-1_162x78.sgn | 4-5 |
| GNV3-1 | 78 | 60 | CHECK STATION X MILE | GNV3-1_78x60.sgn | 4-6 |
| GNV3-2 | 108 | 66 | CHECK STATION NEXT RIGHT | GNV3-2_108x66.sgn | 4-7 |
| GNV3-3 | 78 | 72 | CHECK STATION 45 DEGREE ARROW | GNV3-3_78x72.sgn | 4-8 |
| GNV4-1 | 42 | 24 | FREEWAY ENTRANCE | GNV4-1_42x24.sgn | 4-9 |
| GNV4-2 | 60 | 24 | FREEWAY ENTRANCE 90 DEGREE ARROW | GNV4-2_60x24.sgn | 4-10 |
| GNV4-3 | 66 | 24 | FREEWAY ENTRANCE 45 DEGREE ARROW | GNV4-3_66x24.sgn | 4-11 |
| GNV5-1 | 48 | 36 | PASSING LANE AHEAD | GNV5-1_48x36.sgn | 4-12 |
| GNV5-1 | 60 | 48 | PASSING LANE AHEAD | GNV5-1_60x48.sgn | 4-12 |
| GNV5-2 | 48 | 36 | PASSING LANE X MILES | GNV5-2_48x36.sgn | 4-13 |
| GNV5-2 | 60 | 48 | PASSING LANE X MILES | GNV5-2_60x48.sgn | 4-13 |
| GNV6-1 | 54 | 18 | AIRPORT 90 DEGREE ARROW | GNV6-1_54x18.sgn | 4-14 |
| GNV6-2L | 36 | 24 | AIRPORT 180 DEGREE ARROW | GNV6-2L_36x24.sgn | 4-14 |
| GNV6-2R | 36 | 24 | AIRPORT 0 DEGREE ARROW | GNV6-2R_36x24.sgn | 4-14 |
| GNV7-1 | 60 | 24 | BUSINESS DISTRICT 90 DEGREE ARROW | GNV7-1_60x24.sgn | 4-15 |
| GNV7-2L | 48 | 36 | BUSINESS DISTRICT 180 DEGREE ARROW | GNV7-2L_48x36.sgn | 4-15 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|----------|-------|--------|------------------------------------|--------------------|-------------|
| GNV7-2R | 48 | 36 | BUSINESS DISTRICT 0 DEGREE ARROW | GNV7-2R_48x36.sgn | 4-15 |
| GNV8-1 | 60 | 18 | CEMETERY 90 DEGREE ARROW | GNV8-1_60x18.sgn | 4-16 |
| GNV8-2L | 54 | 24 | CEMETERY 180 DEGREE ARROW | GNV8-2L_54x24.sgn | 4-16 |
| GNV8-2R | 54 | 24 | CEMETERY 0 DEGREE ARROW | GNV8-2R_54x24.sgn | 4-16 |
| GNV9-1 | 66 | 30 | VETERANS CEMETERY 90 DEGREE ARROW | GNV9-1_66x30.sgn | 4-17 |
| GNV9-2L | 42 | 36 | VETERANS CEMETERY 180 DEGREE ARROW | GNV9-2L_42x36.sgn | 4-17 |
| GNV9-2R | 42 | 36 | VETERANS CEMETERY 0 DEGREE ARROW | GNV9-2R_42x36.sgn | 4-17 |
| GNV10-1 | 48 | 30 | DUMP SITE 90 DEGREE ARROW | GNV10-1_48x30.sgn | 4-18 |
| GNV10-2L | 30 | 36 | DUMP SITE 180 DEGREE ARROW | GNV10-2L_30x36.sgn | 4-18 |
| GNV10-2R | 30 | 36 | DUMP SITE 0 DEGREE ARROW | GNV10-2R_30x36.sgn | 4-18 |
| GNV11-1 | 36 | 12 | LANDFILL 90 DEGREE ARROW | GNV11-1_36x12.sgn | 4-19 |
| GNV11-2L | 36 | 18 | LANDFILL 180 DEGREE ARROW | GNV11-2L_36x18.sgn | 4-19 |
| GNV11-2R | 36 | 18 | LANDFILL 0 DEGREE ARROW | GNV11-2R_36x18.sgn | 4-19 |
| GNV12-1 | 72 | 30 | INDUSTRIAL AREA 90 DEGREE ARROW | GNV12-1_72x30.sgn | 4-20 |
| GNV12-2L | 54 | 36 | INDUSTRIAL AREA 180 DEGREE ARROW | GNV12-2L_54x36.sgn | 4-20 |
| GNV12-2R | 54 | 36 | INDUSTRIAL AREA 0 DEGREE ARROW | GNV12-2R_54x36.sgn | 4-20 |
| GNV13-1 | 54 | 30 | SENIOR CENTER 90 DEGREE ARROW | GNV13-1_54x30.sgn | 4-21 |
| GNV13-2L | 36 | 36 | SENIOR CENTER 180 DEGREE ARROW | GNV13-2L_36x36.sgn | 4-21 |
| GNV13-2R | 36 | 36 | SENIOR CENTER 0 DEGREE ARROW | GNV13-2R_36x36.sgn | 4-21 |
| GNV14-1 | 54 | 30 | STATE PRISON 90 DEGREE ARROW | GNV14-1_54x30.sgn | 4-22 |
| GNV14-2L | 36 | 36 | STATE PRISON 180 DEGREE ARROW | GNV14-2L_36x36.sgn | 4-22 |
| GNV14-2R | 36 | 36 | STATE PRISON 0 DEGREE ARROW | GNV14-2R_36x36.sgn | 4-22 |
| GNV15-1 | 78 | 30 | ELEMENTARY SCHOOL 90 DEGREE ARROW | GNV15-1_78x30.sgn | 4-23 |
| GNV15-2L | 60 | 36 | ELEMENTARY SCHOOL 180 DEGREE ARROW | GNV15-2L_60x36.sgn | 4-23 |
| GNV15-2R | 60 | 36 | ELEMENTARY SCHOOL 0 DEGREE ARROW | GNV15-2R_60x36.sgn | 4-23 |
| GNV16-1 | 54 | 30 | MIDDLE SCHOOL 90 DEGREE ARROW | GNV16-1_54x30.sgn | 4-24 |
| GNV16-2L | 42 | 36 | MIDDLE SCHOOL 180 DEGREE ARROW | GNV16-2L_42x36.sgn | 4-24 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|----------|-------|--------|------------------------------------|--------------------|-------------|
| GNV16-2R | 42 | 36 | MIDDLE SCHOOL 0 DEGREE ARROW | GNV16-2R_42x36.sgn | 4-24 |
| GNV17-1 | 54 | 30 | HIGH SCHOOL 90 DEGREE ARROW | GNV17-1_54x30.sgn | 4-25 |
| GNV17-2L | 42 | 36 | HIGH SCHOOL 180 DEGREE ARROW | GNV17-2L_42x36.sgn | 4-25 |
| GNV17-2R | 42 | 36 | HIGH SCHOOL 0 DEGREE ARROW | GNV17-2R_42x36.sgn | 4-25 |
| GNV18-1 | 72 | 30 | COMMUNITY COLLEGE 90 DEGREE ARROW | GNV18-1_72x30.sgn | 4-26 |
| GNV18-2L | 54 | 36 | COMMUNITY COLLEGE 180 DEGREE ARROW | GNV18-2L_54x36.sgn | 4-26 |
| GNV18-2R | 54 | 36 | COMMUNITY COLLEGE 0 DEGREE ARROW | GNV18-2R_54x36.sgn | 4-26 |
| GNV19-1 | 36 | 18 | ELEVATION | GNV19-1_36x18.sgn | 4-27 |
| GNV19-1 | 72 | 36 | ELEVATION | GNV19-1_72x36.sgn | 4-27 |
| GNV19-2 | 72 | 24 | SPRING CREEK ELEVATION | GNV19-2_72x24.sgn | 4-28 |
| GNV19-2 | 96 | 36 | SPRING CREEK ELEVATION | GNV19-2_96x36.sgn | 4-28 |
| GNV20-1 | 66 | 24 | CARSON CITY STATE CAPITAL | GNV20-1_66x24.sgn | 4-29 |
| GNV20-1 | 90 | 36 | CARSON CITY STATE CAPITAL | GNV20-1_90x36.sgn | 4-29 |
| GNV20-2 | 66 | 24 | CARSON CITY RURAL AREA | GNV20-2_66x24.sgn | 4-30 |
| GNV20-2 | 90 | 36 | CARSON CITY RURAL AREA | GNV20-2_90x36.sgn | 4-30 |
| GNV20-3 | 54 | 24 | CHURCHILL COUNTY LINE | GNV20-3_54x24.sgn | 4-31 |
| GNV20-3 | 66 | 36 | CHURCHILL COUNTY LINE | GNV20-3_66x36.sgn | 4-31 |
| GNV20-4 | 42 | 24 | CLARK COUNTY LINE | GNV20-4_42x24.sgn | 4-32 |
| GNV20-4 | 66 | 36 | CLARK COUNTY LINE | GNV20-4_66x36.sgn | 4-32 |
| GNV20-5 | 48 | 24 | DOUGLAS COUNTY LINE | GNV20-5_48x24.sgn | 4-33 |
| GNV20-5 | 66 | 36 | DOUGLAS COUNTY LINE | GNV20-5_66x36.sgn | 4-33 |
| GNV20-6 | 42 | 24 | ELKO COUNTY LINE | GNV20-6_42x24.sgn | 4-34 |
| GNV20-6 | 66 | 36 | ELKO COUNTY LINE | GNV20-6_66x36.sgn | 4-34 |
| GNV20-7 | 60 | 24 | ESMERALDA COUNTY LINE | GNV20-7_60x24.sgn | 4-35 |
| GNV20-7 | 78 | 36 | ESMERALDA COUNTY LINE | GNV20-7_78x36.sgn | 4-35 |
| GNV20-8 | 42 | 24 | EUREKA COUNTY LINE | GNV20-8_42x24.sgn | 4-36 |
| GNV20-8 | 66 | 36 | EUREKA COUNTY LINE | GNV20-8_66x36.sgn | 4-36 |
| GNV20-9 | 54 | 24 | HUMBOLDT COUNTY LINE | GNV20-9_54x24.sgn | 4-37 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|----------|-------|--------|------------------------|--------------------|-------------|
| GNV20-9 | 72 | 36 | HUMBOLDT COUNTY LINE | GNV20-9_72x36.sgn | 4-37 |
| GNV20-10 | 42 | 24 | LANDER COUNTY LINE | GNV20-10_42x24.sgn | 4-38 |
| GNV20-10 | 66 | 36 | LANDER COUNTY LINE | GNV20-10_66x36.sgn | 4-38 |
| GNV20-11 | 42 | 24 | LINCOLN COUNTY LINE | GNV20-11_42x24.sgn | 4-39 |
| GNV20-11 | 66 | 36 | LINCOLN COUNTY LINE | GNV20-11_66x36.sgn | 4-39 |
| GNV20-12 | 42 | 24 | LYON COUNTY LINE | GNV20-12_42x24.sgn | 4-40 |
| GNV20-12 | 66 | 36 | LYON COUNTY LINE | GNV20-12_66x36.sgn | 4-40 |
| GNV20-13 | 48 | 24 | MINERAL COUNTY LINE | GNV20-13_48x24.sgn | 4-41 |
| GNV20-13 | 66 | 36 | MINERAL COUNTY LINE | GNV20-13_66x36.sgn | 4-41 |
| GNV20-14 | 42 | 24 | NYE COUNTY LINE | GNV20-14_42x24.sgn | 4-42 |
| GNV20-14 | 66 | 36 | NYE COUNTY LINE | GNV20-14_66x36.sgn | 4-42 |
| GNV20-15 | 54 | 24 | PERSHING COUNTY LINE | GNV20-15_54x24.sgn | 4-43 |
| GNV20-15 | 66 | 36 | PERSHING COUNTY LINE | GNV20-15_66x36.sgn | 4-43 |
| GNV20-16 | 42 | 24 | STOREY COUNTY LINE | GNV20-16_42x24.sgn | 4-44 |
| GNV20-16 | 66 | 36 | STOREY COUNTY LINE | GNV20-16_66x36.sgn | 4-44 |
| GNV20-17 | 48 | 24 | WASHOE COUNTY LINE | GNV20-17_48x24.sgn | 4-45 |
| GNV20-17 | 66 | 36 | WASHOE COUNTY LINE | GNV20-17_66x36.sgn | 4-45 |
| GNV20-18 | 60 | 24 | WHITE PINE COUNTY LINE | GNV20-18_60x24.sgn | 4-46 |
| GNV20-18 | 84 | 36 | WHITE PINE COUNTY LINE | GNV20-18_84x36.sgn | 4-46 |
| GNV22-1 | 66 | 30 | ENTERING TRIBAL LAND | GNV22-1_66x30.sgn | 4-47 |
| GNV22-1 | 84 | 36 | ENTERING TRIBAL LAND | GNV22-1_84x36.sgn | 4-47 |
| GNV22-2 | 66 | 30 | LEAVING TRIBAL LAND | GNV22-2_66x30.sgn | 4-48 |
| GNV22-2 | 84 | 36 | LEAVING TRIBAL LAND | GNV22-2_84x36.sgn | 4-48 |
| GNV23-1 | 12 | 9 | L/R/S ARROW | GNV23-1_12x9.sgn | 4-49 |
| GNV24-1 | 54 | 30 | MOUNTAIN TIME ZONE | GNV24-1_54x30.sgn | 4-50 |
| GNV24-1 | 84 | 36 | MOUNTAIN TIME ZONE | GNV24-1_84x36.sgn | 4-50 |
| GNV24-2 | 54 | 30 | PACIFIC TIME ZONE | GNV24-2_54x30.sgn | 4-51 |
| GNV24-2 | 84 | 36 | PACIFIC TIME ZONE | GNV24-2_84x36.sgn | 4-51 |
| GNV25-1 | 96 | 36 | PURPLE HEART TRAIL | GNV25-1_96x36.sgn | 4-52 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|----------|-------|--------|--|--------------------|-------------|
| GNV26-1 | 54 | 36 | VETERANS MEMORIAL HIGHWAY | GNV26-1_54x36.sgn | 4-53 |
| GNV26-2 | 66 | 48 | GRAND ARMY OF THE REPUBLIC HIGHWAY | GNV26-2_66x48.sgn | 4-54 |
| GNV26-3 | 36 | 36 | GREAT BASIN HIGHWAY | GNV26-3_36x36.sgn | 4-55 |
| GNV26-4 | 42 | 30 | COMSTOCK HIGHWAY | GNV26-4_42x30.sgn | 4-56 |
| GNV27-1 | 24 | 24 | SCENIC BYWAY | GNV27-1_24x24.sgn | 4-57 |
| GNV27-1 | 36 | 36 | SCENIC BYWAY | GNV27-1_36x36.sgn | 4-57 |
| GNV28-1 | 84 | 48 | ROAD INFO TUNE RADIO TO 530 AM | GNV28-1_84x48.sgn | 4-58 |
| GNV28-1 | 108 | 60 | ROAD INFO TUNE RADIO TO 530 AM | GNV28-1_108x60.sgn | 4-58 |
| GNV28-2 | 96 | 48 | TRAFFIC INFO TUNE RADIO TO 1610 AM | GNV28-2_96x48.sgn | 4-59 |
| GNV28-2 | 120 | 60 | TRAFFIC INFO TUNE RADIO TO 1610 AM | GNV28-2_120x60.sgn | 4-59 |
| GNV29-1 | 60 | 42 | SPONSOR A HIGHWAY NEXT 1 MILE | GNV29-1_60x42.sgn | 4-60 |
| GNV29-2 | 48 | 12 | SPONSOR | GNV29-2_48x12.sgn | 4-61 |
| GNV29-2 | 60 | 18 | SPONSOR | GNV29-2_60x18.sgn | 4-61 |
| GNV29-3 | 48 | 12 | SPONSOR 2 | GNV29-3_48x12.sgn | 4-62 |
| GNV29-3 | 60 | 18 | SPONSOR 2 | GNV29-3_60x18.sgn | 4-62 |
| GNV29-4 | 48 | 12 | SPONSOR OF | GNV29-4_48x12.sgn | 4-63 |
| GNV29-5 | 48 | 12 | SPONSOR OF 2 | GNV29-5_48x12.sgn | 4-64 |
| GNV29-6 | 66 | 24 | ADOPT A HIGHWAY LITTER CONTROL | GNV29-6_66x24.sgn | 4-65 |
| GNV29-6 | 84 | 30 | ADOPT A HIGHWAY LITTER CONTROL | GNV29-6_84x30.sgn | 4-65 |
| GNV30-1 | 114 | 60 | FREEWAY SERVICE PATROL HOURS SOUTH | GNV30-1_114x60.sgn | 4-66 |
| GNV30-2 | 114 | 60 | FREEWAY SERVICE PATROL HOURS NORTH | GNV30-2_114x60.sgn | 4-67 |
| GNV31-1 | 72 | 48 | WELCOME TO NEVADA | GNV31-1_72x48.sgn | 4-68 |
| GNV31-1 | 144 | 96 | WELCOME TO NEVADA | GNV31-1_144x96.sgn | 4-68 |
| GNV32-1 | 66 | 36 | NEVADA WELCOME CENTER 90 DEGREE ARROW | GNV32-1_66x36.sgn | 4-69 |
| GNV32-2L | 66 | 36 | NEVADA WELCOME CENTER 180 DEGREE ARROW | GNV32-2L_66x36.sgn | 4-69 |
| GNV32-2R | 66 | 36 | NEVADA WELCOME CENTER 0 DEGREE ARROW | GNV32-2R_66x36.sgn | 4-69 |
| GNV33-1 | 84 | 30 | TOURIST INFORMATION CENTER 90 DEGREE ARROW | GNV33-1_84x30.sgn | 4-70 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|----------|-------|--------|---|--------------------|-------------|
| GNV33-2L | 60 | 36 | TOURIST INFORMATION CENTER 180 DEGREE ARROW | GNV33-2L_60x36.sgn | 4-70 |
| GNV33-2R | 60 | 36 | TOURIST INFORMATION CENTER 0 DEGREE ARROW | GNV33-2R_60x36.sgn | 4-70 |
| GNV34-1 | 84 | 36 | INTERPRETIVE SITE 90 DEGREE ARROW | GNV34-1_84x36.sgn | 4-71 |
| GNV34-2L | 66 | 36 | INTERPRETIVE SITE 180 DEGREE ARROW | GNV34-2L_66x36.sgn | 4-71 |
| GNV34-2R | 66 | 36 | INTERPRETIVE SITE 0 DEGREE ARROW | GNV34-2R_66x36.sgn | 4-71 |
| GNV35-1 | 120 | 30 | NO SERVICES | GNV35-1_120x30.sgn | 4-72 |
| GNV35-2 | 96 | 60 | NO SERVICES NEXT EXIT | GNV35-2_96x60.sgn | 4-73 |
| GNV36-1 | 66 | 48 | NEXT GAS X MILES | GNV36-1_66x48.sgn | 4-74 |
| GNV37-1 | 48 | 30 | REST AREA 90 DEGREE ARROW | GNV37-1_48x30.sgn | 4-75 |
| GNV37-2L | 30 | 36 | REST AREA 180 DEGREE ARROW | GNV37-2L_30x36.sgn | 4-75 |
| GNV37-2R | 30 | 36 | REST AREA 0 DEGREE ARROW | GNV37-2R_30x36.sgn | 4-75 |
| GNV37-3 | 48 | 30 | REST AREA 45 DEGREE ARROW | GNV37-3_48x30.sgn | 4-76 |
| GNV37-4 | 108 | 30 | REST AREA | GNV37-4_108x30.sgn | 4-77 |
| GNV37-5 | 156 | 48 | NEXT REST AREA XX MILES | GNV37-5_156x48.sgn | 4-78 |
| GNV38-1 | 114 | 54 | LP GAS NEXT RIGHT | GNV38-1_114x54.sgn | 4-79 |
| GNV39-1 | 102 | 30 | DEPARTMENT OF MOTOR VEHICLES 90 DEGREE ARROW | GNV39-1_102x30.sgn | 4-80 |
| GNV39-2L | 78 | 36 | DEPARTMENT OF MOTOR VEHICLES 180 DEGREE ARROW | GNV39-2L_78x36.sgn | 4-80 |
| GNV39-2R | 78 | 36 | DEPARTMENT OF MOTOR VEHICLES 0 DEGREE ARROW | GNV39-2R_78x36.sgn | 4-80 |
| GNV39-3 | 150 | 54 | DEPARTMENT OF MOTOR VEHICLES | GNV39-3_150x54.sgn | 4-81 |
| GNV39-4 | 108 | 42 | DEPARTMENT OF MOTOR VEHICLES & PUBLIC SAFETY 90 DEGREE ARROW | GNV39-4_108x42.sgn | 4-82 |
| GNV39-5L | 72 | 48 | DEPARTMENT OF MOTOR VEHICLES & PUBLIC SAFETY 180 DEGREE ARROW | GNV39-5L_72x48.sgn | 4-82 |
| GNV39-5R | 72 | 48 | DEPARTMENT OF MOTOR VEHICLES & PUBLIC SAFETY 0 DEGREE ARROW | GNV39-5R_72x48.sgn | 4-82 |
| GNV39-6 | 36 | 18 | DMV 90 DEGREE ARROW | GNV39-6_36x18.sgn | 4-83 |
| GNV39-7L | 24 | 30 | DMV 180 DEGREE ARROW | GNV39-7L_24x30.sgn | 4-83 |
| GNV39-7R | 24 | 30 | DMV 0 DEGREE ARROW | GNV39-7R_24x30.sgn | 4-83 |
| GNV40-1 | 48 | 18 | POLICE 90 DEGREE ARROW | GNV40-1_48x18.sgn | 4-84 |
| GNV40-2L | 36 | 30 | POLICE 180 DEGREE ARROW | GNV40-2L_36x30.sgn | 4-84 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|----------|-------|--------|--|--------------------|-------------|
| GNV40-2R | 36 | 30 | POLICE 0 DEGREE ARROW | GNV40-2R_36x30.sgn | 4-84 |
| GNV41-1 | 36 | 18 | EMERGENCY PHONE | GNV41-1_36x18.sgn | 4-85 |
| GNV41-2 | 36 | 18 | EMERGENCY USE ONLY | GNV41-2_36x18.sgn | 4-86 |
| GNV41-3 | 42 | 48 | EMERGENCY MEDICAL SERVICE | GNV41-3_42x48.sgn | 4-87 |
| GNV41-3 | 78 | 66 | EMERGENCY MEDICAL SERVICE | GNV41-3_78x66.sgn | 4-87 |
| GNV42-1 | 96 | 24 | HOSPITAL | GNV42-1_96x24.sgn | 4-88 |
| GNV43-1 | 60 | 30 | BOAT LANDING 90 DEGREE ARROW | GNV43-1_60x30.sgn | 4-89 |
| GNV43-2L | 42 | 36 | BOAT LANDING 180 DEGREE ARROW | GNV43-2L_42x36.sgn | 4-89 |
| GNV43-2R | 42 | 36 | BOAT LANDING 0 DEGREE ARROW | GNV43-2R_42x36.sgn | 4-89 |
| GNV44-1 | 54 | 30 | POST OFFICE 90 DEGREE ARROW | GNV44-1_54x30.sgn | 4-90 |
| GNV44-2L | 36 | 36 | POST OFFICE 180 DEGREE ARROW | GNV44-2L_36x36.sgn | 4-90 |
| GNV44-2R | 36 | 36 | POST OFFICE 0 DEGREE ARROW | GNV44-2R_36x36.sgn | 4-90 |
| GNV45-1 | 54 | 30 | GOLF COURSE 90 DEGREE ARROW | GNV45-1_54x30.sgn | 4-91 |
| GNV45-2L | 42 | 36 | GOLF COURSE 180 DEGREE ARROW | GNV45-2L_42x36.sgn | 4-91 |
| GNV45-2R | 42 | 36 | GOLF COURSE 0 DEGREE ARROW | GNV45-2R_42x36.sgn | 4-91 |
| GNV45-3 | 42 | 30 | GOLF COURSE | GNV45-3_42x30.sgn | 4-92 |
| GNV46-1 | 66 | 36 | HISTORIC MINING VIEWPOINT 90 DEGREE ARROW | GNV46-1_66x36.sgn | 4-93 |
| GNV46-2L | 54 | 48 | HISTORIC MINING VIEWPOINT 180 DEGREE ARROW | GNV46-2L_54x48.sgn | 4-93 |
| GNV46-2R | 54 | 48 | HISTORIC MINING VIEWPOINT 0 DEGREE ARROW | GNV46-2R_54x48.sgn | 4-93 |
| GNV47-1 | 54 | 36 | WILDLIFE VIEWING AREA 90 DEGREE ARROW | GNV47-1_54x36.sgn | 4-94 |
| GNV47-2 | 54 | 36 | WILDLIFE VIEWING AREA 180 DEGREE ARROW | GNV47-2_54x36.sgn | 4-95 |
| GNV47-3 | 54 | 36 | WILDLIFE VIEWING AREA 0 DEGREE ARROW | GNV47-3_54x36.sgn | 4-96 |
| GNV47-4 | 60 | 36 | WILDLIFE VIEWING AREA | GNV47-4_60x36.sgn | 4-97 |

TABLE OF CONTENTS

NEVADA STANDARD SIGNS MANUAL

2006

| Code | Width | Height | Name | File | Page Number |
|-----------------|-------|--------|-----------------------------|------|-------------|
| Graphics | | | | | |
| | | | ANTELOPE | | 5-1 |
| | | | BULL | | 5-2 |
| | | | BEARS | | 5-3 |
| | | | ELK | | 5-4 |
| | | | BURRO | | 5-5 |
| | | | BIG HORN SHEEP | | 5-6 |
| | | | SHEEP | | 5-7 |
| | | | TORTOISE | | 5-8 |
| Arrows | | | | | |
| | | | VERTICAL ARROW DETAILS | | 6-1 |
| | | | HORIZONTAL ARROW DETAILS | | 6-2 |
| | | | STANDARD ARROW DETAILS | | 6-3 |
| | | | LEFT TURN ARROW | | 6-4 |
| | | | THRU ARROW | | 6-5 |
| | | | LEFT/THRU ARROW | | 6-6 |
| | | | LEFT/THRU/RIGHT ARROW | | 6-7 |
| | | | 90 DEGREE LEFT ARROW | | 6-8 |
| | | | 90 DEGREE LEFT ARROW (LONG) | | 6-9 |
| | | | LEFT/U TURN ARROW | | 6-10 |
| Index | | | | | |
| | | | Alphabetical by name | | 7-1 |