

County Location & Description First couls Estimate				
County	Location & Description	Engineer's Estimate Range		
June 2024				
EL	<b>Location:</b> SR229, Elko County, Halleck, EL 2.000 to EL 12.000 <b>Description:</b> Overlay	R24 (\$3,850,000.01 to \$4,600,000.00)		
WP	Location: US50E, White Pine County, Aultman St, from 1st to Bell ave., WP 66.283 to WP 67.637; US93N, White Pine County, East Aultman St, from 10th to 15th St., WP 53.946 to WP 54.467 Description: US 50, AULTMAN ST COMPLETE STREETS RESTRIPE FROM 1ST ST TO 11TH ST; US 50, 11TH ST TO BELL AVE AND US 93, EAST AULTMAN ST ROADWAY RECONSTRUCT, CURB, GUTTER, SIDEWALK, BIKE LANES, ADA, DRAINAGE, LIGHTING, SEWER AND WATER IMPROVEMENTS	R37 (\$41,000,000.01 to \$49,000,000.00)		
NY	<b>Location:</b> US95N, Nye County, District 1, NY 6.680 to NY 70.410 <b>Description:</b> Improve signs and striping from NY MP 6.68 to NY MP 70.41 using HSIP Funds	R19 (\$1,550,000.01 to \$1,850,000.00)		
CL	Location: US95N TO SR596 INT80, Clark County, US 95N Exit to Jones Boulevard, CL 0.000 to CL 32.000; US95S TO SR596 INT80, Clark County, US 95S Exit to Jones Boulevard, CL 0.000 to CL 0.339; US95N TO SR595 SB INT81B, Clark County, US 95N Exit to SB Rainbow Boulevard, CL 0.000 to CL 0.070; US95S TO SR595 NB INT81, Clark County, US 95S Exit to NB Rainbow Boulevard, CL 0.000 to CL 0.170 Description: Construction of Four Wrong Way Driver Systems on US 95 at the NB and SB exit ramps at Jones Boulevard and Rainbow Boulevard	R17 (\$1,050,000.01 to \$1,300,000.00)		
DO	Location: US 50, DOUGLAS COUNTY, FROM THE CA/NV STATELINE TO KINGS CANYON RD, MP DO 0.00 TO MP DO 13.26  Description: DESCRIPTION: PHASE 1: MILL AND OVERLAY WITH ITS, HYDRAULIC, AND SAFETY IMPROVEMENTS.	R37 (\$41,000,000.01 to \$49,000,000.00)		
CL	Location: US 95, CLARK COUNTY, FROM I 15 TO SR 613 SUMMERLIN PARKWAY (5 MILES) Description: INSTALL ACTIVE TRAFFIC MANAGEMENT, WRONG WAY DRIVER DETECTION SYSTEMS, STRATEGIC TRAFFIC MANAGEMENT SITES, AND HOV DETECTION WITH AN INTEGRATED DATA PLATFORM AND INTERFACE DATA ANALYTICS	R34 (\$23,500,000.01 to \$28,500,000.00)		
EL	Location: SR 227, ELKO COUNTY, FROM 0.393 MILES WEST OF SR 228 TO LOWER LAMOILLE RD; MP EL 6.50 TO MP EL 10.00  Description: CONSTRUCT A ROUNDABOUT AT BOYD KENNEDY ROAD AND SAFETY SPEED MANAGEMENT COUNTERMEASURES.	R30 (\$11,500,000.01 to \$13,500,000.00)		
July 2024				
LY	Location: SR339, Lyon County, SR 208 to Yerington, LY 0.000 to LY 6.800 Description: SR 339 Overlay	R22 (\$2,650,000.01 to \$3,200,000.00)		
CL	Location: W CHEYENNE AVE, Clark County, JONES BLVD TO MICHAEL DR, CL 1.256 to CL 1.756  Description: CONSTRUCT MEDIAN ISLANDS	R15 (\$745,000.01 to \$890,000.00)		
CL, LN	Location: SR168E, Clark County, Moapa, CL 0.000 to CL 24.750; US93N, Lincoln County, Caliente, Panaca, Pioche, LN 64.660 to LN 172.870; SR169, Clark County, Logandale and Overton, CL 0.000 to CL 24.750; SR170, Clark County, Bunkerville, CL 0.000 to CL 11.400; SR319, Lincoln County, Panaca to Stateline, LN 0.000 to LN 20.900; SR320, Lincoln County, Pioche, LN 0.000 to LN 10.660  Description: US93, SR168, SR169, SR170, SR319, SR320, Clark & Lincoln Counties, Striping	R22 (\$2,650,000.01 to \$3,200,000.00)		

Report Generated on 06/24/2024 7:55 AM [Timezone: (UTC-08:00) Pacific Time (US & Canada)]



	Location: SR 376, NYE COUNTY; MP NY 11.0 TO MP NY 34.0  Description: MITIGATE FLOOD HAZARD AND ROADWAY  OVERTOPPING WITH NEW CULVERT CONSTRUCTION,	R25 (\$4,600,000.01 to \$5,500,000.00)
NY	REPLACE/REHAB FAILING CULVERTS, ADDITION OF SCOUR OUTLET PROTECTION AND SLOPE STABILIZATION; REPROFILE ROADWAY TO ACCOMMODATE CULVERTS	
HU	Location: US95N, Humboldt County, 200' South of 4th St. to 100' North of Lay St., HU 13.600 to HU 14.250; SR794, Humboldt County, At the JCT of Haskell ST SR294, HU 0.339 to HU 0.374; 4TH ST, Humboldt County, From US95 to 150' North of US95 Description: INSTALL LOW COST PEDESTRIAN AND ROAD SAFETY IMPROVEMENTS	R17 (\$1,050,000.01 to \$1,300,000.00)
ES, MI	Location: US6, Esmeralda County, Tonopah, ES 18.860 to ES 44.140; US95N, Esmeralda County, Tonopah, ES 12.000 to ES 44.140; US95N, Esmeralda County, Tonopah, ES 83.120 to ES 96.780; US95N, Mineral County, Tonopah, MI 0.000 to MI 25.360 Description: US6 & US95, Esmeralda & Mineral County, Tonopah Striping	R18 (\$1,300,000.01 to \$1,550,000.00)
CL	Location: US93N BUSINESS, Clark County, US 93 Business, Boulder City, Clark County, CL 0.381 to CL 5.207; SR582N, Clark County, SR 582, Boulder Highway, Clark County, CL 8.460 to CL 15.400  Description: US 93 Business, Boulder City, MP CL 0.381 to MP CL 5.207 and SR 582 Boulder Highway, MP CL 8.46 to MP CL 15.40 SLURRY SEAL	R25 (\$4,600,000.01 to \$5,500,000.00)
EU	Location: IR80E, Eureka County, IR80 @ Dunphy, West of Beowawe, EU 4.120 to EU 4.950  Description: Concrete Bridge Deck Repair & Polymer Overlay	R20 (\$1,850,000.01 to \$2,200,000.00)
CL	Location: SR146E, Clark County, St. Rose Parkway, CL 0.000 to CL 6.600  Description: SR 146, St. Rose Pkwy, Clark County, MP 0.00 to MP 6.6, Slurry Seal	R20 (\$1,850,000.01 to \$2,200,000.00)
WA	Location: FRWA51, WASHOE COUNTY, FROM VILLANOVA DR, I 580 EXIT 65A, TO PLUMB LANE; MP WA 0.00 TO MP WA 0.246  Description: INSTALL NEW SIGNAGE, ADJUST CONCRETE BARRIER RAIL AND NEW STRIPING FOR ENHANCED SAFETY IMPROVEMENTS	R12 (\$430,000.01 to \$515,000.00)
CL	Location: US 95, SEARCHLIGHT, 7.809 MI NORTH OF LORAN STATION RD TO 7.358 MI NORTH OF NELSON RD; MP CL 17.442 TO MP CL 37.849  Description: MILL AND OVERLAY WITH OPEN GRADE	R37 (\$41,000,000.01 to \$49,000,000.00)
	August 2024	
CL	Location: SR564E, Clark County, Henderson, CL 1.770 to CL 8.410  Description: SR 564, Lake Mead Pkwy, Clark County, MP 1.77 to MP 8.41, Slurry Seal with Crack Fill	R18 (\$1,300,000.01 to \$1,550,000.00)
XS	Location: US 6 MP WP 99.38 TO MP WP 101.88; SR 319 MP LN 18.41 TO MP LN 20.91; SR 487 MP WP 0.00 TO MP WP 2.50  Description: NV/UT BORDER SIGN PACKAGE CONSTRUCTION/INSTALLATION	R15 (\$745,000.01 to \$890,000.00)
СН	Location: IR80E, Churchill County, Nightingale to CH/PE County Line, CH 12.832 to CH 27.707  Description: 2" Cold Mill, 2" Dense Grade with 0.75" Open Grade and Various Patching Locations	R36 (\$34,000,000.01 to \$41,000,000.00)
WA	<b>Location:</b> IR580N, Washoe County, From 0.856 miles South of the Bowers Mansion Road Interchange to the Mt Rose Hwy Interchange, WA 5.360 to WA 14.947 <b>Description:</b> Mill and fill w/ OG, Profile Grind Concrete Sections	R34 (\$23,500,000.01 to \$28,500,000.00)



September 2024		
EL, WP	Location: US93N, White Pine County, from US93A to WP/EL County line, WP 112.760 to WP 116.680; US93N, Elko County, from WP/EL County line to 0.096 mi South of LAWPRR Xing, EL 0.000 to EL 11.790  Description: Mill and Fill W/OG, Hydraulic and Lighting Improvements.	R30 (\$11,500,000.01 to \$13,500,000.00)
	November 2024	
CL	Location: I 515, CLARK COUNTY, FLAMINGO ROAD INTERCHANGE MP CL 68.50 TO MP CL 69.50 Description: MSE WALL REHABILITATION, SLOPE REMOVAL, RETAINING WALL RECONSTRUCTION, AND SOUND WALL RECONSTRUCTION	R36 (\$34,000,000.01 to \$41,000,000.00)
EL	Location: I 80, ELKO COUNTY, AT SR 225 AND AT FREL17 (JENNINGS WAY) INTERCHANGES; MP EL 23 AND MP EL 26 Description: INSTALL LANDSCAPE, AESTHETICS, AND EROSION CONTROL	R23 (\$3,200,000.01 to \$3,850,000.00)
EL	Location: IR80E, Elko County, and; IR80W, Elko County, at SR 766 Intch., SR 221 Intch., and at SR 278 Intch., EL 1.000 to EL 4.589  Description: INSTALL LANDSCAPE, AESTHETICS, AND EROSION CONTROL	R21 (\$2,200,000.01 to \$2,650,000.00)
EL, EU	Location: SR 766 NEWMONT MINE ROAD, ELKO COUNTY, FROM SR 221 TO END OF PAVEMENT, EUREKA COUNTY; MP EL 0.000 TO MP EL 5.183 AND MP EU 0.000 TO MP EU 6.324  Description: PLANTMIX BITUMINOUS SURFACE WITH OPEN GRADE	R31 (\$13,500,000.01 to \$16,500,000.00)
CL	Location: US95N, Clark County, From 7.36 miles north of Nelson rd. to 2.66 miles south of the I11 junction, CL 37.850 to CL 55.150  Description: Mill and overlay with patching	R38 (\$49,000,000.01 to \$59,000,000.00)
CL	Location: IR215N, Clark County, Windmill to IR215N/IR15 Interchange, CL 7.890 to CL 10.912 Description: 1" Cold Mill, 1" Asphalt Rubber Overlay on Existing Asphalt Pavement Roadway.	R32 (\$16,500,000.01 to \$20,000,000.00)
	December 2024	
WA	<b>Location:</b> US395N, Washoe County, from 0.044 miles North of the from UPRR Grade Separation to 0.119 miles South of Cold Springs Interchange, WA 34.130 to WA 38.260 <b>Description:</b> Mill and Overlay with Hydraulic, ITS, and Ramp Improvements	R31 (\$13,500,000.01 to \$16,500,000.00)
	January 2025	
LA	Location: US 50 EAST OF AUSTIN, LANDER COUNTY, FROM SR 376 TO 3.674 MILES WEST OF HICKISON SUMMIT, MP LA 35.962 TO MP LA 44.550  Description: MILL AND OVERLAY WITH OPEN GRADE, FLATTEN SLOPES	R28 (\$7,950,000.01 to \$9,550,000.00)
DO	Location: US 50, DOUGLAS COUNTY, AT STATELINE. MP DO 0.05.  Description: INSTALL NEVADA STATE ENTRANCE GATEWAY MONUMENT.	R8 (\$205,000.01 to \$250,000.00)
LY	<b>Location:</b> SR338, Lyon County, CA/NV to Smith Valley, LY 0.000 to LY 10.000 <b>Description:</b> Slurry Seal	R16 (\$890,000.01 to \$1,050,000.00)
EL	Location: I 80, ELKO COUNTY, CARLIN TUNNELS TO 0.359 MI WEST OF WEST ELKO INTERCHANGE; MP EL 8.00 TO MP EL 20.264 Description: PHASE 2: INSTALL DEER FENCING	R23 (\$3,200,000.01 to \$3,850,000.00)



WA	<b>Location:</b> IR80W, Washoe County, From Mae Anne Ave (H-767 E/W) to Garson Road (I-770), WA 4.335 to WA 9.143 <b>Description:</b> Replace structures, I-770, I-774 E/W, I-775 E/W, H-767 E/W	R43 (\$120,000,000.01 to \$145,000,000.00)	
WA	Location: SR667, Washoe County, 600FT N. OF GENTRY, WA 23.125 to WA 23.270  Description: PEDESTRIAN, LIGHTING, AND ADA IMPROVEMENTS. VUNERABLE ROAD USER SAFETY PROJECT.	R18 (\$1,300,000.01 to \$1,550,000.00)	
	February 2025		
DO	Location: SR28, Douglas County, from intersection of US50 to DO/CC county line, DO 0.000 to DO 1.233  Description: Construct transit mobility hub with 250 parking spaces, AIS inspection station, 0.5 miles of multi-use path, restroom, and pedestrian crossing	R27 (\$6,600,000.01 to \$7,950,000.00)	
CL	Location: SR 562, CLARK COUNTY, FROM LAS VEGAS BLVD TO ANNIE OAKLEY DR; MP CL 25.35 TO MP CL 28.52. SR 171 FROM I 215 TO ENTRANCE OF AIRPORT TUNNEL (SOUTHBOUND ONLY); MP CL 0.00 TO MP CL 0.64 Description: ON SR 562, 2-3/4 INCH COLDMILL WITH 2 INCH PLANTMIX BITUMINOUS SURFACE WITH OPEN GRADED SURFACE. ON SR 171, NEX-GEN GROOVE AND GRIND (SOUTHBOUND ONLY)	R31 (\$13,500,000.01 to \$16,500,000.00)	
LY	Location: SR829, Lyon County, Wellington, LY 0.000 to LY 3.070  Description: Slurry Seal SR 829, LY MP 0.00 to 3.07 and Maintenance Yard	R12 (\$430,000.01 to \$515,000.00)	
CL	Location: SR 163, CLARK COUNTY, FROM US 95 TO NV/AZ STATELINE. MP CL 0.00 TO MP CL 19.21  Description: INSTALL ITS INFRASTRUCTURE, FAST PACKAGE K2	R20 (\$1,850,000.01 to \$2,200,000.00)	
	March 2025		
CL	Location: SR595, Clark County, SR 595, Rainbow Blvd, Clark County, Las Vegas, from 0.08 miles north of Tropicana Ave to Silverstream Ave, CL 0.083 to CL 5.484  Description: 2-3/4 inch coldmill with 2 inch plantmix bituminous surface with open graded surface. Patching, signal replacement, sign panel replacement, and ADA improvements.	R33 (\$20,000,000.01 to \$23,500,000.00)	
LY	Location: US 95A, MINERAL COUNTY, FROM US 95 TO SR 208, LYON COUNTY; MP MI 0.000 TO MP MI 10.679; MP LY 0.000 TO MP LY 12.642  Description: PHASE 2: COLDMILL AND PLANTMIX BITUMINOUS SURFACE WITH OPEN GRADE FROM EAST OF PETE HENDRICHS RD TO SR208, REALIGN IRRIGATION DITCH, SIGNAGE AND LIGHTING IMPROVEMENTS.	R27 (\$6,600,000.01 to \$7,950,000.00)	
DO	Location: LOCATION: US 395, DOUGLAS COUNTY, FROM FIRST STREET TO 0.26 MILES NORTH OF THE DOUGLAS/CARSON CITY COUNTY LINE, MP DO 23.679 TO MP CC 0.260. SR 759 AIRPORT ROAD, FROM US 395 TO HEYBOURNE ROAD, MP DO 0.00 TO MP DO 1.004 Description: MILL AND OVERLAY WITH ITS, HYDRAULIC, AND SAFETY IMPROVEMENTS.	R32 (\$16,500,000.01 to \$20,000,000.00)	
April 2025			
WA	Location: SR 445, WASHOE COUNTY, PYRAMID WAY FROM NUGGET AVE TO YORK WAY; MP WA 0.00 TO MP WA 1.38 Description: 2-3/4 INCH COLDMILL, 2 INCH PBS WITH 3/4 INCH OG AND 10% PATCHING. UPGRADE EXISTING RAMPS, DRIVEWAYS AND SELECT SIDEWALK LOCATIONS TO MEET ADA	R29 (\$9,550,000.01 to \$11,500,000.00)	



June 2025			
CL	<b>Location:</b> SR573, Clark County, From Rainbow Blvd. to Decatur Blvd., CL 0.324 to CL 2.260; SR573, Clark County, From Frehner Road to Las Vegas Blvd., CL 2.685 to CL 5.755 <b>Description:</b> Pavement Preservation and ADA Improvements	R34 (\$23,500,000.01 to \$28,500,000.00)	

Report Generated on 06/24/2024 7:55 AM [Timezone: (UTC-08:00) Pacific Time (US & Canada)]